

Highest Quality Surgical Instrumentation



Designed and Manufactured by the
Scanlan Family Since 1921





Established 1921

Today, the Scanlan legacy of excellence continues.

Celebrating over 96 years of excellence in surgical instrumentation,
we continue our commitment to leadership and innovation
in the medical community.



Dear Customer,

The Scanlan family has specialized in the design and manufacture of the highest quality surgical products since 1921. Now in our fourth generation, my family continues its dedication to providing you with the best surgical instrumentation available anywhere in the world.



This catalog is a composite of our instruments and single-use products. However, it is difficult to offer you a completely up-to-date catalog because, even as you are reading this, we are designing and refining even more unique and innovative products to serve you and, ultimately, your patients.

In the years ahead, we will continue to listen and serve you as personally as we have since our inception, with the vigor of the young, growing, and dynamic company that we are.

If I can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.

Sincerely,

Timothy M. Scanlan
President
Chief Executive Officer



TITANIUM SPRING STYLE NEEDLE HOLDERS

LEGACY Round Handle	4.1
Round Handle, Micro Jaws	4.4
Round Handle, Heavy Jaws	4.7
Flat Handle, Micro Jaws.....	4.8
Flat Handle, Heavy Jaws.....	4.10

TITANIUM RING HANDLE

Micro Jaws	4.11
Heavy Jaws	4.16

TITANIUM BAYONET STYLE

Micro Jaws	4.17
------------------	------



SPRING STYLE NEEDLE HOLDERS

Round Handle, Micro Jaws	4.18
Round Handle, Heavy Jaws	4.23
Flat Handle, Micro Jaws.....	4.24

RING HANDLE NEEDLE HOLDERS

Micro Jaws	4.27
Fine Jaws	4.29
Heavy Jaws	4.32

BAYONET STYLE


Micro Jaws	4.35
------------------	------

SCANLAN®
Needle Holder Modifications


Modification	Description
905	Cut down jaws/tips
905E	Cut down jaws/tips 0.4 mm
905TC	Cut down carbon-inlay jaws/tip
915	Gold plating
923	Satin finish instrument
924	Tension modification
928	Modify to left-handed instrument (ring handle)
928A	Modify to left-handed instrument (spring style)
929	Special etching
971	Lengthen instrument
973	Shorten instrument



3003-204 with modifications 971



3003-180 with modifications 905



6006-32 with modifications 928

6006-32

SUTURE SIZE GUIDE
for SCANLAN® Needle Holders

The use of suture needles larger than those recommended may result in damage and invalidate your warranty. The following recommendations are made regarding the use of suture needles with SCANLAN® instrumentation. This update supercedes all previous reference materials.

8-0 Suture and Smaller • Catalog Numbers

6006-56-3
6006-177-3
6006-177-4
3789-14-3

7-0 Suture and Smaller • Catalog Numbers

3003-234-1
3003-171 through 3003-391 (odd numbers)
3003-342 through 3003-348
3788-12 through 3788-15
3789-11 through 3789-14
6006-44 through 6006-47
6006-70 through 6006-76
6006-121, 6006-123
6006-125, 6006-127 through 6006-135
6006-205 through 6006-218
9009-541 through 9009-543

6-0 and Smaller • Catalog Numbers

3003-450 through 3003-454
3003-866 through 3003-872

5-0 Suture and Smaller • Catalog Numbers

3003-90 through 3003-94A
3003-170 through 3003-238 (even numbers)
3003-352 through 3003-358
3003-390
3003-412 through 3003-468
4155-06 through 4157-79
6006-02 through 6006-04
6006-20 through 6006-42
6006-48 through 6006-68
6006-82 through 6006-120
6006-122, 6006-124, 6006-126
6006-138 through 6006-177
9009-550 through 9009-553
9009-618, 9009-648, 9009-648-9, 9009-650

4-0 Suture and Smaller • Catalog Numbers

9009-560 through 9009-563
9009-640 through 9009-642

3-0 Suture and Smaller • Catalog Numbers

3003-362 through 3003-368
6006-06 through 6006-14
6006-17, 6006-19

2-0 Suture and Smaller • Catalog Numbers

3003-402 through 3003-408
3003-510 through 3003-586
6006-15, 6006-16
6006-310 through 6006- 630
9009-570 through 9009-573
9909-610 through 9909-612
9909-916, 9909-916CI

#5 Wire and Smaller • Catalog Number

6006-05

For more information, contact your local Scanlan distributor or call: U.S. & Canada 800-328-9458, International 651-298-0997 or FAX 651-298-0018.

SCANLAN®
Titanium | Spring Style | *LEGACY*



3003-342
Instrument is shown approximate size

SCANLAN®
LEGACY Needle Holders

10 mm Diameter Extended Knurling | Round Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-342	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	7" (18 cm)
		3003-344			8" (20 cm)
		3003-346			9" (23 cm)
		3003-348			10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



3003-352
Instrument is shown approximate size

SCANLAN®
LEGACY Jacobson Micro Needle Holders
10 mm Diameter Extended Knurling | Round Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-352	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	7" (18 cm)
		3003-354			8" (20 cm)
		3003-356			9" (23 cm)
		3003-358			10" (25.4 cm)
		3003-362		3-0 and Smaller	7" (18 cm)
		3003-364			8" (20 cm)
		3003-366			9" (23 cm)
		3003-368			10" (25.4 cm)



3003-381

SCANLAN®
LEGACY Puskas™ Jacobson Micro Needle Holders
8 mm Diameter Extended Knurling | Round Handle

Instrument jaws are shown approximate size






		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-390	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	9" (23 cm)
		3003-381	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	8 1/4" (21 cm)
		3003-391			9 1/2" (24 cm)



3003-93
Instrument is shown approximate size

SCANLAN®
Castroviejo Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size





Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-90A	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	4 3/4" (12 cm)
		3003-93A			6" (15 cm)
		3003-90	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		4 3/4" (12 cm)
		3003-93			6" (15 cm)
		3003-91A	Curved DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet		4 3/4" (12 cm)
		3003-94A			6" (15 cm)
		3003-91	Curved DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		4 3/4" (12 cm)
		3003-94			6" (15 cm)
		3003-94-4	Curved 0.4 mm DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet	6" (15 cm)	



3003-180

SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size






Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-170	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		3003-180			8" (20 cm)
		3003-190			9" (23 cm)
		3003-200			10" (25.4 cm)
		3003-200-12			12" (30.5 cm)
		3003-172	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		7 1/4" (18.5 cm)
		3003-182			8" (20 cm)
		3003-202			10" (25.4 cm)
		3003-174	Curved DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet		7 1/4" (18.5 cm)
		3003-184			8" (20 cm)
		3003-204			10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-171	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	7 1/4" (18.5 cm)
		3003-181			8" (20 cm)
		3003-191			9" (23 cm)
		3003-173	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		7 1/4" (18.5 cm)
		3003-183			8" (20 cm)
		3003-193			9" (23 cm)
		3003-175	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	7 1/4" (18.5 cm)
		3003-185			8" (20 cm)
		3003-195			9" (23 cm)
		3003-177	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		7 1/4" (18.5 cm)
		3003-187			8" (20 cm)
		3003-177-3	0.3 mm Tapered DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		8-0 and Smaller
		3003-177-4	0.4 mm Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	7 1/4" (18.5 cm)	



SCANLAN®
Jacobson Needle Holders
For Large Needles | Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-510	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	2-0 and Smaller	7 1/2" (19 cm)
		3003-530			9" (23 cm)
		3003-540			10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com


Titanium NEEDLE HOLDERS
<http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/>



3003-224

SCANLAN®
Jacobson Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-224	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		3003-226	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		7 1/4" (18.5 cm)



3003-261

SCANLAN®
Jacobson Micro Needle Holders
Flat Knurled Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-261	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	8" (20 cm)
		3003-263	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		3003-265	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		








Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



3003-225

SCANLAN®
Jacobson Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length	
		3003-234	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	8 1/2" (21.5 cm)	
		3003-236	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		8 1/2" (21.5 cm)	
		3003-234-1	Straight Fine DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	7-0 and Smaller	8 1/2" (21.5 cm)	
		3003-207	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	5 3/4" (14.5 cm)	
		3003-225			7 1/4" (18.5 cm)	
		3003-235			8 1/4" (21 cm)	
		3003-243			9 1/2" (24 cm)	
		3003-227	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		7 1/4" (18.5 cm)	
		3003-237			8 1/4" (21 cm)	
			3003-238	Curved DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	8 1/2" (21.5 cm)
			3003-229	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	7 1/4" (18.5 cm)
			3003-239			8 1/4" (21 cm)



Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

Titanium NEEDLE HOLDERS
<http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/>



SCANLAN®
Rendina Needle Holders
For Large Needles | Flat Handle Anniversary Knurl

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-550	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	2-0 and Smaller	7 1/2" (19 cm)
		3003-570			9" (23 cm)
		3003-580			10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Richards Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-450	Straight Extra Fine DIAMOND DUST™ Jaws	6-0 and Smaller	6" (15 cm)
		3003-452			6 3/4" (17 cm)
		3003-454			7 1/2" (19 cm)



SCANLAN®
Ryder Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-430	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	6" (15 cm)
		3003-432			6 3/4" (17 cm)
		3003-434			7 1/2" (19 cm)



Titanium NEEDLE HOLDERS
<http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/>



3003-412

SCANLAN®
DeBakey Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size



		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-412	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/8" (18.1 cm)
		3003-414			8" (20 cm)
		3003-416			8 5/8" (21.9 cm)
		3003-418			10" (25.4 cm)



3003-436

SCANLAN®
Cardiovascular Needle Holders
Ring Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-436	Straight Ryder Style DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/8" (18.1 cm)
		3003-438			8" (20 cm)
		3003-440			8 5/8" (21.9 cm)
		3003-442			10" (25.4 cm)

Titanium NEEDLE HOLDERS
<http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/>

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

Titanium NEEDLE HOLDERS



SCANLAN®
Microvascular Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-422	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/8" (18.1 cm)
		3003-424			8" (20 cm)
		3003-426			8 5/8" (21.9 cm)
		3003-428			10" (25.4 cm)

3003-462




SCANLAN®
Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-462	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/4" (18.5 cm)
		3003-466			8 3/4" (22 cm)
		3003-464	Curved DIAMOND DUST™ Jaws		7 1/4" (18.5 cm)

Titanium NEEDLE HOLDERS

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



3003-402

Instrument is shown approximate size

SCANLAN®
Mayo-Hegar Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-402	Straight DIAMOND DUST™ Jaws	2-0 and Smaller	6 1/4" (16 cm)
		3003-404			7 1/8" (18.1 cm)
		3003-406			8" (20 cm)
		3003-408			8 5/8" (21.9 cm)



3003-866

SCANLAN®
Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3003-866	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	6-0 and Smaller	8 3/4" (22 cm)
		3003-868	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		
		3003-870	Curved DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet		
		3003-872	Curved DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		



3789-11T

SCANLAN®
Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3789-11T	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	9 1/2" (24 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.




For a complete listing of models visit...
www.scanlaninternational.com


NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/

SCANLAN®
Glasser Micro Needle Holders







Inside Spring | Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-48	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	4 7/8" (12.4 cm)
		6006-139	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		7" (18 cm)



SCANLAN®
Castroviejo Micro Needle Holders








Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-44	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	4 3/4" (12 cm)
		6006-45	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-46	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		6006-47	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		



SCANLAN®
Castroviejo Micro Needle Holders

Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-50	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	5 3/4" (14.5 cm)
		6006-52	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-54	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		6006-56	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-56-3	0.3 mm Tapered Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	8-0 and Smaller	



Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/

NEEDLE HOLDERS




SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-59	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	6 1/4" (16 cm)
		6006-61	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-63	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		6006-65	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		



SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-82	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		6006-84	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-86	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		6006-88	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		



SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-121	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	8 1/4" (21 cm)
		6006-123	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-125	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		6006-127	Curved DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		



SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-120	Straight DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	8 1/4" (21 cm)
		6006-122	Straight DIAMOND DUST™ Jaws Streamline Box Lock Without Ratchet		
		6006-124	Curved DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet		


Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

NEEDLE HOLDERS

<http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/>


NEEDLE HOLDERS



6006-128

SCANLAN®
Jacobson Micro Needle Holders
Short Knurling | Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-128	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	9" (23 cm)
		6006-130	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-132	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		



6006-129

SCANLAN®
Jacobson Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-129	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	9" (23 cm)
		6006-131	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-133	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		



6006-330

SCANLAN®
Jacobson Heavy Jaw Needle Holders
For Large Needles | Round Handle





Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-310	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	2-0 and Smaller	7 1/2" (19 cm)
		6006-330			9" (23 cm)
		6006-340			10" (25.4 cm)
		6006-334	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		9" (23 cm)


NEEDLE HOLDERS

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.



For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Castroviejo Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-58	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	5 1/2" (14 cm)
		6006-62	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		







SCANLAN®
Jacobson Micro Needle Holders
Flat Handle


Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-70	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	6 3/4" (17 cm)
		6006-72	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.




For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Jacobson Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-90	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		6006-92	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		6006-94	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		




SCANLAN®
Jacobson Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-108	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	8 1/4" (21 cm)
		6006-158			9 1/2" (24 cm)
		6006-110	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		8 1/4" (21 cm)
		6006-159			9 1/2" (24 cm)
		6006-112	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		8 1/4" (21 cm)
		6006-160			9 1/2" (24 cm)

NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/



SCANLAN®
Jacobson Micro Needle Holders
Flat Knurled Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-170	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		6006-100			8" (20 cm)
		6006-174			9" (23 cm)
		6006-102	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		8" (20 cm)
		6006-104	Curved DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		8" (20 cm)



SCANLAN®
Jacobson Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-148	Straight DIAMOND DUST™ Jaws With Ratchet	5-0 and Smaller	7 1/4" (18.5 cm)
		6006-152			9" (23 cm)

NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/



Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/


SCANLAN®
Webster Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		4155-06	Straight Delicate DIAMOND DUST™ Jaws	5-0 and Smaller	5 1/8" (13 cm)
		4155-07	Straight Delicate DIAMOND DUST™ Jaws Offset Bows		




SCANLAN®
Kaye Needle Holders / Scissors
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		4157-77	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	4 3/4" (12 cm)



SCANLAN®
Dennis Delicate Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-04	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	7" (18 cm)





NEEDLE HOLDERS

http://www.scanlaninternational.com/product-category/instrumentation/needle-holders/

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Micro Needle Holders
Ryder-Style | Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-02	Straight 1.5 mm DIAMOND DUST™ Jaws	5-0 and Smaller	6 1/4" (16 cm)
		6006-29	Straight 1.2 mm DIAMOND DUST™ Jaws		6 1/4" (16 cm)
	6006-33	7 1/4" (18.5 cm)			
	6006-37	8 3/4" (22 cm)			
	6006-41	10" (25.4 cm)			



6006-02

SCANLAN®
Micro Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length		
		6006-20	Straight DIAMOND DUST™ Jaws	5-0 and Smaller	5" (12.7 cm)		
		6006-24			5 3/4" (14.5 cm)		
		6006-28			6 1/4" (16 cm)		
		6006-32			7 1/4" (18.5 cm)		
		6006-36			8 3/4" (22 cm)		
		6006-40			10" (25.4 cm)		



6006-32

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Fell Needle Holders
Ring Handle

Instrument jaws are shown approximate size



		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-08	2 mm Straight Carbon-Inlay Jaws Gold Handle	3-0 and Smaller	6" (15 cm)
		6006-10			7" (18 cm)
		6006-12			8" (20 cm)
		6006-14			8 1/2" (21.5 cm)
		6006-17			10 1/2" (27 cm)
		6006-19			11 3/4" (29.8 cm)

6006-08
Instrument is shown approximate size



SCANLAN®
Heavy Jaw Needle Holders
Ring Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-610	Straight DIAMOND DUST™ Jaws	2-0 and Smaller	7 1/4" (18.5 cm)
		6006-620			8 1/8" (20.1 cm)
		6006-630			9 1/8" (23.5 cm)

6006-630





Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Stratte Valve Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		6006-15	Curved Carbon-Inlay Jaws Gold Handle	2-0 and Smaller	7 1/2" (19 cm)
		6006-16			10" (25.4 cm)







SCANLAN®
Sternal Needle Holders
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Wire Size	Total Length
		6006-05	Straight Carbon-Inlay Jaws Gold Handle	#5 and Smaller	7" (18 cm)



SCANLAN®
Micro Needle Holders
Round Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Recommended Suture Size	Total Length
		3789-11	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	57-0 and Smaller	9" (23 cm)
		3789-13	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		3789-12	Curved Up DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		3789-14	Curved Up DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		3789-14-3	0.3 mm Curved Up DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet	8-0 and Smaller	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

3788-14



SCANLAN®
Micro Needle Holders
Flat Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3788-12	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	9" (23 cm)
		3788-14	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		3788-13	Curved Up DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		3788-15	Curved Up DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		

SPRING STYLE - MICRO

Round Handle, Nano Blades.....	5.1
Round Handle, Micro Fine Blades.....	5.2
Round Handle, Fine Blades	5.5
Flat Handle, Nano Blades.....	5.9
Flat Handle, Micro Fine Blades.....	5.11
Flat Handle, Fine Blades	5.15

BAYONET STYLE

Round Handle, Micro Fine Blades.....	5.20
Flat Handle, Nano Blades.....	5.21
Flat Handle, Micro Fine Blades	5.22
Flat Handle, Fine Blades	5.23



RING HANDLE

Diethrich-Potts	5.24
Favaloro.....	5.26
Hegeman	5.27
DeBakey	5.28
Stevens Tenotomy	5.29
Lillehei-Potts	5.30
Metzenbaum	5.32
Ragnell Dissecting	5.36
Mayo	5.37
Iris-Eye.....	5.40
Plastic-Jabaley	5.41
C.V.H. / Peck Joseph	5.42
Sternum Pediatric	5.43
Face Lift	5.44
Laine-Kindal	5.45
Dissecting.....	5.46
Thompson Valve	5.47
Flemma Mitral / Venous Valve (In Situ).....	5.48

301-0110.....	9.12	1001-79	9.10	1001-301	8.11
301-0120	9.12	1001-80	9.10	1001-302	8.11
301-0130	9.12	1001-81	9.10	1001-303	8.11
1001-04	6.16	1001-81M	9.10	1001-304	8.11
1001-05	6.16	1001-81P.....	9.10	1001-305	8.11
1001-06	6.16	1001-82	9.10	1001-306	8.11
1001-07	6.16	1001-82P.....	9.10	1001-307	8.11
1001-10	6.17	1001-83	9.1	1001-308	8.11
1001-11.....	6.17	1001-84	8.11	1001-309	8.11
1001-12	6.17	1001-85	8.11	1001-400	8.11
1001-13	6.17	1001-86	8.11	1001-401	8.11
1001-14	6.17	1001-87	8.11	1001-402	8.11
1001-21	5.39	1001-88	8.11	1001-403	8.11
1001-23	5.39	1001-89	8.11	1001-404	8.11
1001-49	8.1	1001-90	8.11	1001-405	8.11
1001-54	2.56	1001-91	8.11	1001-406	8.11
1001-59	8.1	1001-92	8.11	1001-407	8.11
1001-60	8.1	1001-93	8.11	1001-408	8.11
1001-61	8.1	1001-94	8.1	1001-409	8.11
1001-64	8.1	1001-95	8.1	1001-499	9.6
1001-65	8.1	1001-96	8.1	1001-500	9.7
1001-66	8.1	1001-97	8.1	1001-501	9.7
1001-67	8.1	1001-98	8.1	1001-502	9.7
1001-68	8.1	1001-99	8.1	1001-503	9.7
1001-69	8.1	1001-200	8.11	1001-504	9.7
1001-70	8.1	1001-201	8.11	1001-505	9.7
1001-71	8.1	1001-202	8.11	1001-506	6.42, 9.9
1001-72	9.11	1001-203	8.11	1001-506A.....	9.9
1001-73	9.11	1001-204	8.11	1001-506M	9.9
1001-74	9.11	1001-205	8.11	1001-507	9.8
1001-75	9.10	1001-206	8.11	1001-508	9.8
1001-76	6.42, 9.10	1001-207	8.11	1001-509	9.8
1001-77	9.10	1001-208	8.11	1001-510	9.8
1001-78	9.10	1001-209	8.11	1001-511.....	9.8
1001-78A.....	9.10	1001-300	8.11	1001-512	9.8

1001-513	9.12	1001-575	9.7	1001-640	8.1
1001-514	9.12	1001-580	9.8	1001-641	8.1
1001-515	9.12	1001-581	9.8	1001-642	8.1
1001-516	9.12	1001-582	9.8	1001-643	8.1
1001-520	9.13	1001-583	9.8	1001-710	6.53, 6.55, 9.14
1001-529	9.6	1001-584	9.8	1001-725	9.14
1001-530	9.7	1001-585	9.8	1001-730	9.14
1001-531	9.7	1001-600	9.1	1001-731	9.14
1001-532	9.7	1001-601	9.1	1001-740	9.11
1001-533	9.7	1001-602	9.1	1001-760	9.13
1001-534	9.7	1001-604	9.1	1001-800	8.3
1001-535	9.7	1001-605	9.1	1001-801	8.3
1001-540	9.8	1001-606	9.1	1001-802	8.3
1001-541	9.8	1001-607	9.1	1001-803	8.3
1001-542	9.8	1001-608	9.1	1001-804	8.3
1001-543	9.8	1001-609	9.1	1001-805	8.3
1001-544	9.8	1001-610	9.1	1001-806	8.3
1001-545	9.8	1001-611	9.1	1001-807	8.3
1001-550	6.42, 9.7	1001-620	9.1	1001-808	8.3
1001-551	9.7	1001-621	9.1	1001-809	8.3
1001-552	9.7	1001-622	9.1	1001-810	8.3
1001-553	9.7	1001-624	9.1	1001-811	8.3
1001-554	9.7	1001-626	9.1	1001-812	8.3
1001-555	9.7	1001-628	9.1	1001-813	8.3
1001-560	9.8	1001-629	9.1	1001-814	8.3
1001-561	9.8	1001-630	8.1	1001-815	8.3
1001-562	9.8	1001-631	8.1	1001-816	8.3
1001-563	9.8	1001-632	8.1	1001-817	8.3
1001-564	9.8	1001-633	8.1	1001-818	8.3
1001-565	9.8	1001-634	8.1	1001-819	8.3
1001-570	9.7	1001-635	8.1	1001-820	8.3
1001-571	9.7	1001-636	8.1	1001-821	8.3
1001-572	9.7	1001-637	8.1	1001-822	8.3
1001-573	9.7	1001-638	8.1	1001-823	8.3
1001-574	9.7	1001-639	8.1	1001-824	8.3

1001-825	8.3	1001-926	8.7	1001-1023	8.2
1001-831	9.1	1001-927	8.7	1001-1024	8.2
1001-904	8.5	1001-940	1.12, 8.8	1001-1025	8.2
1001-904C	8.6	1001-950	8.9	1001-1026	8.2
1001-905	8.5	1001-951	8.9	1001-1027	8.2
1001-905C	8.6	1001-964	1.12, 8.5	1001-1028	8.2
1001-906	8.5	1001-965	1.12, 8.5	1001-1029	8.2
1001-906C	8.6	1001-966	1.12, 8.5	1001-1030	8.2
1001-907	8.5	1001-967	1.12, 8.5	1001-1031	8.2
1001-907C	8.6	1001-968	1.12, 8.5	1001-1032	8.2
1001-908	8.5	1001-969	1.12, 8.5	1001-1033	8.2
1001-908C	8.6	1001-970	1.12, 8.5	1001-1034	8.2
1001-909	8.5	1001-1000	8.2	1001-1035	8.2
1001-909C	8.6	1001-1001	8.2	1001-1036	8.2
1001-910	8.5	1001-1002	8.2	1001-1037	8.2
1001-910C	8.6	1001-1003	8.2	1001-1038	8.2
1001-914	8.5	1001-1004	8.2	1001-1039	8.2
1001-914C	8.6	1001-1005	8.2	1001-1040	8.2
1001-915	8.5	1001-1006	8.2	1001-1041	8.2
1001-915C	8.6	1001-1007	8.2	1001-1042	8.2
1001-916	8.5	1001-1008	8.2	1001-1043	8.2
1001-916C	8.6	1001-1009	8.2	1001-1044	8.2
1001-917	8.5	1001-1010	8.2	1001-1045	8.2
1001-917C	8.6	1001-1011	8.2	1001-1046	8.2
1001-918	8.5	1001-1012	8.2	1001-1047	8.2
1001-918C	8.6	1001-1013	8.2	1001-1048	8.2
1001-919	8.5	1001-1014	8.2	1001-1049	8.2
1001-919C	8.6	1001-1015	8.2	1001-1050	8.2
1001-920	8.5	1001-1016	8.2	1001-1051	8.2
1001-920C	8.6	1001-1017	8.2	1001-1052	8.2
1001-921	8.7	1001-1018	8.2	1001-1053	8.2
1001-922	8.7	1001-1019	8.2	1001-1054	8.2
1001-923	8.7	1001-1020	8.2	1001-1055	8.2
1001-924	8.7	1001-1021	8.2	1001-1056	8.2
1001-925	8.7	1001-1022	8.2	1001-1057	8.2

1001-1058	8.2	1001-1093	8.4	2002-46	2.40
1001-1059	8.2	1001-1094	8.4	2002-48	2.40
1001-1060	8.2	1001-1095	8.4	2002-50	2.40
1001-1061	8.2	1001-1096	8.4	2002-51	2.35
1001-1062	8.2	1001-1097	8.4	2002-52	2.36
1001-1063	8.2	1001-1098	8.4	2002-54	2.42
1001-1064	8.2	1001-1099	8.4	2002-62	2.26
1001-1065	8.2	1001-1100.....	8.4	2002-64	2.26
1001-1066	8.2	1001-1101.....	8.4	2002-66	2.27
1001-1067	8.2	1001-1102.....	8.4	2002-70	2.26
1001-1068	8.2	1001-1103.....	8.4	2002-72	2.27
1001-1069	8.2	1001-1104.....	8.4	2002-76	2.34
1001-1070	8.2	1001-1105.....	8.4	2002-78	2.24
1001-1071	8.2	1001-1106.....	8.4	2002-80	2.31
1001-1072	8.2	1001-1107.....	8.4	2002-82	2.31
1001-1073	8.2	1001-1108.....	8.4	2002-86	2.32
1001-1074	8.2	1001-1109.....	8.4	2002-88	2.32
1001-1075	8.2	1001-1110.....	8.4	2002-90	2.24
1001-1076	8.2	1001-1111	8.4	2002-92	2.25
1001-1077	8.2	2002-13	2.35	2002-94	2.25
1001-1078	8.2	2002-14	2.33	2002-96	2.25
1001-1079	8.2	2002-16	2.33	2002-100	2.28
1001-1080	8.2	2002-22	2.41	2002-106	2.28
1001-1081	8.2	2002-23	2.35	2002-110.....	2.29
1001-1082	8.2	2002-28	2.37	2002-112.....	2.35
1001-1083	8.2	2002-30	2.37	2002-113.....	2.35
1001-1084	8.4	2002-32	2.38	2002-116.....	2.39
1001-1085	8.4	2002-33	2.35	2002-117.....	2.39
1001-1086	8.4	2002-34	2.38	2002-128	2.22
1001-1087	8.4	2002-36	2.38	2002-134	2.22
1001-1088	8.4	2002-38	2.36	2002-184	2.23
1001-1089	8.4	2002-40	2.36	2002-186	2.23
1001-1090	8.4	2002-42	2.34	2002-229	2.20
1001-1091	8.4	2002-43	2.35	2002-230	2.20
1001-1092	8.4	2002-44	2.40	2002-231	2.20

2002-232	2.18	2142-03	8.13	3003-93	4.4
2002-234	2.18	2145-02	6.37	3003-93A.....	4.4
2002-235	2.18, 6.38	2145-03	8.12	3003-94	4.4
2002-236	2.19	2146-03	8.12	3003-94-4	4.4
2002-238	2.19	2150-03	1.12, 8.12, 9.4	3003-94A.....	4.4
2002-240	2.17	3003-02	3.12	3003-150	3.7
2002-242	2.17	3003-03	3.12	3003-152	3.7
2002-244	2.17	3003-04	3.12, 6.39	3003-154	3.7
2002-246	2.17	3003-05	3.12, 6.39	3003-154-3	3.7, 6.46
2002-248	2.21	3003-06	3.12	3003-154-4	3.7
2002-250	2.21	3003-07	3.12	3003-156	3.7
2002-280	1.11, 2.30	3003-09	3.13	3003-156-3	3.7, 6.46
2002-282	1.11, 2.30	3003-46	2.6	3003-156-4	3.7
2002-286	1.11, 2.30	3003-47	2.6	3003-158	3.8
2081-11.....	6.53, 8.14	3003-52	2.5	3003-158-3	3.8, 6.48
2081-12	8.15	3003-54	2.5	3003-158-4	3.8
2081-21	8.14	3003-56	2.5	3003-158-8	3.8, 6.39
2081-23	6.43, 8.15	3003-64	2.8	3003-158-9	3.8
2081-24	8.15	3003-66	2.9	3003-158-10	3.8
2082-10	8.14	3003-67	2.7	3003-159-3	6.48
2082-20	8.15	3003-68	2.9	3003-159	3.8
2083-01	8.14	3003-69	2.12	3003-159-3	3.8
2083-02	8.14	3003-70	2.11	3003-159-4	3.8
2083-03	8.14	3003-72	2.11	3003-159-8	3.8
2083-05	8.14	3003-74	2.15	3003-159-10	3.8
2083-16	8.15	3003-79	2.13	3003-160	3.6
2084-12	8.15	3003-80	2.14	3003-162	3.6
2084-20	8.15	3003-82	2.14	3003-164	3.6, 6.46, 6.48
2133-03	6.3, 8.12	3003-84	2.14	3003-166	3.6
2135-03	1.9, 6.3, 8.12	3003-86	2.14	3003-170	4.5
2138-03		3003-88	2.15	3003-171	4.6
6.33, 6.35, 6.43, 6.45, 6.47, 6.51, 6.55, 8.13		3003-90	4.4	3003-172	4.5
2139-03	8.13	3003-90A.....	4.4	3003-173	4.6
2140-03	6.31, 6.47, 6.51, 8.13	3003-91	4.4	3003-174	4.5
2141-03	6.47, 6.51, 8.13	3003-91A.....	4.4	3003-175	4.6

3003-177	4.6	3003-280	1.10, 2.10	3003-440	4.13
3003-177-3	4.6, 6.49	3003-282	1.10, 2.10	3003-442	4.13
3003-177-4	4.6	3003-286	1.10, 2.10	3003-450	4.11
3003-180	4.5	3003-342	4.1	3003-452	4.11
3003-181	4.6	3003-344	4.1	3003-454	4.11
3003-182	4.5	3003-346	4.1	3003-462	4.15
3003-183	4.6	3003-348	4.1	3003-464	4.15
3003-184	4.5	3003-352	4.2	3003-466	4.15
3003-185	4.6	3003-354	4.2	3003-510	4.7
3003-187	4.6	3003-356	4.2	3003-530	4.7
3003-190	4.5	3003-358	4.2	3003-540	4.7
3003-191	4.6	3003-362	4.2	3003-550	4.10
3003-193	4.6	3003-364	4.2	3003-570	4.10
3003-195	4.6	3003-366	4.2	3003-580	4.10
3003-200	4.5	3003-368	4.2	3003-610	2.3
3003-200-12	4.5	3003-381	4.3, 6.30	3003-611.....	2.3
3003-202	4.5	3003-390	4.3, 6.30	3003-612	2.3
3003-204	4.5	3003-391	4.3, 6.32	3003-613	2.2
3003-207	4.9	3003-402	4.16	3003-614	2.2, 6.38
3003-224	4.8	3003-404	4.16	3003-616	2.1
3003-225	4.9	3003-406	4.16	3003-618	2.1
3003-226	4.8	3003-408	4.16	3003-620	2.1
3003-227	4.9	3003-412	4.12	3003-628	2.4
3003-229	4.9	3003-414	4.12	3003-630	2.4
3003-234	4.9	3003-416	4.12	3003-632	2.3
3003-234-1	4.9, 6.39	3003-418	4.12	3003-633	2.2
3003-235	4.9	3003-422	4.14	3003-634	2.2
3003-236	4.9	3003-424	4.14	3003-636	2.1
3003-237	4.9	3003-426	4.14	3003-637	2.1
3003-238	4.9	3003-428	4.14	3003-638	2.1
3003-239	4.9	3003-430	4.11	3003-710	3.9
3003-243	4.9	3003-432	4.11	3003-712	3.9
3003-261	4.8	3003-434	4.11	3003-714	3.9
3003-263	4.8	3003-436	4.13	3003-716	3.9
3003-265	4.8	3003-438	4.13	3003-720	3.6, 6.39

3003-724	3.6	3003-846	3.15	3784-15	6.28
3003-726	3.6	3003-847	3.15	3784-30	6.28
3003-728	3.6	3003-850	3.15	3784-31	6.28
3003-730	3.9	3003-851	3.15, 6.50	3784-32	6.28
3003-738	3.10	3003-866	4.17	3784-33	6.28
3003-740	3.11	3003-868	4.17	3784-40	6.26
3003-742	3.11	3003-870	4.17	3784-41	6.26
3003-750	3.10	3003-872	4.17	3784-42	6.26
3003-752	3.10	3003-902	3.2	3784-43	6.27
3003-760	3.10	3003-904	3.2	3784-44	6.25
3003-762	3.10	3003-906	3.2	3784-45	6.25
3003-770	3.3, 6.30	3003-908	3.2	3784-80	6.25
3003-774	3.3, 6.32	3003-912	3.2	3784-451	6.25
3003-775	3.3, 6.32	3003-914	3.2	3785-20	1.9, 6.4
3003-776	3.3, 6.32	3003-916	3.2	3785-21	1.9, 6.4
3003-778	3.3, 6.30	3003-918	3.2	3785-22	1.9, 6.4
3003-779	3.3, 6.34	3003-922	3.1	3785-24	1.9, 6.4
3003-780	3.3	3003-924	3.1	3785-26	1.9, 6.4
3003-782	3.3	3003-926	3.1	3785-27	1.9, 6.4
3003-784	3.3	3003-928	3.1	3785-41	1.9, 6.4
3003-786	3.3	3003-932	3.4	3785-42	1.9, 6.4
3003-794	3.13	3003-934	3.4	3785-43	1.9, 6.4
3003-800	6.27	3003-936	3.4	3786-20	1.9, 6.4
3003-804	3.5	3003-938	3.4	3786-21	6.4
3003-806	3.5	3049-90	3.34	3786-22	6.4
3003-810	3.5, 6.30	3049-92	3.34	3786-23	6.4
3003-816	3.5	3190-08	3.27	3786-24	6.4
3003-818	3.5	3781-10	6.26	3786-25	6.4
3003-823	3.14	3781-16	6.26	3786-26	1.9, 6.4
3003-825	3.14	3784-09	6.26	3786-27	1.9, 6.4
3003-832	3.14	3784-10	6.26	3786-28	6.4
3003-840	3.15, 6.50	3784-11.....	6.26	3786-29	1.9, 6.4
3003-841	3.15, 6.50	3784-12	6.26	3786-30	6.5
3003-842	3.15, 6.50	3784-13	6.26	3786-31	6.5
3003-843	3.15	3784-14	6.28	3786-32	6.5

3786-40	6.5	3795-06	6.7	4004-42	3.25	4004-98	3.19	4004-253	3.17	4383-40	2.16, 6.41
3786-41	1.9, 6.4	3795-08	6.7	4004-43	3.25	4004-99	3.19	4004-254	3.17	4383-42	2.16, 6.41
3786-42	1.9, 6.4	3795-14	6.7	4004-44	3.25	4004-108	3.29	4004-256	3.17	4383-44	2.16, 6.41
3786-43	1.9, 6.4	3795-16	6.7	4004-45	3.25	4004-124	3.29	4004-260	3.18	4383-46	2.16, 6.41
3788-01	5.22	3795-18	6.7	4004-45A	3.25	4004-125	3.29	4004-261	3.18	4384-40	2.16, 6.41
3788-02	5.22, 6.51	3795-20	6.7	4004-46	3.25	4004-185	6.14, 7.36	4004-262	3.18	4384-42	2.16, 6.41
3788-04	5.22	3795-22	6.7	4004-47	3.25	4004-186	6.14, 7.36	4004-263	3.18	4384-44	2.16, 6.41
3788-05	5.22	3795-24	6.7	4004-48	3.25	4004-189	6.14, 7.36	4004-266	3.22	4384-46	2.16, 6.41
3788-06	5.22	3795-28	6.7	4004-50	3.25	4004-204	3.19	4004-268	3.22	4385-40	2.16, 6.41
3788-08	3.33	3795-50	6.1, 6.3	4004-50A	3.25	4004-206	3.19	4004-269	3.22	4385-42	2.16, 6.41
3788-10	3.33	3795-51	6.1, 6.3	4004-50B	3.25	4004-210	3.19	4004-270	3.20	4385-44	2.16, 6.41
3788-12	4.36	3795-52	1.8, 6.1, 6.3	4004-52	3.25	4004-212	3.19	4004-272	3.20	4385-46	2.16, 6.41
3788-13	4.36	3795-54	6.1, 6.3	4004-54	3.25	4004-216	3.16	4004-280	3.17, 3.18	4447-07	2.51
3788-14	4.36	3795-56	1.8, 6.1, 6.3	4004-56	3.28	4004-217	3.16	4004-282	3.17, 3.18	4447-09	2.51
3788-15	4.36	3795-57	1.8, 6.1, 6.3	4004-57	3.28	4004-220	3.16	4004-305	3.19	4545-09	2.55
3788-27	5.22	4004-039	3.35	4004-59	3.28	4004-221	3.16	4004-320	3.16	4635-06	2.55
3788-29	5.22	4004-043	3.35	4004-62	3.26	4004-224	3.16, 6.44	4004-330	3.16	5005-001	2.45
3789-01	5.20	4004-01	3.30	4004-63	3.26	4004-225	3.16	4004-346	3.24	5005-00	2.45
3789-02	5.20	4004-02	3.30	4004-65	3.26	4004-226	3.16	4004-350	3.24	5005-01	2.46
3789-03	5.20	4004-03	3.30	4004-76	3.23	4004-227	3.16	4004-394	3.29	5005-02	2.46
3789-04	5.20	4004-03-3A	3.21, 3.30, 6.46	4004-77	3.23	4004-228	3.16	4155-06	4.28	5005-03	2.46
3789-07	3.33	4004-04	3.30	4004-79	3.23	4004-230	3.20	4155-07	4.28	5005-05	2.46
3789-08	3.33	4004-05	3.31	4004-79-12	3.23	4004-232	3.20	4157-77	4.28	5005-13	2.48
3789-11	4.35	4004-07	3.31	4004-80	3.27	4004-235	3.18	4375-08	2.52	5005-15	2.48
3789-11T	4.17	4004-17	3.31	4004-84	3.27	4004-238	3.24	4375-09	2.52	5005-23	2.48
3789-12	4.35	4004-19	3.31	4004-86	3.27	4004-239	3.24	4375-10	2.52	5005-25	2.48
3789-13	4.35	4004-23	3.31	4004-88	3.27	4004-240	3.24	4375-11	2.52	5005-33	2.48
3789-14	4.35	4004-25	3.32	4004-90	3.27	4004-242	3.24	4375-12	2.52	5005-35	2.48
3789-14-3	4.35, 6.51	4004-27	3.32	4004-92	3.27	4004-244	3.24	4375-14	2.52	5005-37	2.48
3789-16	5.20	4004-28	3.32	4004-94	3.27	4004-245	3.24	4377-08	2.53, 6.38	5005-39	2.48
3789-17	5.20	4004-29	3.32	4004-95	3.19	4004-246	3.24	4377-09	2.53	5005-43	2.49
3789-20	3.33, 6.37	4004-31	3.32	4004-96	3.19	4004-248	3.24	4377-11	2.53	5005-45	2.49
3795-01	6.6	4004-35	3.32	4004-97	3.21	4004-250	3.17	4377-12	2.53	5005-47	2.50
3795-01A	6.6	4004-37	3.28, 6.44	4004-97-3A	3.21, 6.48	4004-251	3.17	4377-28	2.54	5005-49	2.50
3795-04	6.7	4004-40	3.25	4004-97A	3.21	4004-252	3.17	4377-30	2.54	5005-51	2.50

5005-53	2.50	6006-52	4.19	6006-131	4.22
5005-60	2.44	6006-54	4.19	6006-132	4.22
5005-62	2.44	6006-56	4.19	6006-133	4.22
5005-64	2.44	6006-56-3	4.19, 6.47	6006-139	4.18
5005-80	2.43, 6.53, 6.55	6006-58	4.24	6006-148	4.27
5005-82	2.46, 6.52, 6.54	6006-59	4.20	6006-152	4.27
5005-86	2.47, 6.52, 6.54	6006-61	4.20	6006-158	4.25
5005-88	2.47, 6.52, 6.54	6006-62	4.24	6006-159	4.25
6006-02	4.30	6006-63	4.20	6006-160	4.25
6006-04	4.29	6006-65	4.20	6006-170	4.26
6006-05	4.34	6006-70	4.24	6006-174	4.26
6006-08	4.32	6006-72	4.24	6006-310	4.23
6006-10	4.32	6006-82	4.20	6006-330	4.23
6006-12	4.32	6006-84	4.20	6006-334	4.23
6006-14	4.32	6006-86	4.20	6006-340	4.23
6006-15	4.34	6006-88	4.20	6006-610	4.33
6006-16	4.34	6006-90	4.25	6006-620	4.33
6006-17	4.32	6006-92	4.25	6006-630	4.33
6006-19	4.32	6006-94	4.25	7007-02	5.46
6006-20	4.31	6006-100	4.26	7007-06	5.46
6006-24	4.31	6006-102	4.26	7007-25	5.27
6006-28	4.31	6006-104	4.26	7007-26	5.27
6006-29	4.30	6006-108	4.25	7007-27	5.27
6006-32	4.31	6006-110	4.25	7007-28	5.27
6006-33	4.30	6006-112	4.25	7007-30	5.28
6006-36	4.31	6006-120	4.21	7007-32	5.28
6006-37	4.30	6006-121	4.21	7007-33	5.28
6006-40	4.31	6006-122	4.21	7007-34	5.28
6006-41	4.30	6006-123	4.21	7007-35	5.28
6006-44	4.18	6006-124	4.21	7007-40	5.25
6006-45	4.18	6006-125	4.21	7007-40-5	5.25
6006-46	4.18	6006-127	4.21	7007-42	5.25
6006-47	4.18	6006-128	4.22	7007-42-5	5.25
6006-48	4.18	6006-129	4.22	7007-44	5.25
6006-50	4.19	6006-130	4.22	7007-44-5	5.25

7007-46	5.25	7007-204	5.37	7007-221SC	5.32
7007-46-5	5.25	7007-204SC	5.37	7007-222	5.32
7007-48	5.25	7007-205SC	5.37	7007-222SC	5.32
7007-48-5	5.25	7007-206	5.37	7007-222-1	5.33
7007-50	5.26	7007-206SC	5.37	7007-222-1SC	5.33
7007-50-5	5.26	7007-207SC	5.37	7007-222-2SC	5.34
7007-56	5.31	7007-208SC	5.29	7007-223-2SC	5.34
7007-58	5.31	7007-210	5.29	7007-224	5.32
7007-60	5.31	7007-210SC	5.29, 6.53, 6.55	7007-224SC	5.32
7007-62	5.31	7007-211	5.29	7007-224-1SC	5.33
7007-64	5.31	7007-211SC	5.29, 6.40	7007-224-2SC	5.34
7007-76	5.45	7007-214	5.32	7007-226-1SC	5.33
7007-78	5.45	7007-214SC	5.32	7007-226SC	5.32
7007-84	5.35	7007-215-2	5.34	7007-230SC	5.32
7007-104	5.6	7007-215-2SC	5.34	7007-232SC	5.38
7007-105	5.6	7007-216	5.32	7007-236	5.38
7007-106	5.6	7007-216SC	5.32	7007-236SC	5.38
7007-108	5.6	7007-216-1	5.33	7007-237	5.38
7007-110	5.6	7007-216-1SC	5.33	7007-237SC	5.38
7007-112	5.15	7007-216-2	5.34	7007-242	5.38
7007-116	5.15	7007-216-2SC	5.34	7007-242SC	5.38
7007-120	5.18	7007-217SC	5.32	7007-250	5.24
7007-124	5.18	7007-218	5.32	7007-250SC	5.24
7007-126	5.18	7007-218SC	5.32	7007-250-5	5.24
7007-128	5.8	7007-218-1	5.33	7007-250-5SC	5.24
7007-130	5.8	7007-218-1SC	5.33	7007-252	5.24
7007-132	5.8	7007-218-2	5.34	7007-252SC	5.24
7007-134	5.8	7007-218-2SC	5.34	7007-252-5	5.24
7007-140	5.13, 6.47, 6.49	7007-218-3SC	5.33, 6.40	7007-252-5SC	5.24
7007-167	5.23	7007-219SC	5.32	7007-254	5.24
7007-168	5.23	7007-220	5.32	7007-254SC	5.24, 6.40
7007-200	5.41	7007-220SC	5.32	7007-254-5	5.24
7007-200SC	5.41	7007-220-1	5.33	7007-254-5SC	5.24
7007-202	5.41	7007-220-1SC	5.33	7007-256	5.24
7007-202SC	5.41	7007-220-2SC	5.34	7007-256SC	5.24

7007-256-5	5.24	7007-298SC	5.30	7007-426	5.5
7007-256-5SC	5.24	7007-300	5.30	7007-427	5.2
7007-258	5.24	7007-300SC	5.30	7007-428	5.5
7007-258SC	5.24	7007-302SC	5.44	7007-429	5.2
7007-258-5	5.24	7007-304SC	5.44	7007-440	5.12
7007-258-5SC	5.24	7007-306SC	5.44	7007-440-8	5.14
7007-260	5.26	7007-311SC.....	5.39	7007-442	5.12
7007-262SC	5.30, 6.31, 6.35	7007-313	5.29	7007-442-8	5.14
7007-260-5	5.26	7007-313SC	5.29	7007-444	5.12
7007-260-5SC	5.26	7007-315	5.29	7007-444-8	5.14
7007-263SC	5.30	7007-315SC	5.29	7007-446	5.12
7007-264	5.30	7007-320	5.28	7007-446-8	5.14
7007-264SC	5.30	7007-320SC	5.28, 6.40	7007-448	5.12
7007-266SC	5.30	7007-395SC	5.43	7007-449	5.11
7007-268	5.30	7007-397SC	5.43	7007-449-8	5.14
7007-268SC	5.30	7007-401	5.9	7007-450	5.16
7007-270SC	5.36	7007-402	5.9	7007-452	5.16
7007-272SC	5.36	7007-403	5.9	7007-453	5.16
7007-274	5.36	7007-404	5.9	7007-454	5.16
7007-274SC	5.36	7007-410	5.15	7007-456	5.16
7007-276SC	5.36	7007-411.....	5.11	7007-458	5.16
7007-278	5.36	7007-412	5.15	7007-460	5.7
7007-278SC	5.36	7007-413	5.11	7007-462	5.7
7007-280SC	5.36	7007-414	5.15	7007-464	5.7
7007-282SC	5.40	7007-415	5.11	7007-466	5.7
7007-284SC	5.40	7007-416	5.15	7007-468	5.7
7007-286	5.40	7007-417	5.11	7007-470	5.13
7007-286SC	5.40	7007-418	5.15	7007-479	5.17
7007-288SC	5.40	7007-419	5.11	7007-481	5.17
7007-292SC	5.42	7007-420	5.5	7007-483	5.17
7007-294	5.42	7007-421	5.2	7007-485	5.17
7007-294SC	5.42	7007-422	5.5	7007-487	5.17
7007-295	5.42	7007-423	5.2	7007-490	5.3
7007-295SC	5.42	7007-424	5.5	7007-490-8	5.4
7007-296SC	5.30	7007-425	5.2	7007-492	5.3

7007-492-8	5.4	8008-14	5.47	8008-476	6.12
7007-494	5.3	8008-15	5.48	8008-478	6.12
7007-494-8	5.4	8008-41	6.21	8008-480	6.12
7007-496	5.3	8008-42	6.21	8008-482	6.12
7007-496-8	5.4	8008-43	6.20	8008-484	6.12
7007-498	5.3	8008-45	6.22	8008-486	6.12
7007-499	5.3	8008-47	6.22	8008-488	6.12
7007-499-8	5.4	8008-81	6.23	8008-493	6.12
7007-506	5.19, 6.34	8008-230	6.14, 6.52, 6.54	8008-494	6.12
7007-507	5.19, 6.34	8008-232	6.14, 6.53, 6.55	8008-495	6.12
7007-508	5.21	8008-236	6.14, 6.52, 6.54	9009-10	9.5
7007-509	5.21	8008-400	6.10	9009-11.....	9.4
7007-510	5.21	8008-405	6.10	9009-12	9.5
7007-511.....	5.21, 6.31	8008-410	6.11	9009-13	9.2, 9.4
7007-514	5.21, 6.33	8008-420	6.11	9009-14	9.2, 9.4, 9.5
7007-521	5.21, 6.31	8008-420-4	6.11	9009-15	9.2, 9.4
7007-522	5.21, 6.33	8008-430	6.11	9009-16	9.3
7007-538	5.10	8008-432	6.11	9009-18	9.3
7007-539	5.10	8008-448A.....	6.12	9009-20	9.3
7007-540	5.10	8008-448B.....	6.12	9009-21	9.3
7007-542	5.10	8008-448C.....	6.12	9009-22	9.3
7007-544	5.10	8008-449A.....	6.12	9009-23	9.3
7007-546	5.10	8008-449B.....	6.12	9009-24	9.2, 9.4, 9.5
7007-548	5.10	8008-449C.....	6.12	9009-26	9.5
7007-590	5.1	8008-452	6.12	9009-48	6.13
7007-592	5.1	8008-454	6.12	9009-48A.....	6.13
7007-594	5.1	8008-456	6.12	9009-48B.....	6.13
7007-596	5.1	8008-458	6.12	9009-48C.....	6.13
7007-598	5.1	8008-460	6.12	9009-49	6.13
8008-02	6.18	8008-462	6.12	9009-49A.....	6.13
8008-04	6.18	8008-464	6.12	9009-49B.....	6.13
8008-06	6.18	8008-466	6.12	9009-49C.....	6.13
8008-10	6.19	8008-468	6.12	9009-50	6.13
8008-11.....	6.19	8008-472	6.12	9009-52	6.13
8008-12	5.47	8008-474	6.12	9009-54	6.13

9009-56	6.13	9009-150	6.29, 6.45	9009-395	6.2, 6.3
9009-58	6.13	9009-152	6.29, 6.45	9009-420	7.22
9009-60	6.13	9009-210	7.15	9009-422	7.22
9009-62	6.13	9009-211.....	7.15	9009-506	9.9
9009-64	6.13	9009-212	1.5, 7.15	9009-506A.....	9.9
9009-66	6.13	9009-213	1.5, 7.15	9009-510	7.21
9009-68	6.13	9009-222	7.7	9009-511.....	7.21
9009-70	6.13	9009-223	7.7	9009-512	7.21
9009-72	6.13	9009-225	7.7	9009-513	7.21
9009-74	6.13	9009-226	7.5	9009-516	7.21
9009-76	6.13	9009-227	7.4	9009-517	7.21
9009-78	6.13	9009-228	7.4	9009-520	7.21
9009-80	6.13	9009-229	1.1, 7.3	9009-521	7.21
9009-82	6.13	9009-230	1.1, 7.3	9009-522	7.21
9009-84	6.13	9009-240	7.14	9009-523	7.21
9009-86	6.13	9009-241	7.14	9009-524	7.21
9009-88	6.13	9009-250	1.7, 7.17	9009-525	7.21
9009-92	6.13	9009-251	1.7, 7.17	9009-528	7.20
9009-93	6.13	9009-252	1.7, 7.17	9009-540	7.28
9009-94	6.13	9009-253	1.7, 7.17	9009-541	7.28
9009-95	6.13	9009-270	7.8	9009-542	7.28
9009-100	6.24	9009-280	7.10	9009-543	7.28
9009-104	6.24	9009-281	7.10	9009-550	7.28
9009-106	6.24	9009-300	7.2	9009-551	7.28
9009-110.....	6.24	9009-301	7.2	9009-552	7.28
9009-120	6.15	9009-302	7.1	9009-553	7.28
9009-121	6.15	9009-303	7.1	9009-560	7.29
9009-122	6.15	9009-310	7.2	9009-561	7.29
9009-123	6.15	9009-311.....	7.2	9009-562	7.29
9009-126	5.48, 6.15	9009-312	7.1	9009-563	7.29
9009-128	5.48, 6.15	9009-313	7.1	9009-570	7.29
9009-142	6.27 , 6.44	9009-360	6.36	9009-571	7.29
9009-144	6.24, 6.41, 6.44	9009-364	6.36	9009-572	7.29
9009-146	6.24, 6.41, 6.44	9009-380	6.36	9009-573	7.29
9009-148	2.43, 6.38, 6.44	9009-393	1.8, 6.2, 6.3	9009-618	7.25

9009-636	7.24	9009-921	7.34	9009-973	6.8, 6.9
9009-637	7.24	9009-922	7.35	9009-974	6.8, 6.9
9009-638	7.24	9009-928	6.8	9009-975	6.8, 6.9
9009-639	7.24	9009-928-3	6.8	9009-977	6.8, 6.9
9009-640	7.27	9009-929	6.8	9009-979	6.8, 6.9
9009-642	7.27	9009-929-3	6.8	9009-980	6.8
9009-648	7.23	9009-930	6.8	9009-981	6.8, 6.9
9009-650	7.23	9009-934	6.8	9009-982	6.8, 6.9
9009-716SC	6.37, 7.18	9009-940	6.8	9009-983	6.8, 6.9
9009-718SC	6.37, 7.18	9009-941	6.8, 6.9	9009-984	6.8, 6.9
9009-738SC	7.18	9009-942	6.8, 6.9	9009-985	6.8, 6.9
9009-816	7.36	9009-943	6.8, 6.9	9009-987	6.8, 6.9
9009-820	7.36	9009-944	6.8, 6.9	9009-989	6.8, 6.9
9009-827-11	7.30	9009-945	6.8, 6.9	9009-990	6.8
9009-827-12	7.30	9009-947	6.8, 6.9	9009-991	6.8, 6.9
9009-827-13	1.6, 7.30	9009-949	6.8, 6.9	9009-992	6.8, 6.9
9009-827-15	1.6, 7.30	9009-950	6.8	9009-993	6.8, 6.9
9009-828	7.30	9009-951	6.8, 6.9	9009-994	6.8, 6.9
9009-828-15	1.6, 7.30	9009-952	6.8, 6.9	9009-995	6.8, 6.9
9009-828-16	7.30	9009-953	6.8, 6.9	9009-997	6.8, 6.9
9009-838SC	7.31	9009-954	6.8, 6.9	9009-999	6.8, 6.9
9009-840SC	7.31	9009-955	6.8, 6.9	9909-202	7.16
9009-842SC	7.31	9009-957	6.8, 6.9	9909-203	7.16
9009-900	7.34	9009-959	6.8, 6.9	9909-219	7.9
9009-901	7.34	9009-960	6.8	9909-221	7.9
9009-905	7.35	9009-961	6.8, 6.9	9909-222	7.9
9009-908	7.32	9009-962	6.8, 6.9	9909-224	7.17
9009-909	7.32	9009-963	6.8, 6.9	9909-225	7.17
9009-910	7.32	9009-964	6.8, 6.9	9909-226	7.17
9009-911.....	7.32	9009-965	6.8, 6.9	9909-227	7.17
9009-914	7.33	9009-967	6.8, 6.9	9909-232	7.11
9009-915	7.33	9009-969	6.8, 6.9	9909-234	1.4, 7.13
9009-916	7.33	9009-970	6.8	9909-610	7.26
9009-917	7.33	9009-971	6.8, 6.9	9909-612	7.26
9009-920	7.34	9009-972	6.8, 6.9	9909-910SC	7.19

9909-911SC.....	7.19
9909-912	7.11
9909-912-13	7.11
9909-913	7.13
9909-914	7.12
9909-915	7.12
9909-920	7.5
9909-921	7.4
9909-922	7.4
9909-923	7.5
9909-924	1.2, 7.5
9909-926	7.6
9909-927	7.6
9909-940	1.3, 7.8
9999-100	6.30
9999-101	6.32
9999-102	6.34
9999-109	6.36
9999-150	6.52
9999-151	6.54
9999-162	6.46
9999-163	6.48
9999-164	6.50
9999-166	6.46, 6.48, 6.50
9999-181	6.38
9999-192	6.44

SCANLAN® Instrumentation is guaranteed to be free from defects in materials and workmanship for ten full years. Any instrument which proves defective when used for its intended purpose will be repaired or replaced at no charge, at the sole discretion of Scanlan International, Inc. This warranty is in lieu of all other warranties, either expressed or implied.

In no event shall seller be liable to buyer, or any successors of buyer, for any claim for lost opportunity, loss of goodwill, or consequential or incidental damages of any kind for any amount in excess of the price of the product. Seller agrees to replace or to issue credit at seller's sole option any product determined to be defective in materials or workmanship. Seller shall not be responsible for the cost of labor or charges of any kind incurred due to product defect. Your rights under this warranty may vary from state to state and country to country. **IMPORTANT: All SCANLAN® instruments must be returned to Scanlan International for refurbishment. Refurbishment of Scanlan instrumentation by any other resource will void the Scanlan warranty.**

SCANLAN® V.I.P.™ Instrument Sterilization Trays: SCANLAN® V.I.P.™ instrument sterilization trays are warranted for 12 months against defects in material or workmanship.

SCANLAN® DIAMOND DUST™ Instrumentation: SCANLAN® DIAMOND DUST™ jaws are guaranteed for 12 months. If needed, the DIAMOND DUST™ surface will be restored at no charge during the initial 12 month period.

Needle Holders: The use of suture needles larger than those recommended may result in damage and invalidate your warranty. Please see The Suture Size Guide for SCANLAN® Needle Holders for recommendations regarding the use of suture needles with SCANLAN® instrumentation. A copy of this publication is packaged with every SCANLAN® needle holder and is also available upon request.

Titanium Instrumentation: Different shades of blue may be found within the extensive line of anodized SCANLAN® titanium instrumentation. This is not a defect, but a phenomenon which occurs due to slight variations of manufacture technique or alloy composition. This is a cosmetic characteristic only and does not compromise the high quality of your SCANLAN® titanium instrumentation.

Scissors: Do not cut suture, gauze, or wire with scissors unless it was designed to cut those materials. All SCANLAN® Super Cut™ & Ultra Sharp® scissors must be returned to Scanlan International for complete refurbishment and sharpening in order to maintain the unique cutting edge.

SCANLAN® Premier™ Scissors: Sharpness of SCANLAN® Premier™ Scissors is guaranteed for 12 months. If needed, resharpening will be performed at no charge during the 12 month period.

Heifetz™ Clips, Yasargil Clips: Product in the original packaging may be returned for full credit within 60 days domestic and 90 days international of invoice date. All used product will be considered FIRM SALE. Warranted for 12 months against defects in material or workmanship.

Reliance Bulldog Clamp: Warranty for materials and workmanship will be one year. All sales are considered FIRM SALE.

PLEASE NOTE: Instrument designs may change without prior notice. We are proud of the handcrafted quality of our instruments, which can cause slight variations in instrument patterns.

IMPORTANT:
All instruments must be decontaminated before returning to Scanlan International.

Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

DEAR CUSTOMER, PLEASE NOTE: Due to the nature of our surgical instrumentation manufacturing process and our strict quality standards, various instrument patterns may occasionally be unavailable. We apologize for this inconvenience, however, each of our instruments is made by hand in a tradition of high quality craftsmanship. Therefore, scheduled delivery dates may change. We strive to be accurate as possible regarding this information, however dates may become extended and availability dates may change. Again, we apologize for this inconvenience. We will be happy to assist you in choosing an alternative instrument, as well as assist you in any way we can.

SCANLAN®
Care & Maintenance

To maintain optimum operating condition and to protect your warranty of SCANLAN® instrumentation, we recommend the following along with your general maintenance:

Clean: Make certain that all blood and debris are removed from the instrument as soon as possible after use. Do not allow blood to dry on the instrument.

Lubricate: After a thorough cleaning and rinsing, treat the instrument with an antimicrobial water-soluble instrument lubricant.

Identify: Scanlan can provide safe and appropriate instrument identification marking system(s) upon request. Do not use a mechanical engraver to mark the instrument. **If you engrave the instrument, the warranty will be invalidated.**

Repair, Refurbish or Sharpen: Have this instrument repaired, refurbished, or sharpened only by a Scanlan-authorized facility. **Servicing by an unauthorized facility will invalidate the warranty.**

Sterilize & Store: Instruments should always be sterilized and stored in an "open" and unlocked position. This increases the life of the instrument, prevents possible breakage, and is recommended by established standards.

Protect: Be certain all delicate tipped instruments are covered with a device specially designed for instrument protection (such as SCANLAN® Tip Guard™ instrument protectors) during storage and sterilization.

Use: Instrument must be used for its intended purpose only. **Improper use or care will invalidate warranty.**

Modifications: Modifications and repair of instruments are available and must be done only through an authorized facility. Modifications by an unauthorized facility will invalidate the warranty.



IMPORTANT: Clean and sterilize before first and subsequent uses. Reprocessing instructions are available from Scanlan International, Inc.

IMPORTANT: All instruments must be decontaminated before returning to Scanlan International. Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

IMPORTANT: Destroy instruments that might have been contaminated with prions (CJD) - Do not reuse.

For further information on maintaining the quality of your surgical instrumentation, a reference guide entitled, Care & Maintenance of Scanlan® Surgical Instrumentation, is available upon request.

For more information contact your local Scanlan Distributor or call: U.S. & Canada 800-328-9458
International: 651-298-0997 or Fax: 651-298-0018



INCHES

CENTIMETERS

**For more information or
to place an order,**
please contact your local
Scanlan representative,
or call...

U.S. & Canada: 800-328-9458
International: 651-298-0997
FAX: 651-298-0018
www.scanlaninternational.com



SCANLAN ★

INTERNATIONAL

Surgical products designed and manufactured by the Scanlan family since 1921

ONE SCANLAN PLAZA • SAINT PAUL, MINNESOTA 55107 • U.S.A.
800-328-9458 • 651-298-0997 • FAX 651-298-0018 • www.scanlaninternational.com

MK-CAT-2016
©2016 Scanlan International, Inc.