

Highest Quality Surgical Instrumentation



Designed and Manufactured by the
Scanlan Family Since 1921





Established 1921

Today, the Scanlan legacy of excellence continues.

Celebrating over 96 years of excellence in surgical instrumentation,
we continue our commitment to leadership and innovation
in the medical community.



Dear Customer,

The Scanlan family has specialized in the design and manufacture of the highest quality surgical products since 1921. Now in our fourth generation, my family continues its dedication to providing you with the best surgical instrumentation available anywhere in the world.

This catalog is a composite of our instruments and single-use products. However, it is difficult to offer you a completely up-to-date catalog because, even as you are reading this, we are designing and refining even more unique and innovative products to serve you and, ultimately, your patients.

In the years ahead, we will continue to listen and serve you as personally as we have since our inception, with the vigor of the young, growing, and dynamic company that we are.

If I can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.


Sincerely,

Timothy M. Scanlan
President
Chief Executive Officer

SCANLAN®
Tracking & Tagging System

SCANLAN®
EASY-TAG™ Mini

Cat. No.	Description
1001-964	EASY-TAG™, Black
1001-965	EASY-TAG™, Red
1001-966	EASY-TAG™, Yellow
1001-967	EASY-TAG™, Blue
1001-968	EASY-TAG™, Green
1001-969	EASY-TAG™, Pink
1001-970	EASY-TAG™, Orange




0.5" x 2.25"
(12.7 mm x 57.15 mm)



SCANLAN®
EASY-TAG™ Plus

Cat. No.	Description
1001-940	Easy-Tag Plus, Silver

SCANLAN®
V.I.P.™ Sterilization Tray (Valued Instrument Protection) | Metal



2150-03

SCANLAN®
Metal Sterilization Tray, Aluminum, Scan-Guard™ Silicone Insert, Detachable Lid

Cat. No.	Description	Dimensions	Capacity
2150-03	Large capacity tray; Scan-Guard™ silicone brackets & mat Firm Sale - May be available for evaluation	29" x 8 3/8" x 1 1/2" (73.7 cm x 21.3 cm x 3.8 cm)	Holds the entire SCANLAN® Tunneling System • 8 VATS / MIS Instruments • 20 Instruments

TITANIUM MICRO VASCULAR CLAMPS

Micro Clamps	2.1
Micro Angled Clamps	2.3
Micro Kitzmiller Clamps	2.4
Castaneda Clamps	2.5

TITANIUM MEDIUM VASCULAR CLAMPS


Castaneda Clamps	2.7
Peripheral Clamp	2.8
Beck Infant Aorta Clamp	2.9
Subramanian Infant Aorta Clamp	2.9
Dennis Multi-Purpose Clamps	2.10
Aorta Clamps	2.11
DeBakey Vascular Clamps	2.12

TITANIUM LARGE VASCULAR CLAMPS

DeBakey Vascular Clamps	2.13
Satinsky Clamps	2.14
Aorta Clamps	2.15

TITANIUM SPECIALTY

SCANLAN® Loftus™ Titanium Bulldog Shunt Clamps	2.16
--	------



MICRO VASCULAR

SCANLAN® Baby Vascular	2.17
------------------------	------

MEDIUM VASCULAR

SCANLAN® Vascular Clamps	2.22
Hausmann Clamps	2.23
Dennis Clamps	2.24
SCANLAN® Multi-Purpose	2.33
Dennis Aortic Anastomosis Clamps	2.34
Lambert / Kay Anastomosis Clamps	2.34
Dennis Multi-Purpose	2.35

LARGE VASCULAR

SCANLAN® Anastomosis	2.36
Tangential Occlusion Clamps	2.37
Satinsky Occlusion Clamps	2.38
Hunter-Satinsky Aortic Clamps	2.39
SCANLAN® Aortic Aneurysm Clamps	2.40
Pollock Aortic Clamps	2.42

HAEMOSTATS

Ochsner Forceps / Phlebectomy Haemostat	2.43
Bailey	2.44
Mosquito Forceps	2.45
Vascular Forceps	2.46
Adson Forceps	2.49
Bengolea Forceps	2.50
Crafoord Artery Forceps	2.51
DeBakey Cooley Forceps	2.52

SPECIALTY

MacDougall Clamp	2.54
Prostatectomy Clamp	2.55
Allis Intestinal Clamp	2.55
Vasectomy Forceps	2.56

Modification	Description
904	Angle jaws/tips
904A	Angle and cut down jaws/tips
905	Cut down jaws/tips
907	Angled shanks - down
907B	Angled shanks - up
911	Cut down shanks
917	Bailey modification (30°, 60°, 90°)
923	Satin finish instrument
924	Tension modification
928	Modify to left-handed instrument (ring style)
928A	Modify to left-handed instrument (spring style)
929	Special etching
971	Lengthen instrument
973	Shorten instrument



3003-73



9009-912-13



5005-51 with modifications 917 (90°)




SCANLAN®
Micro Clamps

DeBakey Jaws

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	3003-616	6 mm Jaws Slightly Angled Shanks 14 mm Jaw Length	4 1/8" (10.5 cm)
	3003-618	6 mm Spoon Jaws Straight Shanks 14 mm Jaw Length	
	3003-620	9 mm Jaws Slightly Angled Shanks 16 mm Jaw Length	
	3003-636	6 mm Jaws Slightly Angled Shanks 22 mm Jaw Length	4 3/8" (11.2 cm)
	3003-637	9 mm Jaws Slightly Angled Shanks 20 mm Jaw Length	
	3003-638	6 mm Spoon Jaws Straight Shanks 26 mm Jaw Length	4 5/8" (11.8 cm)







Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Micro Clamps
Angled DeBakey Jaws

Instrument jaws are shown
approximate size






	Cat. No.	Description	Total Length
	3003-613	45° Angled Jaws 25 mm Jaw Length	4 1/4" (11 cm)
	3003-633	45° Angled Jaws 30 mm Jaw Length	4 1/2" (11.5 cm)
	3003-614	60° Angled Jaws 23 mm Jaw Length	4 1/8" (10.5 cm)
	3003-634	60° Angled Jaws 30 mm Jaw Length	4 1/4" (11 cm)

3003-614
Instrument is shown approximate size




SCANLAN®
Micro Clamps
Angled DeBakey Jaws

Instrument jaws are shown
approximate size

		Cat. No.	Description	Total Length
		3003-610	Straight Shanks 30 mm Jaw Length	4 3/4" (12 cm)
		3003-611	Slightly Angled Shanks 30 mm Jaw Length	
		3003-612	Angled Shanks 22 mm Jaw Length	4 1/4" (11 cm)
		3003-632	Angled Shanks 30 mm Jaw Length	4 5/8" (11.8 cm)



3003-610
Instrument is shown approximate size



Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Micro Kitzmiller Clamps
Angled DeBakey Jaws




	Cat. No.	Description	Total Length
	3003-628	Left Angled Jaws 23 mm Jaw Length	4 1/4" (11 cm)
	3003-630	Right Angled Jaws 23 mm Jaw Length	

3003-628
Instrument is shown approximate size




SCANLAN®
Castaneda Clamps
Cooley Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-52	30° Angled Jaws	5 1/4" (13.5 cm)
	3003-54	50° Angled Jaws	
	3003-56	70° Angled Jaws	4 3/4" (12 cm)

3003-52
Instrument is shown approximate size



Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.



For a complete listing of models visit...
www.scanlaninternational.com

Titanium CLAMPS

http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/

SCANLAN®
Castaneda Clamps
Cooley Jaws

Instrument jaws are shown
approximate size


	Cat. No.	Description	Total Length
	3003-47	Curved Jaws	6" (15 cm)
	3003-46	Slightly Curved Jaws	

3003-46
Instrument is shown approximate size



SCANLAN®
Castaneda Clamps
Double-Angled Cooley Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-67	Carotid Clamp	7 1/2" (19 cm)

3003-67



Titanium CLAMPS

http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

Titanium CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
Peripheral Clamp
DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-64	Peripheral Clamp Curved DeBakey Jaws	6 1/4" (16 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.


For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Beck Infant Aorta Clamp
DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-66	Beck Infant Aorta Clamp DeBakey Jaws	6 1/2" (16.5 cm)



SCANLAN®
Subramanian Infant Aorta Clamp
DeBakey Jaws


Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
 Top View	3003-68	Subramanian Infant Aorta Clamp DeBakey Jaws	6 1/4" (16 cm)

Titanium CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

SCANLAN®
Dennis Multi-Purpose Clamps
DeBakey Jaws

3003-282



	Cat. No.	Description	Total Length
	NEW 3003-280	Straight 2 x 3 DeBakey Jaws 8.5 cm Jaw Length	8 1/2" (21.5 cm)
	NEW 3003-282	45° Angled 2 x 3 DeBakey Jaws 8 cm Jaw Length	8" (20 cm)
	NEW 3003-286	90° Angled 2 x 3 DeBakey Jaws 6 cm Jaw Length	5 1/2" (14 cm)



3003-72

SCANLAN®
Aorta Clamps
DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-70	Kay Aorta Clamp 3 cm Jaws	8" (20 cm)
	3003-72	Lambert-Kay Aorta Clamp 3 cm Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com


Titanium CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



3003-69

SCANLAN®
DeBakey Vascular Clamps
DeBakey Jaws

Instrument jaws are shown
approximate size


	Cat. No.	Description	Total Length
	3003-69	7.5 cm Jaws	7 3/8" (18.8 cm)



3003-79

SCANLAN®
DeBakey Vascular Clamps
DeBakey Jaws





Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	3003-79	8 cm Jaws 2x3 DeBakey Wide Jaw	11" (28 cm)


Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Satinsky Clamps
DeBakey Jaws



	Cat. No.	Description	Total Length
	3003-84	2 cm Jaws	10" (25.4 cm)
	3003-82	2.5 cm Jaws	
	3003-80	3 cm Jaws	
	3003-86	3.5 cm Jaws	

3003-86



3003-88

SCANLAN®
Aorta Clamps

	Cat. No.	Description	Total Length
	3003-74	5.5 cm Curved Cooley Jaws	9 3/4" (24.8 cm)
	3003-88	7 cm 2x3 DeBakey Jaws	10 1/2" (27 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

4385-42



SCANLAN®
Loftus™ Titanium Bulldog Shunt Clamps

	Cat. No.	Description	Total Length
	4385-40	10° Angled 10 Fr.	3 3/4" (9.5 cm)
	4385-42	25° Angled 10 Fr.	
	4385-44	45° Angled 10 Fr.	
	4385-46	60° Angled 10 Fr.	
	4384-40	10° Angled 12 Fr.	
	4384-42	25° Angled 12 Fr.	
	4384-44	45° Angled 12 Fr.	
	4384-46	60° Angled 12 Fr.	
	4383-40	10° Angled 14 Fr.	
	4383-42	25° Angled 14 Fr.	
	4383-44	45° Angled 14 Fr.	
	4383-46	60° Angled 14 Fr.	

2002-244

Instrument is shown approximate size



SCANLAN®
Baby Vascular Clamps

Cooley Jaws

	Cat. No.	Description	Total Length
	2002-246	8 mm Jaws	5 3/4" (14.5 cm)
	2002-244	12 mm Jaws	
	2002-242	16 mm Jaws	5 1/4" (13.5 cm)
	2002-240	20 mm Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.




For a complete listing of models visit...
www.scanlaninternational.com



2002-234
Instrument is shown approximate size

SCANLAN®
Baby Vascular Clamps
Cooley Jaws

Instrument jaws are shown
approximate size



	Cat. No.	Description	Total Length
	2002-232	4 cm Straight Jaws	6" (15 cm)
	2002-234	25° Angled Jaws	5 3/4" (14.5 cm)
	2002-235	45° Angled Jaws	



2002-236
Instrument is shown approximate size

SCANLAN®
Baby Vascular Clamps
Cooley Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-236	60° Angled Jaws	5 1/4" (13.5 cm)
	2002-238	90° Angled Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.




For a complete listing of models visit...
www.scanlaninternational.com



2002-231
Instrument is shown approximate size

SCANLAN®
Baby Vascular Clamps
Cooley Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-229	Small Spoon Jaws Straight Shanks	5 3/4" (14.5 cm)
	2002-230	Spoon Jaws Straight Shanks	6" (15 cm)
	2002-231	Profunda Clamp Angled Shanks	5 1/2" (14 cm)



2002-248
Instrument is shown approximate size

SCANLAN®
Baby Vascular Clamps
Cooley Jaws

	Cat. No.	Description	Total Length
	2002-248	Kitzmiller, Left Angled Jaws	5 1/4" (13.5 cm)
	2002-250	Kitzmiller, Right Angled Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.



For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

2002-128





SCANLAN®
Vascular Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-128	6.5 cm Straight Jaws Straight Shanks	8 1/2" (21.5 cm)
	2002-134	30 mm Jaws Angled Shanks	8" (20 cm)

2002-186



SCANLAN®
Vascular Clamps
Hausmann Jaws

	Cat. No.	Description	Total Length
	2002-186	12 mm Jaws Straight Shanks	8" (20 cm)
	2002-184	18 mm Jaws Straight Shanks	

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>


Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>




SCANLAN®
Dennis Carotid Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-90	1.5 cm Carotid Clamp	7" (18 cm)

Medium Vascular | Dennis Peripheral






SCANLAN®
Dennis Peripheral Vascular Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-78	6 cm DeBakey Jaws	8" (20 cm)



SCANLAN®
Dennis Anastomosis Clamps
Cooley Jaws

	Cat. No.	Description	Total Length
	2002-92	1 cm Jaws	6 1/2" (16.5 cm)
	2002-94	1.5 cm Jaws	6 3/4" (17 cm)
	2002-96	2 cm Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.




For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-62
Instrument is shown approximate size



SCANLAN®
Dennis Anastomosis Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-62	1 cm Jaws	7" (18 cm)
	2002-64	1.5 cm Jaws	
	2002-70	1.5 cm Jaws	



2002-72
Instrument is shown approximate size

SCANLAN®
Dennis Anastomosis Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-66	2 cm Jaws	7" (18 cm)
	2002-72	2 cm Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-100
Instrument is shown approximate size

SCANLAN®
Dennis Anastomosis Clamps
Cooley Jaws

	Cat. No.	Description	Total Length
	2002-100	Semi-Circle Jaws	6 3/4" (17 cm)
	2002-106	2 cm Jaws	7" (18 cm)

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-110
Instrument is shown approximate size

SCANLAN®
Dennis Multi-Purpose Clamps
Cooley Jaws

	Cat. No.	Description	Total Length
	2002-110	3 cm Angled Jaws	6 1/4" (16 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com





SCANLAN®
Dennis Multi-Purpose Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	NEW 2002-280	Straight 2 x 3 DeBakey Jaws 8.5 cm Jaw Length	8 1/2" (21.5 cm)
	NEW 2002-282	45° Angled 2 x 3 DeBakey Jaws 8 cm Jaw Length	8" (20 cm)
	NEW 2002-286	90° Angled 2 x 3 DeBakey Jaws 6 cm Jaw Length	5 1/2" (14 cm)



SCANLAN®
Dennis Multi-Purpose Clamps
Angled DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-82	4 cm 45° Angled Jaws	6 1/4" (16 cm)
	2002-80	6 cm 45° Angled Jaws	7 1/4" (18.5 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-88

SCANLAN®


Dennis Multi-Purpose Clamps

Angled DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-88	8 cm 45° Angled Jaws	8" (20 cm)
	2002-86	6 cm 90° Angled Jaws	5 1/2" (14 cm)

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-14

SCANLAN®

Multi-Purpose Clamps

Angled DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-14	6 cm 60° Angled Jaws	9" (23 cm)
	2002-16	7.5 cm 60° Angled Jaws	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-76

SCANLAN®
Dennis Aortic Anastomosis Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-76	Aorta Clamp 3 cm Jaws	7" (18 cm)

SCANLAN®
Lambert-Kay Anastomosis Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-42	Aorta Clamp 3 cm Jaws	8 3/4" (22 cm)



2002-51

SCANLAN®
Dennis Multi-Purpose Clamps
Straight Jaws

Cat. No.	Description	Total Length
2002-112	4 cm Cooley Jaws, Angled Shanks 	6 3/4" (17 cm)
2002-23	8 cm DeBakey Jaws 	10 1/4" (26 cm)
2002-113	8.5 cm Cooley Jaws, Angled Shanks 	8 1/2" (21.5 cm)
2002-13	8.5 cm DeBakey Jaws 	8 1/2" (21.5 cm)
2002-43	10.5 cm DeBakey Jaws 	11 3/8" (28.8 cm)
2002-51	11 cm DeBakey Jaws 	12 1/2" (32 cm)
2002-33	13.5 cm DeBakey Jaws 	13" (33 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com




CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



2002-38

SCANLAN®
Anastomosis Clamps
DeBakey Jaws



	Cat. No.	Description	Total Length
	2002-52	2 cm Jaws	8 1/2" (21.5 cm)
	2002-38	3.5 cm Jaws	
	2002-40		10 1/4" (26 cm)



2002-28

SCANLAN®
Tangential Occlusion Clamps
DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-28	2.5 cm Jaws	9" (23 cm)
	2002-30	3.4 cm Jaws	9 1/4" (23.5 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
Satinsky Occlusion Clamps
DeBakey Jaws

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-34	2.3 cm Jaws	8 1/2" (21.5 cm)
	2002-32	2.7 cm Jaws	
	2002-36	3.5 cm Jaws	8 3/4" (22 cm)



SCANLAN®
Hunter-Satinsky Aortic Clamps

	Cat. No.	Description	Total Length
	2002-116	4.0 cm jaws Blunted Potts Teeth Jaws	8 3/4" (22 cm)
	2002-117	3.5 cm Jaws DeBakey Jaws	

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com





CLAMPS



2002-44

SCANLAN®
Aortic Aneurysm Clamps
DeBakey Jaws


Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	2002-46	5 cm Jaws	8 1/2" (21.5 cm)
	2002-44	8 cm Curved Jaws Reversed Handle Curvature	10 1/4" (26 cm)
	2002-48	7 cm Jaws	10 3/4" (27.3 cm)
	2002-50	7.5 cm Jaws	11" (28 cm)



2002-22

SCANLAN®
Aortic Aneurysm Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-22	5.0 cm Jaws	10 3/4" (27.3 cm)

CLAMPS

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
Pollock Aortic Clamps
DeBakey Jaws

	Cat. No.	Description	Total Length
	2002-54	8.0 cm Jaws	10" (25.4 cm)

2002-54

SCANLAN®
Phlebectomy Haemostat

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-80	90° Angled Very Fine Jaws Sharp Grasping Serrations	4 1/2" (11.5 cm)



5005-80
Instrument is shown approximate size

SCANLAN®
Ochsner Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	9009-148	90° Angled Very Fine Serrated Jaws	4 1/2" (11.5 cm)




9009-148
Instrument is shown approximate size

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com




CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
Bailey Forceps



Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-60	30° Angled Jaws Very Fine Angled Serrated Jaws	7" (18 cm)
	5005-62	60° Angled Jaws Very Fine Angled Serrated Jaws	
	5005-64	90° Angled Jaws Very Fine Angled Serrated Jaws	

5005-64
Instrument is shown approximate size

SCANLAN®
Hartman Mosquito Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-00	Curved Jaws	3 7/8" (9.8 cm)
	5005-001	Straight Jaws	



5005-00
Instrument is shown approximate size

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>






Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.


For a complete listing of models visit...
www.scanlaninternational.com



SCANLAN®
Vascular Mosquito Forceps



Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-01	Straight Serrated Jaws	5" (12.7 cm)
	5005-02	Delicate Curved Serrated Jaws	4 3/4" (12 cm)
	5005-03	Curved Jaws	5" (12.7 cm)
	5005-82	Curved Jaws Sharp Grasping Serrations	5" (12.7 cm)
	5005-05	Full Curved Jaws	4 1/2" (11.5 cm)



SCANLAN®
Delicate Mosquito Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-86	Very Fine Curved Jaws	5" (12.7 cm)
	5005-88	Curved Jaws 1 x 2 Teeth	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>




5005-23
Instrument is shown approximate size

SCANLAN®
Vascular Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-13	Curved Serrated Jaws	5 1/2" (14 cm)
	5005-23		6 1/2" (16.5 cm)
	5005-33		7 1/4" (18.5 cm)
	5005-15	Full Curved Serrated Jaws	5 1/3" (13.7 cm)
	5005-25		6 1/4" (16 cm)
	5005-35		7" (18 cm)
	5005-37	Straight Jaws 1 x 2 Teeth	7" (18 cm)
	5005-39	Curved Jaws 1 x 2 Teeth	7" (18 cm)



5005-43
Instrument is shown approximate size

SCANLAN®
Adson Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-43	Curved Serrated Jaws	7" (18 cm)
	5005-45	Full Curved Serrated Jaws	

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



5005-47

SCANLAN®

Bengolea Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	5005-47	Curved Serrated Jaws	8" (20 cm)
	5005-51		9 1/2" (24 cm)
	5005-49	Full Curved Serrated Jaws	7 3/4" (19.5 cm)
	5005-53		9" (23 cm)

CLAMPS

<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



4447-07

Instrument is shown approximate size

SCANLAN®

Crafoord Artery Forceps

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	4447-07	Curved Serrated Jaws	7" (18 cm)
	4447-09		9 1/4" (23.5 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
DeBakey Cooley Forceps
Carmalt Jaws with Cross Hatch Tips

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	4375-08	Curved Jaws	7 1/2" (19 cm)
	4375-09		9" (23 cm)
	4375-10		10" (25.4 cm)
	4375-11		11" (28 cm)
	4375-12		12" (30.5 cm)
	4375-14		14" (35.6 cm)



SCANLAN®
DeBakey Cooley Forceps
Carmalt Jaws with Cross Hatch Tips

Instrument jaws are shown
approximate size

	Cat. No.	Description	Total Length
	4377-08	Right Angle Jaws	7 1/2" (19 cm)
	4377-09		9" (23 cm)
	4377-11		11" (28 cm)
	4377-12		12" (30.5 cm)

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.


For a complete listing of models visit...
www.scanlaninternational.com

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>

CLAMPS
<http://www.scanlaninternational.com/product-category/instrumentation/clamps-instrumentation/>



SCANLAN®
MacDougall Clamp
Carmalt Jaws with Cross Hatch Tips

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	4377-28	Shanks Angled Left	12" (30.5 cm)
	4377-30	Shanks Angled Right	



SCANLAN®
Prostatectomy Clamp

Cat. No.	Description	Total Length
4545-09	45° Angled Babcock Jaws 8 mm Width Jaws Curved Shanks	9" (23 cm)

Haemostats | Specialty | Allis Intestinal



SCANLAN®
Allis Intestinal Clamp

Cat. No.	Description	Total Length
4635-06	4 mm Width Jaws	6" (15 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



1001-54
Instrument is shown approximate size

SCANLAN®
Smith Leifer Vasectomy Forceps

Cat. No.	Description	Total Length
1001-54	Sharp Tips	7" (18 cm)

TITANIUM ROUND HANDLE — MICRO

LEGACY Platform Ring Tips.....	3.1
LEGACY Platform Tips	3.2
LEGACY DeBakey Tips	3.4
LEGACY Bayonet Style	3.5
Ring Tips.....	3.6
Platform Tips	3.7
Dennis Micro	3.9
DeBakey Micro	3.9

TITANIUM FLAT HANDLE — FINE

Gerald Forceps	3.10
DeBakey Dissecting Forceps	3.12
Cushing Forceps.....	3.13
Resano Valve Forceps.....	3.13
Bayonet Style.....	3.14



ROUND HANDLE — MICRO

Ring Tips.....	3.16
Platform Tips	3.18
DeBakey Tips	3.20
DIAMOND DUST™ Tips	3.21
Needle Pulling Tissue Forceps	3.22

FLAT HANDLE — FINE

Gerald Forceps	3.23
----------------------	------

FLAT HANDLE — FINE to MEDIUM

DeBakey Tips	3.25
McIndoe Forceps.....	3.26
Gilles Forceps.....	3.26
Thumb Forceps	3.27
Brophy Tissue Forceps	3.27
Cushing Forceps.....	3.28
Needle Pulling Tissue Forceps	3.28
Resano Valve Forceps.....	3.29
Suction Forceps	3.29

ROUND HANDLE — SMALL VASCULAR

Suture Tying Forceps	3.30
----------------------------	------

FLAT HANDLE — SMALL VASCULAR

Jewelers Forceps.....	3.31
Adson Forceps	3.32

Bayonet Style

Micro Forceps	3.33
Tumor Grasping Forceps	3.34
DeBakey Forceps	3.35

301-0110.....	9.12	1001-79	9.10	1001-301	8.11
301-0120	9.12	1001-80	9.10	1001-302	8.11
301-0130	9.12	1001-81	9.10	1001-303	8.11
1001-04	6.16	1001-81M	9.10	1001-304	8.11
1001-05	6.16	1001-81P.....	9.10	1001-305	8.11
1001-06	6.16	1001-82	9.10	1001-306	8.11
1001-07	6.16	1001-82P.....	9.10	1001-307	8.11
1001-10	6.17	1001-83	9.1	1001-308	8.11
1001-11.....	6.17	1001-84	8.11	1001-309	8.11
1001-12	6.17	1001-85	8.11	1001-400	8.11
1001-13	6.17	1001-86	8.11	1001-401	8.11
1001-14	6.17	1001-87	8.11	1001-402	8.11
1001-21	5.39	1001-88	8.11	1001-403	8.11
1001-23	5.39	1001-89	8.11	1001-404	8.11
1001-49	8.1	1001-90	8.11	1001-405	8.11
1001-54	2.56	1001-91	8.11	1001-406	8.11
1001-59	8.1	1001-92	8.11	1001-407	8.11
1001-60	8.1	1001-93	8.11	1001-408	8.11
1001-61	8.1	1001-94	8.1	1001-409	8.11
1001-64	8.1	1001-95	8.1	1001-499	9.6
1001-65	8.1	1001-96	8.1	1001-500	9.7
1001-66	8.1	1001-97	8.1	1001-501	9.7
1001-67	8.1	1001-98	8.1	1001-502	9.7
1001-68	8.1	1001-99	8.1	1001-503	9.7
1001-69	8.1	1001-200	8.11	1001-504	9.7
1001-70	8.1	1001-201	8.11	1001-505	9.7
1001-71	8.1	1001-202	8.11	1001-506	6.42, 9.9
1001-72	9.11	1001-203	8.11	1001-506A.....	9.9
1001-73	9.11	1001-204	8.11	1001-506M	9.9
1001-74	9.11	1001-205	8.11	1001-507	9.8
1001-75	9.10	1001-206	8.11	1001-508	9.8
1001-76	6.42, 9.10	1001-207	8.11	1001-509	9.8
1001-77	9.10	1001-208	8.11	1001-510	9.8
1001-78	9.10	1001-209	8.11	1001-511.....	9.8
1001-78A.....	9.10	1001-300	8.11	1001-512	9.8

1001-513	9.12	1001-575	9.7	1001-640	8.1
1001-514	9.12	1001-580	9.8	1001-641	8.1
1001-515	9.12	1001-581	9.8	1001-642	8.1
1001-516	9.12	1001-582	9.8	1001-643	8.1
1001-520	9.13	1001-583	9.8	1001-710	6.53, 6.55, 9.14
1001-529	9.6	1001-584	9.8	1001-725	9.14
1001-530	9.7	1001-585	9.8	1001-730	9.14
1001-531	9.7	1001-600	9.1	1001-731	9.14
1001-532	9.7	1001-601	9.1	1001-740	9.11
1001-533	9.7	1001-602	9.1	1001-760	9.13
1001-534	9.7	1001-604	9.1	1001-800	8.3
1001-535	9.7	1001-605	9.1	1001-801	8.3
1001-540	9.8	1001-606	9.1	1001-802	8.3
1001-541	9.8	1001-607	9.1	1001-803	8.3
1001-542	9.8	1001-608	9.1	1001-804	8.3
1001-543	9.8	1001-609	9.1	1001-805	8.3
1001-544	9.8	1001-610	9.1	1001-806	8.3
1001-545	9.8	1001-611	9.1	1001-807	8.3
1001-550	6.42, 9.7	1001-620	9.1	1001-808	8.3
1001-551	9.7	1001-621	9.1	1001-809	8.3
1001-552	9.7	1001-622	9.1	1001-810	8.3
1001-553	9.7	1001-624	9.1	1001-811	8.3
1001-554	9.7	1001-626	9.1	1001-812	8.3
1001-555	9.7	1001-628	9.1	1001-813	8.3
1001-560	9.8	1001-629	9.1	1001-814	8.3
1001-561	9.8	1001-630	8.1	1001-815	8.3
1001-562	9.8	1001-631	8.1	1001-816	8.3
1001-563	9.8	1001-632	8.1	1001-817	8.3
1001-564	9.8	1001-633	8.1	1001-818	8.3
1001-565	9.8	1001-634	8.1	1001-819	8.3
1001-570	9.7	1001-635	8.1	1001-820	8.3
1001-571	9.7	1001-636	8.1	1001-821	8.3
1001-572	9.7	1001-637	8.1	1001-822	8.3
1001-573	9.7	1001-638	8.1	1001-823	8.3
1001-574	9.7	1001-639	8.1	1001-824	8.3

1001-825	8.3	1001-926	8.7	1001-1023	8.2
1001-831	9.1	1001-927	8.7	1001-1024	8.2
1001-904	8.5	1001-940	1.12, 8.8	1001-1025	8.2
1001-904C	8.6	1001-950	8.9	1001-1026	8.2
1001-905	8.5	1001-951	8.9	1001-1027	8.2
1001-905C	8.6	1001-964	1.12, 8.5	1001-1028	8.2
1001-906	8.5	1001-965	1.12, 8.5	1001-1029	8.2
1001-906C	8.6	1001-966	1.12, 8.5	1001-1030	8.2
1001-907	8.5	1001-967	1.12, 8.5	1001-1031	8.2
1001-907C	8.6	1001-968	1.12, 8.5	1001-1032	8.2
1001-908	8.5	1001-969	1.12, 8.5	1001-1033	8.2
1001-908C	8.6	1001-970	1.12, 8.5	1001-1034	8.2
1001-909	8.5	1001-1000	8.2	1001-1035	8.2
1001-909C	8.6	1001-1001	8.2	1001-1036	8.2
1001-910	8.5	1001-1002	8.2	1001-1037	8.2
1001-910C	8.6	1001-1003	8.2	1001-1038	8.2
1001-914	8.5	1001-1004	8.2	1001-1039	8.2
1001-914C	8.6	1001-1005	8.2	1001-1040	8.2
1001-915	8.5	1001-1006	8.2	1001-1041	8.2
1001-915C	8.6	1001-1007	8.2	1001-1042	8.2
1001-916	8.5	1001-1008	8.2	1001-1043	8.2
1001-916C	8.6	1001-1009	8.2	1001-1044	8.2
1001-917	8.5	1001-1010	8.2	1001-1045	8.2
1001-917C	8.6	1001-1011	8.2	1001-1046	8.2
1001-918	8.5	1001-1012	8.2	1001-1047	8.2
1001-918C	8.6	1001-1013	8.2	1001-1048	8.2
1001-919	8.5	1001-1014	8.2	1001-1049	8.2
1001-919C	8.6	1001-1015	8.2	1001-1050	8.2
1001-920	8.5	1001-1016	8.2	1001-1051	8.2
1001-920C	8.6	1001-1017	8.2	1001-1052	8.2
1001-921	8.7	1001-1018	8.2	1001-1053	8.2
1001-922	8.7	1001-1019	8.2	1001-1054	8.2
1001-923	8.7	1001-1020	8.2	1001-1055	8.2
1001-924	8.7	1001-1021	8.2	1001-1056	8.2
1001-925	8.7	1001-1022	8.2	1001-1057	8.2

1001-1058	8.2	1001-1093	8.4	2002-46	2.40
1001-1059	8.2	1001-1094	8.4	2002-48	2.40
1001-1060	8.2	1001-1095	8.4	2002-50	2.40
1001-1061	8.2	1001-1096	8.4	2002-51	2.35
1001-1062	8.2	1001-1097	8.4	2002-52	2.36
1001-1063	8.2	1001-1098	8.4	2002-54	2.42
1001-1064	8.2	1001-1099	8.4	2002-62	2.26
1001-1065	8.2	1001-1100.....	8.4	2002-64	2.26
1001-1066	8.2	1001-1101.....	8.4	2002-66	2.27
1001-1067	8.2	1001-1102.....	8.4	2002-70	2.26
1001-1068	8.2	1001-1103.....	8.4	2002-72	2.27
1001-1069	8.2	1001-1104.....	8.4	2002-76	2.34
1001-1070	8.2	1001-1105.....	8.4	2002-78	2.24
1001-1071	8.2	1001-1106.....	8.4	2002-80	2.31
1001-1072	8.2	1001-1107.....	8.4	2002-82	2.31
1001-1073	8.2	1001-1108.....	8.4	2002-86	2.32
1001-1074	8.2	1001-1109.....	8.4	2002-88	2.32
1001-1075	8.2	1001-1110.....	8.4	2002-90	2.24
1001-1076	8.2	1001-1111	8.4	2002-92	2.25
1001-1077	8.2	2002-13	2.35	2002-94	2.25
1001-1078	8.2	2002-14	2.33	2002-96	2.25
1001-1079	8.2	2002-16	2.33	2002-100	2.28
1001-1080	8.2	2002-22	2.41	2002-106	2.28
1001-1081	8.2	2002-23	2.35	2002-110.....	2.29
1001-1082	8.2	2002-28	2.37	2002-112.....	2.35
1001-1083	8.2	2002-30	2.37	2002-113.....	2.35
1001-1084	8.4	2002-32	2.38	2002-116.....	2.39
1001-1085	8.4	2002-33	2.35	2002-117.....	2.39
1001-1086	8.4	2002-34	2.38	2002-128	2.22
1001-1087	8.4	2002-36	2.38	2002-134	2.22
1001-1088	8.4	2002-38	2.36	2002-184	2.23
1001-1089	8.4	2002-40	2.36	2002-186	2.23
1001-1090	8.4	2002-42	2.34	2002-229	2.20
1001-1091	8.4	2002-43	2.35	2002-230	2.20
1001-1092	8.4	2002-44	2.40	2002-231	2.20

2002-232	2.18	2142-03	8.13	3003-93	4.4
2002-234	2.18	2145-02	6.37	3003-93A.....	4.4
2002-235	2.18, 6.38	2145-03	8.12	3003-94	4.4
2002-236	2.19	2146-03	8.12	3003-94-4	4.4
2002-238	2.19	2150-03	1.12, 8.12, 9.4	3003-94A.....	4.4
2002-240	2.17	3003-02	3.12	3003-150	3.7
2002-242	2.17	3003-03	3.12	3003-152	3.7
2002-244	2.17	3003-04	3.12, 6.39	3003-154	3.7
2002-246	2.17	3003-05	3.12, 6.39	3003-154-3	3.7, 6.46
2002-248	2.21	3003-06	3.12	3003-154-4	3.7
2002-250	2.21	3003-07	3.12	3003-156	3.7
2002-280	1.11, 2.30	3003-09	3.13	3003-156-3	3.7, 6.46
2002-282	1.11, 2.30	3003-46	2.6	3003-156-4	3.7
2002-286	1.11, 2.30	3003-47	2.6	3003-158	3.8
2081-11.....	6.53, 8.14	3003-52	2.5	3003-158-3	3.8, 6.48
2081-12	8.15	3003-54	2.5	3003-158-4	3.8
2081-21	8.14	3003-56	2.5	3003-158-8	3.8, 6.39
2081-23	6.43, 8.15	3003-64	2.8	3003-158-9	3.8
2081-24	8.15	3003-66	2.9	3003-158-10	3.8
2082-10	8.14	3003-67	2.7	3003-159-3	6.48
2082-20	8.15	3003-68	2.9	3003-159	3.8
2083-01	8.14	3003-69	2.12	3003-159-3	3.8
2083-02	8.14	3003-70	2.11	3003-159-4	3.8
2083-03	8.14	3003-72	2.11	3003-159-8	3.8
2083-05	8.14	3003-74	2.15	3003-159-10	3.8
2083-16	8.15	3003-79	2.13	3003-160	3.6
2084-12	8.15	3003-80	2.14	3003-162	3.6
2084-20	8.15	3003-82	2.14	3003-164	3.6, 6.46, 6.48
2133-03	6.3, 8.12	3003-84	2.14	3003-166	3.6
2135-03	1.9, 6.3, 8.12	3003-86	2.14	3003-170	4.5
2138-03		3003-88	2.15	3003-171	4.6
6.33, 6.35, 6.43, 6.45, 6.47, 6.51, 6.55, 8.13		3003-90	4.4	3003-172	4.5
2139-03	8.13	3003-90A.....	4.4	3003-173	4.6
2140-03	6.31, 6.47, 6.51, 8.13	3003-91	4.4	3003-174	4.5
2141-03	6.47, 6.51, 8.13	3003-91A.....	4.4	3003-175	4.6

3003-177	4.6	3003-280	1.10, 2.10	3003-440	4.13
3003-177-3	4.6, 6.49	3003-282	1.10, 2.10	3003-442	4.13
3003-177-4	4.6	3003-286	1.10, 2.10	3003-450	4.11
3003-180	4.5	3003-342	4.1	3003-452	4.11
3003-181	4.6	3003-344	4.1	3003-454	4.11
3003-182	4.5	3003-346	4.1	3003-462	4.15
3003-183	4.6	3003-348	4.1	3003-464	4.15
3003-184	4.5	3003-352	4.2	3003-466	4.15
3003-185	4.6	3003-354	4.2	3003-510	4.7
3003-187	4.6	3003-356	4.2	3003-530	4.7
3003-190	4.5	3003-358	4.2	3003-540	4.7
3003-191	4.6	3003-362	4.2	3003-550	4.10
3003-193	4.6	3003-364	4.2	3003-570	4.10
3003-195	4.6	3003-366	4.2	3003-580	4.10
3003-200	4.5	3003-368	4.2	3003-610	2.3
3003-200-12	4.5	3003-381	4.3, 6.30	3003-611.....	2.3
3003-202	4.5	3003-390	4.3, 6.30	3003-612	2.3
3003-204	4.5	3003-391	4.3, 6.32	3003-613	2.2
3003-207	4.9	3003-402	4.16	3003-614	2.2, 6.38
3003-224	4.8	3003-404	4.16	3003-616	2.1
3003-225	4.9	3003-406	4.16	3003-618	2.1
3003-226	4.8	3003-408	4.16	3003-620	2.1
3003-227	4.9	3003-412	4.12	3003-628	2.4
3003-229	4.9	3003-414	4.12	3003-630	2.4
3003-234	4.9	3003-416	4.12	3003-632	2.3
3003-234-1	4.9, 6.39	3003-418	4.12	3003-633	2.2
3003-235	4.9	3003-422	4.14	3003-634	2.2
3003-236	4.9	3003-424	4.14	3003-636	2.1
3003-237	4.9	3003-426	4.14	3003-637	2.1
3003-238	4.9	3003-428	4.14	3003-638	2.1
3003-239	4.9	3003-430	4.11	3003-710	3.9
3003-243	4.9	3003-432	4.11	3003-712	3.9
3003-261	4.8	3003-434	4.11	3003-714	3.9
3003-263	4.8	3003-436	4.13	3003-716	3.9
3003-265	4.8	3003-438	4.13	3003-720	3.6, 6.39

3003-724	3.6	3003-846	3.15	3784-15	6.28
3003-726	3.6	3003-847	3.15	3784-30	6.28
3003-728	3.6	3003-850	3.15	3784-31	6.28
3003-730	3.9	3003-851	3.15, 6.50	3784-32	6.28
3003-738	3.10	3003-866	4.17	3784-33	6.28
3003-740	3.11	3003-868	4.17	3784-40	6.26
3003-742	3.11	3003-870	4.17	3784-41	6.26
3003-750	3.10	3003-872	4.17	3784-42	6.26
3003-752	3.10	3003-902	3.2	3784-43	6.27
3003-760	3.10	3003-904	3.2	3784-44	6.25
3003-762	3.10	3003-906	3.2	3784-45	6.25
3003-770	3.3, 6.30	3003-908	3.2	3784-80	6.25
3003-774	3.3, 6.32	3003-912	3.2	3784-451	6.25
3003-775	3.3, 6.32	3003-914	3.2	3785-20	1.9, 6.4
3003-776	3.3, 6.32	3003-916	3.2	3785-21	1.9, 6.4
3003-778	3.3, 6.30	3003-918	3.2	3785-22	1.9, 6.4
3003-779	3.3, 6.34	3003-922	3.1	3785-24	1.9, 6.4
3003-780	3.3	3003-924	3.1	3785-26	1.9, 6.4
3003-782	3.3	3003-926	3.1	3785-27	1.9, 6.4
3003-784	3.3	3003-928	3.1	3785-41	1.9, 6.4
3003-786	3.3	3003-932	3.4	3785-42	1.9, 6.4
3003-794	3.13	3003-934	3.4	3785-43	1.9, 6.4
3003-800	6.27	3003-936	3.4	3786-20	1.9, 6.4
3003-804	3.5	3003-938	3.4	3786-21	6.4
3003-806	3.5	3049-90	3.34	3786-22	6.4
3003-810	3.5, 6.30	3049-92	3.34	3786-23	6.4
3003-816	3.5	3190-08	3.27	3786-24	6.4
3003-818	3.5	3781-10	6.26	3786-25	6.4
3003-823	3.14	3781-16	6.26	3786-26	1.9, 6.4
3003-825	3.14	3784-09	6.26	3786-27	1.9, 6.4
3003-832	3.14	3784-10	6.26	3786-28	6.4
3003-840	3.15, 6.50	3784-11.....	6.26	3786-29	1.9, 6.4
3003-841	3.15, 6.50	3784-12	6.26	3786-30	6.5
3003-842	3.15, 6.50	3784-13	6.26	3786-31	6.5
3003-843	3.15	3784-14	6.28	3786-32	6.5

3786-40	6.5	3795-06	6.7	4004-42	3.25	4004-98	3.19	4004-253	3.17	4383-40	2.16, 6.41
3786-41	1.9, 6.4	3795-08	6.7	4004-43	3.25	4004-99	3.19	4004-254	3.17	4383-42	2.16, 6.41
3786-42	1.9, 6.4	3795-14	6.7	4004-44	3.25	4004-108	3.29	4004-256	3.17	4383-44	2.16, 6.41
3786-43	1.9, 6.4	3795-16	6.7	4004-45	3.25	4004-124	3.29	4004-260	3.18	4383-46	2.16, 6.41
3788-01	5.22	3795-18	6.7	4004-45A	3.25	4004-125	3.29	4004-261	3.18	4384-40	2.16, 6.41
3788-02	5.22, 6.51	3795-20	6.7	4004-46	3.25	4004-185	6.14, 7.36	4004-262	3.18	4384-42	2.16, 6.41
3788-04	5.22	3795-22	6.7	4004-47	3.25	4004-186	6.14, 7.36	4004-263	3.18	4384-44	2.16, 6.41
3788-05	5.22	3795-24	6.7	4004-48	3.25	4004-189	6.14, 7.36	4004-266	3.22	4384-46	2.16, 6.41
3788-06	5.22	3795-28	6.7	4004-50	3.25	4004-204	3.19	4004-268	3.22	4385-40	2.16, 6.41
3788-08	3.33	3795-50	6.1, 6.3	4004-50A	3.25	4004-206	3.19	4004-269	3.22	4385-42	2.16, 6.41
3788-10	3.33	3795-51	6.1, 6.3	4004-50B	3.25	4004-210	3.19	4004-270	3.20	4385-44	2.16, 6.41
3788-12	4.36	3795-52	1.8, 6.1, 6.3	4004-52	3.25	4004-212	3.19	4004-272	3.20	4385-46	2.16, 6.41
3788-13	4.36	3795-54	6.1, 6.3	4004-54	3.25	4004-216	3.16	4004-280	3.17, 3.18	4447-07	2.51
3788-14	4.36	3795-56	1.8, 6.1, 6.3	4004-56	3.28	4004-217	3.16	4004-282	3.17, 3.18	4447-09	2.51
3788-15	4.36	3795-57	1.8, 6.1, 6.3	4004-57	3.28	4004-220	3.16	4004-305	3.19	4545-09	2.55
3788-27	5.22	4004-039	3.35	4004-59	3.28	4004-221	3.16	4004-320	3.16	4635-06	2.55
3788-29	5.22	4004-043	3.35	4004-62	3.26	4004-224	3.16, 6.44	4004-330	3.16	5005-001	2.45
3789-01	5.20	4004-01	3.30	4004-63	3.26	4004-225	3.16	4004-346	3.24	5005-00	2.45
3789-02	5.20	4004-02	3.30	4004-65	3.26	4004-226	3.16	4004-350	3.24	5005-01	2.46
3789-03	5.20	4004-03	3.30	4004-76	3.23	4004-227	3.16	4004-394	3.29	5005-02	2.46
3789-04	5.20	4004-03-3A	3.21, 3.30, 6.46	4004-77	3.23	4004-228	3.16	4155-06	4.28	5005-03	2.46
3789-07	3.33	4004-04	3.30	4004-79	3.23	4004-230	3.20	4155-07	4.28	5005-05	2.46
3789-08	3.33	4004-05	3.31	4004-79-12	3.23	4004-232	3.20	4157-77	4.28	5005-13	2.48
3789-11	4.35	4004-07	3.31	4004-80	3.27	4004-235	3.18	4375-08	2.52	5005-15	2.48
3789-11T	4.17	4004-17	3.31	4004-84	3.27	4004-238	3.24	4375-09	2.52	5005-23	2.48
3789-12	4.35	4004-19	3.31	4004-86	3.27	4004-239	3.24	4375-10	2.52	5005-25	2.48
3789-13	4.35	4004-23	3.31	4004-88	3.27	4004-240	3.24	4375-11	2.52	5005-33	2.48
3789-14	4.35	4004-25	3.32	4004-90	3.27	4004-242	3.24	4375-12	2.52	5005-35	2.48
3789-14-3	4.35, 6.51	4004-27	3.32	4004-92	3.27	4004-244	3.24	4375-14	2.52	5005-37	2.48
3789-16	5.20	4004-28	3.32	4004-94	3.27	4004-245	3.24	4377-08	2.53, 6.38	5005-39	2.48
3789-17	5.20	4004-29	3.32	4004-95	3.19	4004-246	3.24	4377-09	2.53	5005-43	2.49
3789-20	3.33, 6.37	4004-31	3.32	4004-96	3.19	4004-248	3.24	4377-11	2.53	5005-45	2.49
3795-01	6.6	4004-35	3.32	4004-97	3.21	4004-250	3.17	4377-12	2.53	5005-47	2.50
3795-01A	6.6	4004-37	3.28, 6.44	4004-97-3A	3.21, 6.48	4004-251	3.17	4377-28	2.54	5005-49	2.50
3795-04	6.7	4004-40	3.25	4004-97A	3.21	4004-252	3.17	4377-30	2.54	5005-51	2.50

5005-53	2.50	6006-52	4.19	6006-131	4.22
5005-60	2.44	6006-54	4.19	6006-132	4.22
5005-62	2.44	6006-56	4.19	6006-133	4.22
5005-64	2.44	6006-56-3	4.19, 6.47	6006-139	4.18
5005-80	2.43, 6.53, 6.55	6006-58	4.24	6006-148	4.27
5005-82	2.46, 6.52, 6.54	6006-59	4.20	6006-152	4.27
5005-86	2.47, 6.52, 6.54	6006-61	4.20	6006-158	4.25
5005-88	2.47, 6.52, 6.54	6006-62	4.24	6006-159	4.25
6006-02	4.30	6006-63	4.20	6006-160	4.25
6006-04	4.29	6006-65	4.20	6006-170	4.26
6006-05	4.34	6006-70	4.24	6006-174	4.26
6006-08	4.32	6006-72	4.24	6006-310	4.23
6006-10	4.32	6006-82	4.20	6006-330	4.23
6006-12	4.32	6006-84	4.20	6006-334	4.23
6006-14	4.32	6006-86	4.20	6006-340	4.23
6006-15	4.34	6006-88	4.20	6006-610	4.33
6006-16	4.34	6006-90	4.25	6006-620	4.33
6006-17	4.32	6006-92	4.25	6006-630	4.33
6006-19	4.32	6006-94	4.25	7007-02	5.46
6006-20	4.31	6006-100	4.26	7007-06	5.46
6006-24	4.31	6006-102	4.26	7007-25	5.27
6006-28	4.31	6006-104	4.26	7007-26	5.27
6006-29	4.30	6006-108	4.25	7007-27	5.27
6006-32	4.31	6006-110	4.25	7007-28	5.27
6006-33	4.30	6006-112	4.25	7007-30	5.28
6006-36	4.31	6006-120	4.21	7007-32	5.28
6006-37	4.30	6006-121	4.21	7007-33	5.28
6006-40	4.31	6006-122	4.21	7007-34	5.28
6006-41	4.30	6006-123	4.21	7007-35	5.28
6006-44	4.18	6006-124	4.21	7007-40	5.25
6006-45	4.18	6006-125	4.21	7007-40-5	5.25
6006-46	4.18	6006-127	4.21	7007-42	5.25
6006-47	4.18	6006-128	4.22	7007-42-5	5.25
6006-48	4.18	6006-129	4.22	7007-44	5.25
6006-50	4.19	6006-130	4.22	7007-44-5	5.25

7007-46	5.25	7007-204	5.37	7007-221SC	5.32
7007-46-5	5.25	7007-204SC	5.37	7007-222	5.32
7007-48	5.25	7007-205SC	5.37	7007-222SC	5.32
7007-48-5	5.25	7007-206	5.37	7007-222-1	5.33
7007-50	5.26	7007-206SC	5.37	7007-222-1SC	5.33
7007-50-5	5.26	7007-207SC	5.37	7007-222-2SC	5.34
7007-56	5.31	7007-208SC	5.29	7007-223-2SC	5.34
7007-58	5.31	7007-210	5.29	7007-224	5.32
7007-60	5.31	7007-210SC	5.29, 6.53, 6.55	7007-224SC	5.32
7007-62	5.31	7007-211	5.29	7007-224-1SC	5.33
7007-64	5.31	7007-211SC	5.29, 6.40	7007-224-2SC	5.34
7007-76	5.45	7007-214	5.32	7007-226-1SC	5.33
7007-78	5.45	7007-214SC	5.32	7007-226SC	5.32
7007-84	5.35	7007-215-2	5.34	7007-230SC	5.32
7007-104	5.6	7007-215-2SC	5.34	7007-232SC	5.38
7007-105	5.6	7007-216	5.32	7007-236	5.38
7007-106	5.6	7007-216SC	5.32	7007-236SC	5.38
7007-108	5.6	7007-216-1	5.33	7007-237	5.38
7007-110	5.6	7007-216-1SC	5.33	7007-237SC	5.38
7007-112	5.15	7007-216-2	5.34	7007-242	5.38
7007-116	5.15	7007-216-2SC	5.34	7007-242SC	5.38
7007-120	5.18	7007-217SC	5.32	7007-250	5.24
7007-124	5.18	7007-218	5.32	7007-250SC	5.24
7007-126	5.18	7007-218SC	5.32	7007-250-5	5.24
7007-128	5.8	7007-218-1	5.33	7007-250-5SC	5.24
7007-130	5.8	7007-218-1SC	5.33	7007-252	5.24
7007-132	5.8	7007-218-2	5.34	7007-252SC	5.24
7007-134	5.8	7007-218-2SC	5.34	7007-252-5	5.24
7007-140	5.13, 6.47, 6.49	7007-218-3SC	5.33, 6.40	7007-252-5SC	5.24
7007-167	5.23	7007-219SC	5.32	7007-254	5.24
7007-168	5.23	7007-220	5.32	7007-254SC	5.24, 6.40
7007-200	5.41	7007-220SC	5.32	7007-254-5	5.24
7007-200SC	5.41	7007-220-1	5.33	7007-254-5SC	5.24
7007-202	5.41	7007-220-1SC	5.33	7007-256	5.24
7007-202SC	5.41	7007-220-2SC	5.34	7007-256SC	5.24

7007-256-5	5.24	7007-298SC	5.30	7007-426	5.5
7007-256-5SC	5.24	7007-300	5.30	7007-427	5.2
7007-258	5.24	7007-300SC	5.30	7007-428	5.5
7007-258SC	5.24	7007-302SC	5.44	7007-429	5.2
7007-258-5	5.24	7007-304SC	5.44	7007-440	5.12
7007-258-5SC	5.24	7007-306SC	5.44	7007-440-8	5.14
7007-260	5.26	7007-311SC.....	5.39	7007-442	5.12
7007-262SC	5.30, 6.31, 6.35	7007-313	5.29	7007-442-8	5.14
7007-260-5	5.26	7007-313SC	5.29	7007-444	5.12
7007-260-5SC	5.26	7007-315	5.29	7007-444-8	5.14
7007-263SC	5.30	7007-315SC	5.29	7007-446	5.12
7007-264	5.30	7007-320	5.28	7007-446-8	5.14
7007-264SC	5.30	7007-320SC	5.28, 6.40	7007-448	5.12
7007-266SC	5.30	7007-395SC	5.43	7007-449	5.11
7007-268	5.30	7007-397SC	5.43	7007-449-8	5.14
7007-268SC	5.30	7007-401	5.9	7007-450	5.16
7007-270SC	5.36	7007-402	5.9	7007-452	5.16
7007-272SC	5.36	7007-403	5.9	7007-453	5.16
7007-274	5.36	7007-404	5.9	7007-454	5.16
7007-274SC	5.36	7007-410	5.15	7007-456	5.16
7007-276SC	5.36	7007-411.....	5.11	7007-458	5.16
7007-278	5.36	7007-412	5.15	7007-460	5.7
7007-278SC	5.36	7007-413	5.11	7007-462	5.7
7007-280SC	5.36	7007-414	5.15	7007-464	5.7
7007-282SC	5.40	7007-415	5.11	7007-466	5.7
7007-284SC	5.40	7007-416	5.15	7007-468	5.7
7007-286	5.40	7007-417	5.11	7007-470	5.13
7007-286SC	5.40	7007-418	5.15	7007-479	5.17
7007-288SC	5.40	7007-419	5.11	7007-481	5.17
7007-292SC	5.42	7007-420	5.5	7007-483	5.17
7007-294	5.42	7007-421	5.2	7007-485	5.17
7007-294SC	5.42	7007-422	5.5	7007-487	5.17
7007-295	5.42	7007-423	5.2	7007-490	5.3
7007-295SC	5.42	7007-424	5.5	7007-490-8	5.4
7007-296SC	5.30	7007-425	5.2	7007-492	5.3

7007-492-8	5.4	8008-14	5.47	8008-476	6.12
7007-494	5.3	8008-15	5.48	8008-478	6.12
7007-494-8	5.4	8008-41	6.21	8008-480	6.12
7007-496	5.3	8008-42	6.21	8008-482	6.12
7007-496-8	5.4	8008-43	6.20	8008-484	6.12
7007-498	5.3	8008-45	6.22	8008-486	6.12
7007-499	5.3	8008-47	6.22	8008-488	6.12
7007-499-8	5.4	8008-81	6.23	8008-493	6.12
7007-506	5.19, 6.34	8008-230	6.14, 6.52, 6.54	8008-494	6.12
7007-507	5.19, 6.34	8008-232	6.14, 6.53, 6.55	8008-495	6.12
7007-508	5.21	8008-236	6.14, 6.52, 6.54	9009-10	9.5
7007-509	5.21	8008-400	6.10	9009-11.....	9.4
7007-510	5.21	8008-405	6.10	9009-12	9.5
7007-511.....	5.21, 6.31	8008-410	6.11	9009-13	9.2, 9.4
7007-514	5.21, 6.33	8008-420	6.11	9009-14	9.2, 9.4, 9.5
7007-521	5.21, 6.31	8008-420-4	6.11	9009-15	9.2, 9.4
7007-522	5.21, 6.33	8008-430	6.11	9009-16	9.3
7007-538	5.10	8008-432	6.11	9009-18	9.3
7007-539	5.10	8008-448A.....	6.12	9009-20	9.3
7007-540	5.10	8008-448B.....	6.12	9009-21	9.3
7007-542	5.10	8008-448C.....	6.12	9009-22	9.3
7007-544	5.10	8008-449A.....	6.12	9009-23	9.3
7007-546	5.10	8008-449B.....	6.12	9009-24	9.2, 9.4, 9.5
7007-548	5.10	8008-449C.....	6.12	9009-26	9.5
7007-590	5.1	8008-452	6.12	9009-48	6.13
7007-592	5.1	8008-454	6.12	9009-48A.....	6.13
7007-594	5.1	8008-456	6.12	9009-48B.....	6.13
7007-596	5.1	8008-458	6.12	9009-48C.....	6.13
7007-598	5.1	8008-460	6.12	9009-49	6.13
8008-02	6.18	8008-462	6.12	9009-49A.....	6.13
8008-04	6.18	8008-464	6.12	9009-49B.....	6.13
8008-06	6.18	8008-466	6.12	9009-49C.....	6.13
8008-10	6.19	8008-468	6.12	9009-50	6.13
8008-11.....	6.19	8008-472	6.12	9009-52	6.13
8008-12	5.47	8008-474	6.12	9009-54	6.13

9009-56	6.13	9009-150	6.29, 6.45	9009-395	6.2, 6.3
9009-58	6.13	9009-152	6.29, 6.45	9009-420	7.22
9009-60	6.13	9009-210	7.15	9009-422	7.22
9009-62	6.13	9009-211.....	7.15	9009-506	9.9
9009-64	6.13	9009-212	1.5, 7.15	9009-506A.....	9.9
9009-66	6.13	9009-213	1.5, 7.15	9009-510	7.21
9009-68	6.13	9009-222	7.7	9009-511.....	7.21
9009-70	6.13	9009-223	7.7	9009-512	7.21
9009-72	6.13	9009-225	7.7	9009-513	7.21
9009-74	6.13	9009-226	7.5	9009-516	7.21
9009-76	6.13	9009-227	7.4	9009-517	7.21
9009-78	6.13	9009-228	7.4	9009-520	7.21
9009-80	6.13	9009-229	1.1, 7.3	9009-521	7.21
9009-82	6.13	9009-230	1.1, 7.3	9009-522	7.21
9009-84	6.13	9009-240	7.14	9009-523	7.21
9009-86	6.13	9009-241	7.14	9009-524	7.21
9009-88	6.13	9009-250	1.7, 7.17	9009-525	7.21
9009-92	6.13	9009-251	1.7, 7.17	9009-528	7.20
9009-93	6.13	9009-252	1.7, 7.17	9009-540	7.28
9009-94	6.13	9009-253	1.7, 7.17	9009-541	7.28
9009-95	6.13	9009-270	7.8	9009-542	7.28
9009-100	6.24	9009-280	7.10	9009-543	7.28
9009-104	6.24	9009-281	7.10	9009-550	7.28
9009-106	6.24	9009-300	7.2	9009-551	7.28
9009-110.....	6.24	9009-301	7.2	9009-552	7.28
9009-120	6.15	9009-302	7.1	9009-553	7.28
9009-121	6.15	9009-303	7.1	9009-560	7.29
9009-122	6.15	9009-310	7.2	9009-561	7.29
9009-123	6.15	9009-311.....	7.2	9009-562	7.29
9009-126	5.48, 6.15	9009-312	7.1	9009-563	7.29
9009-128	5.48, 6.15	9009-313	7.1	9009-570	7.29
9009-142	6.27 , 6.44	9009-360	6.36	9009-571	7.29
9009-144	6.24, 6.41, 6.44	9009-364	6.36	9009-572	7.29
9009-146	6.24, 6.41, 6.44	9009-380	6.36	9009-573	7.29
9009-148	2.43, 6.38, 6.44	9009-393	1.8, 6.2, 6.3	9009-618	7.25

9009-636	7.24	9009-921	7.34	9009-973	6.8, 6.9
9009-637	7.24	9009-922	7.35	9009-974	6.8, 6.9
9009-638	7.24	9009-928	6.8	9009-975	6.8, 6.9
9009-639	7.24	9009-928-3	6.8	9009-977	6.8, 6.9
9009-640	7.27	9009-929	6.8	9009-979	6.8, 6.9
9009-642	7.27	9009-929-3	6.8	9009-980	6.8
9009-648	7.23	9009-930	6.8	9009-981	6.8, 6.9
9009-650	7.23	9009-934	6.8	9009-982	6.8, 6.9
9009-716SC	6.37, 7.18	9009-940	6.8	9009-983	6.8, 6.9
9009-718SC	6.37, 7.18	9009-941	6.8, 6.9	9009-984	6.8, 6.9
9009-738SC	7.18	9009-942	6.8, 6.9	9009-985	6.8, 6.9
9009-816	7.36	9009-943	6.8, 6.9	9009-987	6.8, 6.9
9009-820	7.36	9009-944	6.8, 6.9	9009-989	6.8, 6.9
9009-827-11	7.30	9009-945	6.8, 6.9	9009-990	6.8
9009-827-12	7.30	9009-947	6.8, 6.9	9009-991	6.8, 6.9
9009-827-13	1.6, 7.30	9009-949	6.8, 6.9	9009-992	6.8, 6.9
9009-827-15	1.6, 7.30	9009-950	6.8	9009-993	6.8, 6.9
9009-828	7.30	9009-951	6.8, 6.9	9009-994	6.8, 6.9
9009-828-15	1.6, 7.30	9009-952	6.8, 6.9	9009-995	6.8, 6.9
9009-828-16	7.30	9009-953	6.8, 6.9	9009-997	6.8, 6.9
9009-838SC	7.31	9009-954	6.8, 6.9	9009-999	6.8, 6.9
9009-840SC	7.31	9009-955	6.8, 6.9	9909-202	7.16
9009-842SC	7.31	9009-957	6.8, 6.9	9909-203	7.16
9009-900	7.34	9009-959	6.8, 6.9	9909-219	7.9
9009-901	7.34	9009-960	6.8	9909-221	7.9
9009-905	7.35	9009-961	6.8, 6.9	9909-222	7.9
9009-908	7.32	9009-962	6.8, 6.9	9909-224	7.17
9009-909	7.32	9009-963	6.8, 6.9	9909-225	7.17
9009-910	7.32	9009-964	6.8, 6.9	9909-226	7.17
9009-911.....	7.32	9009-965	6.8, 6.9	9909-227	7.17
9009-914	7.33	9009-967	6.8, 6.9	9909-232	7.11
9009-915	7.33	9009-969	6.8, 6.9	9909-234	1.4, 7.13
9009-916	7.33	9009-970	6.8	9909-610	7.26
9009-917	7.33	9009-971	6.8, 6.9	9909-612	7.26
9009-920	7.34	9009-972	6.8, 6.9	9909-910SC	7.19

9909-911SC.....	7.19
9909-912	7.11
9909-912-13	7.11
9909-913	7.13
9909-914	7.12
9909-915	7.12
9909-920	7.5
9909-921	7.4
9909-922	7.4
9909-923	7.5
9909-924	1.2, 7.5
9909-926	7.6
9909-927	7.6
9909-940	1.3, 7.8
9999-100	6.30
9999-101	6.32
9999-102	6.34
9999-109	6.36
9999-150	6.52
9999-151	6.54
9999-162	6.46
9999-163	6.48
9999-164	6.50
9999-166	6.46, 6.48, 6.50
9999-181	6.38
9999-192	6.44

SCANLAN® Instrumentation is guaranteed to be free from defects in materials and workmanship for ten full years. Any instrument which proves defective when used for its intended purpose will be repaired or replaced at no charge, at the sole discretion of Scanlan International, Inc. This warranty is in lieu of all other warranties, either expressed or implied.

In no event shall seller be liable to buyer, or any successors of buyer, for any claim for lost opportunity, loss of goodwill, or consequential or incidental damages of any kind for any amount in excess of the price of the product. Seller agrees to replace or to issue credit at seller's sole option any product determined to be defective in materials or workmanship. Seller shall not be responsible for the cost of labor or charges of any kind incurred due to product defect. Your rights under this warranty may vary from state to state and country to country. **IMPORTANT: All SCANLAN® instruments must be returned to Scanlan International for refurbishment. Refurbishment of Scanlan instrumentation by any other resource will void the Scanlan warranty.**

SCANLAN® V.I.P.™ Instrument Sterilization Trays: SCANLAN® V.I.P.™ instrument sterilization trays are warranted for 12 months against defects in material or workmanship.

SCANLAN® DIAMOND DUST™ Instrumentation: SCANLAN® DIAMOND DUST™ jaws are guaranteed for 12 months. If needed, the DIAMOND DUST™ surface will be restored at no charge during the initial 12 month period.

Needle Holders: The use of suture needles larger than those recommended may result in damage and invalidate your warranty. Please see The Suture Size Guide for SCANLAN® Needle Holders for recommendations regarding the use of suture needles with SCANLAN® instrumentation. A copy of this publication is packaged with every SCANLAN® needle holder and is also available upon request.

Titanium Instrumentation: Different shades of blue may be found within the extensive line of anodized SCANLAN® titanium instrumentation. This is not a defect, but a phenomenon which occurs due to slight variations of manufacture technique or alloy composition. This is a cosmetic characteristic only and does not compromise the high quality of your SCANLAN® titanium instrumentation.

Scissors: Do not cut suture, gauze, or wire with scissors unless it was designed to cut those materials. All SCANLAN® Super Cut™ & Ultra Sharp® scissors must be returned to Scanlan International for complete refurbishment and sharpening in order to maintain the unique cutting edge.

SCANLAN® Premier™ Scissors: Sharpness of SCANLAN® Premier™ Scissors is guaranteed for 12 months. If needed, resharpening will be performed at no charge during the 12 month period.

Heifetz™ Clips, Yasargil Clips: Product in the original packaging may be returned for full credit within 60 days domestic and 90 days international of invoice date. All used product will be considered FIRM SALE. Warranted for 12 months against defects in material or workmanship.

Reliance Bulldog Clamp: Warranty for materials and workmanship will be one year. All sales are considered FIRM SALE.

PLEASE NOTE: Instrument designs may change without prior notice. We are proud of the handcrafted quality of our instruments, which can cause slight variations in instrument patterns.

IMPORTANT:
All instruments must be decontaminated before returning to Scanlan International.

Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

DEAR CUSTOMER, PLEASE NOTE: Due to the nature of our surgical instrumentation manufacturing process and our strict quality standards, various instrument patterns may occasionally be unavailable. We apologize for this inconvenience, however, each of our instruments is made by hand in a tradition of high quality craftsmanship. Therefore, scheduled delivery dates may change. We strive to be accurate as possible regarding this information, however dates may become extended and availability dates may change. Again, we apologize for this inconvenience. We will be happy to assist you in choosing an alternative instrument, as well as assist you in any way we can.

SCANLAN®
Care & Maintenance

To maintain optimum operating condition and to protect your warranty of SCANLAN® instrumentation, we recommend the following along with your general maintenance:

Clean: Make certain that all blood and debris are removed from the instrument as soon as possible after use. Do not allow blood to dry on the instrument.

Lubricate: After a thorough cleaning and rinsing, treat the instrument with an antimicrobial water-soluble instrument lubricant.

Identify: Scanlan can provide safe and appropriate instrument identification marking system(s) upon request. Do not use a mechanical engraver to mark the instrument. **If you engrave the instrument, the warranty will be invalidated.**

Repair, Refurbish or Sharpen: Have this instrument repaired, refurbished, or sharpened only by a Scanlan-authorized facility. **Servicing by an unauthorized facility will invalidate the warranty.**

Sterilize & Store: Instruments should always be sterilized and stored in an "open" and unlocked position. This increases the life of the instrument, prevents possible breakage, and is recommended by established standards.

Protect: Be certain all delicate tipped instruments are covered with a device specially designed for instrument protection (such as SCANLAN® Tip Guard™ instrument protectors) during storage and sterilization.

Use: Instrument must be used for its intended purpose only. **Improper use or care will invalidate warranty.**

Modifications: Modifications and repair of instruments are available and must be done only through an authorized facility. Modifications by an unauthorized facility will invalidate the warranty.



IMPORTANT: Clean and sterilize before first and subsequent uses. Reprocessing instructions are available from Scanlan International, Inc.

IMPORTANT: All instruments must be decontaminated before returning to Scanlan International. Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

IMPORTANT: Destroy instruments that might have been contaminated with prions (CJD) - Do not reuse.

For further information on maintaining the quality of your surgical instrumentation, a reference guide entitled, Care & Maintenance of Scanlan® Surgical Instrumentation, is available upon request.

For more information contact your local Scanlan Distributor or call: U.S. & Canada 800-328-9458
International: 651-298-0997 or Fax: 651-298-0018



INCHES

CENTIMETERS

**For more information or
to place an order,**
please contact your local
Scanlan representative,
or call...

U.S. & Canada: 800-328-9458
International: 651-298-0997
FAX: 651-298-0018
www.scanlaninternational.com



SCANLAN ★

INTERNATIONAL

Surgical products designed and manufactured by the Scanlan family since 1921

ONE SCANLAN PLAZA • SAINT PAUL, MINNESOTA 55107 • U.S.A.
800-328-9458 • 651-298-0997 • FAX 651-298-0018 • www.scanlaninternational.com

MK-CAT-2016
©2016 Scanlan International, Inc.