

# Highest Quality Surgical Instrumentation



Designed and Manufactured by the  
Scanlan Family Since 1921





*Established 1921*

Today, the Scanlan legacy of excellence continues.

Celebrating over 96 years of excellence in surgical instrumentation,  
we continue our commitment to leadership and innovation  
in the medical community.



Dear Customer,

The Scanlan family has specialized in the design and manufacture of the highest quality surgical products since 1921. Now in our fourth generation, my family continues its dedication to providing you with the best surgical instrumentation available anywhere in the world.

This catalog is a composite of our instruments and single-use products. However, it is difficult to offer you a completely up-to-date catalog because, even as you are reading this, we are designing and refining even more unique and innovative products to serve you and, ultimately, your patients.

In the years ahead, we will continue to listen and serve you as personally as we have since our inception, with the vigor of the young, growing, and dynamic company that we are.

If I can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.

Sincerely,

Timothy M. Scanlan  
President  
Chief Executive Officer



3788-14



SCANLAN®  
Micro Needle Holders  
Flat Handle

Instrument jaws are shown approximate size

		Cat. No.	Description	Recommended Suture Size	Total Length
		3788-12	Straight DIAMOND DUST™ Jaws Regular Box Lock With Ratchet	7-0 and Smaller	9" (23 cm)
		3788-14	Straight DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		
		3788-13	Curved Up DIAMOND DUST™ Jaws Regular Box Lock With Ratchet		
		3788-15	Curved Up DIAMOND DUST™ Jaws Regular Box Lock Without Ratchet		

SPRING STYLE - MICRO

Round Handle, Nano Blades.....	5.1
Round Handle, Micro Fine Blades.....	5.2
Round Handle, Fine Blades .....	5.5
Flat Handle, Nano Blades.....	5.9
Flat Handle, Micro Fine Blades.....	5.11
Flat Handle, Fine Blades .....	5.15

BAYONET STYLE

Round Handle, Micro Fine Blades.....	5.20
Flat Handle, Nano Blades.....	5.21
Flat Handle, Micro Fine Blades .....	5.22
Flat Handle, Fine Blades .....	5.23



RING HANDLE

Diethrich-Potts .....	5.24
Favaloro.....	5.26
Hegeman .....	5.27
DeBakey .....	5.28
Stevens Tenotomy .....	5.29
Lillehei-Potts .....	5.30
Metzenbaum .....	5.32
Ragnell Dissecting .....	5.36
Mayo .....	5.37
Iris-Eye.....	5.40
Plastic-Jabaley .....	5.41
C.V.H. / Peck Joseph .....	5.42
Sternum Pediatric .....	5.43
Face Lift .....	5.44
Laine-Kindal .....	5.45
Dissecting.....	5.46
Thompson Valve .....	5.47
Flemma Mitral / Venous Valve (In Situ).....	5.48

SCANLAN®  
Scissor Modifications

Modification	Description
905B	Cut down scissors blades
907A	Angled shanks on scissors - down
907C	Angled shanks on scissors - up
910	Tenotomy points scissors
910A	Tenotomy points ULTRA SHARP® / Super Cut™ scissors
911	Cut down shanks
912	Blunt tips of scissors
914	Serrations of blade (one)
918	Flatten tips (Ragnell style)
923	Satin finish instrument
929	Special etching



Spring Style Scissors with Angled Blades








Ring Handle Scissors with Angled Blades



SCANLAN®  
Spring Style | Round Handle | Nano Blades



SCANLAN®  
*Premier™* Jacobson Micro Scissors  
Round Handle | Angled Nano Blades

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-590	25° Angled Nano Blades	6 3/4" (17 cm)
	7007-592	45° Angled Nano Blades	
	7007-594	60° Angled Nano Blades	
	7007-596	90° Angled Nano Blades	6 1/2" (16.5 cm)
	7007-598	V-Neck 125° Angled Nano Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)






SCANLAN®  
Spring Style | Round Handle | Micro Fine Blades



7007-421  
Instrument is shown approximate size

SCANLAN®  
Castroviejo Micro Scissors  
Round Handle | Angled Micro Fine Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-421	25° Angled Micro Fine Blades	4 1/4" (11 cm)
	7007-423	45° Angled Micro Fine Blades	
	7007-425	60° Angled Micro Fine Blades	
	7007-427	90° Angled Micro Fine Blades	4 1/8" (10.5 cm)
	7007-429	125° Angled Micro Fine Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)






SCANLAN®  
Spring Style | Round Handle | Micro Fine Blades



7007-492  
Instrument is shown approximate size

SCANLAN®  
Jacobson Micro Scissors  
Round Handle | Angled Micro Fine Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-490	25° Angled Micro Fine Blades	6 3/4" (17 cm)
	7007-492	45° Angled Micro Fine Blades	
	7007-494	60° Angled Micro Fine Blades	
	7007-496	90° Angled Micro Fine Blades	6 1/2" (16.5 cm)
	7007-498	125° Angled Micro Fine Blades	



7007-499  
Instrument is shown approximate size

SCANLAN®  
*Premier™* Jacobson Micro Scissors  
Round Handle | V-Neck, 125° Angled Micro Fine Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-499	V-Neck 125° Angled Micro Fine Blades	6 1/2" (16.5 cm)



SCANLAN®  
*Premier™* **Jacobson Micro Scissors**  
Round Handle | Angled Micro Fine Blades



Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-490-8	25° Angled Micro Fine Blades	8" (20 cm)
	7007-492-8	45° Angled Micro Fine Blades	
	7007-494-8	60° Angled Micro Fine Blades	
	7007-496-8	90° Angled Micro Fine Blades	
	7007-499-8	V-Neck 125° Angled Micro Fine Blades	



SCANLAN®  
**Castroviejo Micro Scissors**  
Round Handle | Angled Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-420	25° Angled Fine Blades	4 1/2" (11.5 cm)
	7007-422	45° Angled Fine Blades	
	7007-424	60° Angled Fine Blades	
	7007-426	90° Angled Fine Blades	4 1/4" (11 cm)
	7007-428	125° Angled Fine Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Spring Style | Round Handle | Fine Blades



SCANLAN®  
Castroviejo Micro Scissors  
Round Handle | Fine Blade

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-104	Straight Fine Blades Sharp Tips	5 1/2" (14 cm)
	7007-105	Straight Fine Blades Blunt Tips	4 1/4" (11 cm)
	7007-106		5 1/2" (14 cm)
	7007-108	Curved Fine Blades Sharp Tips	5 1/2" (14 cm)
	7007-110	Curved Fine Blades Blunt Tips	

SCANLAN®  
Spring Style | Round Handle | Fine Blades



SCANLAN®  
Jacobson Micro Scissors  
Round Handle | Angled Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-460	25° Angled Fine Blades	7" (18 cm)
	7007-462	45° Angled Fine Blades	
	7007-464	60° Angled Fine Blades	
	7007-466	90° Angled Fine Blades	
	7007-468	125° Angled Fine Blades	6 1/2" (16.5 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



7007-128  
Instrument is shown approximate size


SCANLAN®  
Jacobson Micro Scissors  
Round Handle | Fine Blade

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-128	Straight Fine Blades Sharp Tips	7" (18 cm)
	7007-132	Straight Fine Blades Blunt Tips	
	7007-130	Curved Fine Blades Sharp Tips	
	7007-134	Curved Fine Blades Blunt Tips	

SCANLAN®  
Premier™ Castroviejo Micro Scissors  
Flat Handle | Nano Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-401	Straight Sharp Nano Blades	4 1/8" (10.5 cm)
	7007-402	Curved Sharp Nano Blades	
	7007-403	25° Angled Nano Blades	
	7007-404	45° Angled Nano Blades	



7007-401  
Instrument is shown approximate size

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Spring Style | Flat Handle | Nano Blades








SCANLAN®  
*Premier*™ **Jacobson Micro Scissors**  
Flat Handle | Nano Blades

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-538	Straight Sharp Nano Blades	6" (15 cm)
	7007-539	Curved Sharp Nano Blades	



SCANLAN®  
*Premier*™ **Jacobson Micro Scissors**  
Flat Handle | Angled Nano Blades

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-540	25° Angled Nano Blades	6 1/4" (16 cm)
	7007-542	45° Angled Nano Blades	
	7007-544	60° Angled Nano Blades	
	7007-546	90° Angled Nano Blades	6 1/8" (15.5 cm)
	7007-548	V-Neck 125° Angled Nano Blades	

SCANLAN®  
Spring Style | Flat Handle | Micro Fine Blades




SCANLAN®  
**Castroviejo Micro Scissors**  
Flat Handle | Angled Micro Fine Blades

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-411	25° Angled Micro Fine Blades	4 1/4" (11 cm)
	7007-413	45° Angled Micro Fine Blades	
	7007-415	60° Angled Micro Fine Blades	4 1/8" (10.5 cm)
	7007-417	90° Angled Micro Fine Blades	
	7007-419	125° Angled Micro Fine Blades	




SCANLAN®  
*Premier*™ **Jacobson Micro Scissors**  
Flat Handle | V-Neck, 125° Angled Micro Fine Blades

Instrument jaws are shown approximate size			Cat. No.	Description	Total Length
			7007-449	V-Neck 125° Angled Micro Fine Blades	6 1/4" (16 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)






SCANLAN®  
Spring Style | Flat Handle | Micro Fine Blades




7007-442  
Instrument is shown approximate size

SCANLAN®  
Jacobson Micro Scissors  
Flat Handle | Angled Micro Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-440	25° Angled Micro Fine Blades	6 1/2" (16.5 cm)
	7007-442	45° Angled Micro Fine Blades	
	7007-444	60° Angled Micro Fine Blades	
	7007-446	90° Angled Micro Fine Blades	6 1/4" (16 cm)
	7007-448	125° Angled Micro Fine Blades	

SCANLAN®  
Spring Style | Flat Handle | Micro Fine Blades



7007-140  
Instrument is shown approximate size

SCANLAN®  
Jacobson Vannas Micro Scissors  
Flat Handle | 45° Angled on Flat Micro Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-140	45° Angled on Flat Micro Fine Blades	7" (18 cm)






Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

7007-440-8



SCANLAN®  
*Premier™* **Jacobson Micro Scissors**  
Flat Handle | Angled Micro Fine Blades

Instrument jaws are shown approximate size			
	Cat. No.	Description	Total Length
	7007-440-8	25° Angled Micro Fine Blades	8" (20 cm)
	7007-442-8	45° Angled Micro Fine Blades	
	7007-444-8	60° Angled Micro Fine Blades	
	7007-446-8	90° Angled Micro Fine Blades	
	7007-449-8	V-Neck 125° Angled Micro Fine Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.






For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

7007-414

Instrument is shown approximate size




SCANLAN®  
**Castroviejo Micro Scissors**  
Flat Handle | Angled Fine Blades



Instrument jaws are shown approximate size			
	Cat. No.	Description	Total Length
	7007-410	25° Angled Fine Blades	4 1/2" (11.5 cm)
	7007-412	45° Angled Fine Blades	
	7007-414	60° Angled Fine Blades	
	7007-416	90° Angled Fine Blades	4 1/4" (11 cm)
	7007-418	125° Angled Fine Blades	

7007-112

Instrument is shown approximate size



SCANLAN®  
**Castroviejo Micro Scissors**  
Flat Handle | Fine Blades

Instrument jaws are shown approximate size			
	Cat. No.	Description	Total Length
	7007-112	Straight Fine Blades Sharp Tips	5 1/2" (14 cm)
	7007-116	Curved Fine Blades Sharp Tips	



SCANLAN®  
Spring Style | Flat Handle | Fine Blades







7007-454

Instrument is shown approximate size



SCANLAN®  
Jacobson Micro Scissors  
Flat Handle | Angled Fine Blades

Instrument jaws are shown  
approximate size


	Cat. No.	Description	Total Length
	7007-450	25° Angled Fine Blades Sharp Tips	6 1/2" (16.5 cm)
	7007-452	45° Angled Fine Blades Sharp Tips	
	7007-453	45° Angled Fine Blades Blunt Tips	
	7007-454	60° Angled Fine Blades Sharp Tips	6 1/4" (16 cm)
	7007-456	90° Angled Fine Blades Sharp Tips	
	7007-458	125° Angled Fine Blades Sharp Tips	

SCANLAN®

Spring Style | Flat Handle | Fine Blades






7007-481

Instrument is shown approximate size



SCANLAN®  
Jacobson Micro Scissors  
Flat Handle | Angled Fine Blades | One Blade with Bead Tip


Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-479	25° Angled Fine Blades	6 1/2" (16.5 cm)
	7007-481	45° Angled Fine Blades	
	7007-483	60° Angled Fine Blades	
	7007-485	90° Angled Fine Blades	6 1/4" (16 cm)
	7007-487	125° Angled Fine Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>




SCANLAN®  
Jacobson Micro Scissors

Flat Handle | Fine Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-120	Straight Fine Blades Sharp Tips	7" (18 cm)
	7007-124	Curved Fine Blades Sharp Tips	
	7007-126	Curved Fine Blades Blunt Tips	



SCANLAN®  
Jacobson Micro Scissors

Flat Handle | Angled on Flat Fine Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-470	25° Angled on Flat Fine Blades	7" (18 cm)



SCANLAN®  
Puskas™ Premier™ Jacobson Micro Scissors, IMA Glide™

Flat Handle | 45° Angled Up | Fine Blades

Developed in cooperation with John D. Puskas, M.D.

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	7007-506	LIMA, Left 90° Angled Fine Blades	8" (20 cm)
	7007-507	RIMA, Right 90° Angled Fine Blades	

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Bayonet Style | Round Handle | Micro Fine Blades



SCANLAN®  
Micro Fine Scissors  
Bayonet Style | Round Handle | Micro Fine Blades

Instrument jaws are shown approximate size		Cat. No.	Description	Total Length
		3789-01	Straight Micro Fine Blades	8 1/4" (21 cm)
		3789-03		9" (23 cm)
		3789-16		10" (25.4 cm)
		3789-02	Curved Up Micro Fine Blades	8 1/4" (21 cm)
		3789-04		9" (23 cm)
		3789-17		10" (25.4 cm)

SCANLAN®  
Bayonet Style | Flat Handle | Nano Blades



SCANLAN®  
Puskas™ Premier™ Jacobson Micro Scissors  
Flat Handle | Bayonet Style | Nano Blades  
Developed in cooperation with John D. Puskas, M.D.

Instrument jaws are shown approximate size		Cat. No.	Description	Total Length
		7007-508	Straight Sharp Nano Blades	8" (20 cm)
		7007-509	Curved Sharp Nano Blades	
		7007-510	25° Angled Nano Blades	
		7007-511	45° Angled Nano Blades	
		7007-514	Reversed Handle 45° Angled Left Nano Blades	
		7007-521	Angled Left V-Neck 125° Angled Nano Blades	
		7007-522	Angled Right V-Neck 125° Angled Nano Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®

Micro Scissors

Bayonet Style | Flat Handle | Micro Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	3788-01	Straight Micro Fine Blades	8 1/4" (21 cm)
	3788-04		8 3/4" (22 cm)
	3788-06	Straight Micro Fine Blades Tenotomy Tips	9" (23 cm)
	3788-27	Curved Up Micro Fine Blades	8 3/4" (22 cm)
	3788-05		9" (23 cm)
	3788-29	Curved Down Micro Fine Blades	8 3/4" (22 cm)
	3788-02	Vannas 45° Angled on Flat Micro Fine Blades	8 3/4" (22 cm)




SCANLAN®

Micro Circumflex Scissors

Bayonet Style | Flat Handle | Angled Fine Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-167	125° Angled Fine Blades	5 1/2" (14 cm)
	7007-168		7 1/8" (18.1 cm)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)











SCISSORS


<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®  
Diethrich-Potts Scissors











Ring Handle | Angled Blades

Instrument jaws are shown approximate size	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-250SC	7007-250	25° Angled Fine Blades	7" (18 cm)
	7007-250-5SC	7007-250-5	25° Angled Micro Fine Blades	
	7007-252SC	7007-252	45° Angled Fine Blades	
	7007-252-5SC	7007-252-5	45° Angled Micro Fine Blades	
	7007-254SC	7007-254	60° Angled Fine Blades	
	7007-254-5SC	7007-254-5	60° Angled Micro Fine Blades	
	7007-256SC	7007-256	90° Angled Fine Blades	
	7007-256-5SC	7007-256-5	90° Angled Micro Fine Blades	
	7007-258SC	7007-258	125° Angled Fine Blades	
	7007-258-5SC	7007-258-5	125° Angled Micro Fine Blades	



SCANLAN®  
Diethrich-Potts Scissors

Ring Handle | Angled Blades

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-40	25° Angled Fine Blades	7" (18 cm)
	7007-40-5	25° Angled Micro Fine Blades	
	7007-42	45° Angled Fine Blades	
	7007-42-5	45° Angled Micro Fine Blades	
	7007-44	60° Angled Fine Blades	
	7007-44-5	60° Angled Micro Fine Blades	
	7007-46	90° Angled Fine Blades	
	7007-46-5	90° Angled Micro Fine Blades	6 3/4" (17 cm)
	7007-48	125° Angled Fine Blades	
	7007-48-5	125° Angled Micro Fine Blades	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>





SCANLAN®

Favaloro Scissors

Ring Handle | 125° Angled Blades

Instrument jaws are shown  
approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-260SC	7007-260	125° Angled Fine Blades	6 3/4" (17 cm)
	7007-260-5SC	7007-260-5	125° Angled Micro Fine Blades	






SCANLAN®

Favaloro Scissors

Ring Handle | 125° Angled Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-50	125° Angled Fine Blades	6 3/4" (17 cm)
	7007-50-5	125° Angled Micro Fine Blades	



SCANLAN®

Hegeman Scissors

Ring Handle | Angled Blades

Instrument jaws are shown  
approximate size

	Cat. No.	Description	Total Length
	7007-25	25° Angled Blades	5 1/2" (14 cm)
	7007-26	45° Angled Blades	
	7007-27	60° Angled Blades	
	7007-28	90° Angled Blades	

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®  
DeBakey Scissors  
Ring Handle | Angled Blades

Instrument jaws are shown approximate size				
	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-320SC	7007-320	45° Angled Blades Blunt Tips	6 1/4" (16 cm)

Instrument jaws are shown approximate size			
	Cat. No.	Description	Total Length
	7007-30	25° Angled Blades Blunt Tips	6 3/4" (17 cm)
	7007-33	45° Angled Blades Sharp Tips	6 1/4" (16 cm)
	7007-32	45° Angled Blades Blunt Tips	
	7007-35	60° Angled Blades Sharp Tips	
	7007-34	60° Angled Blades Blunt Tips	



SCANLAN®  
Stevens Tenotomy Scissors  
Ring Handle

Instrument jaws are shown approximate size				
	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-208SC		Straight Blades Tenotomy Tips	4 5/8" (11.7 cm)
	7007-210SC	7007-210	Curved Blades Tenotomy Tips	4 5/8" (11.7 cm)
	7007-313SC	7007-313		6" (15 cm)
	7007-211SC	7007-211		7" (18 cm)
	7007-315SC	7007-315		8" (20 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



7007-264SC  
Instrument is shown approximate size

SCANLAN®  
Lillehei-Potts Scissors  
Ring Handle | Curved Blades

Instrument jaws are shown approximate size	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-262SC		SCANLAN® Puskas™ "Black Knight" Sharp Tips	6 1/2" (16.5 cm)
	7007-266SC		Sharp Tips	7" (18 cm)
	7007-298SC			9" (23 cm)
	7007-268SC	7007-268	Blunt Tips	7" (18 cm)
	7007-300SC	7007-300		9" (23 cm)
	7007-263SC		Tenotomy Tips	6 1/2" (16.5 cm)
	7007-264SC	7007-264		7" (18 cm)
	7007-296SC			9" (23 cm)



7007-62  
Instrument is shown approximate size

SCANLAN®  
Lillehei-Potts Scissors  
Ring Handle

Instrument jaws are shown approximate size	Cat. No.	Description	Total Length
	7007-56	Straight Blades Sharp Tips	7" (18 cm)
	7007-58	Straight Blades Tenotomy Tips	
	7007-62	Curved Blades Sharp Tips	
	7007-60	Curved Blades Blunt Tips	
	7007-64	Curved Blades Tenotomy Tips	

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®

Metzenbaum Scissors

Ring Handle

Instrument jaws are shown approximate size				
	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-217SC		Straight Blades	7" (18 cm)
	7007-219SC			8" (20 cm)
	7007-221SC			9" (23 cm)
	7007-214SC	7007-214	Curved Blades	4 3/4" (12 cm)
	7007-216SC	7007-216		6" (15 cm)
	7007-218SC	7007-218		7" (18 cm)
	7007-220SC	7007-220		8" (20 cm)
	7007-222SC	7007-222		9" (23 cm)
	7007-224SC	7007-224		10 1/4" (26 cm)
	7007-226SC			12" (30.5 cm)
	7007-230SC		Curved Blades Left-Handed	7" (18 cm)



SCANLAN®

Metzenbaum Scissors

Ring Handle

Instrument jaws are shown approximate size				
	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-218-3SC		Curved Blades 2.5 mm Blunt Tips	7" (18 cm)
	7007-216-1SC	7007-216-1	Curved Blades Fine Tips	6" (15 cm)
	7007-218-1SC	7007-218-1		7" (18 cm)
	7007-220-1SC	7007-220-1		8" (20 cm)
	7007-222-1SC	7007-222-1		9" (23 cm)
	7007-224-1SC			10 1/4" (26 cm)
	7007-226-1SC			12" (30.5 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>





SCANLAN®  
Metzenbaum Scissors  
Ring Handle | Tenotomy Tip

Instrument jaws are shown approximate size		Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-215-2SC	7007-215-2		Straight Blades Tenotomy Tips	6" (15 cm)
	7007-223-2SC				10 1/4" (26 cm)
	7007-216-2SC	7007-216-2		Curved Blades Tenotomy Tips	6" (15 cm)
	7007-218-2SC	7007-218-2			7" (18 cm)
	7007-220-2SC				8" (20 cm)
	7007-222-2SC				9" (23 cm)
	7007-224-2SC				10 1/4" (26 cm)

7007-218-2SC  
Instrument is shown approximate size



SCANLAN®  
Metzenbaum Scissors  
Ring Handle

Instrument jaws are shown approximate size		Cat. No.	Description	Total Length
	7007-84		Curved Blades Extra Light	7" (18 cm)

7007-84  
Instrument is shown approximate size

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®

Ragnell Dissecting Scissors

Ring Handle

Instrument jaws are shown approximate size		Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
		7007-270SC		Curved Blades Flat Tips	4 3/4" (12 cm)
		7007-272SC			6" (15 cm)
		7007-274SC	7007-274		7" (18 cm)
		7007-276SC			8" (20 cm)
		7007-278SC	7007-278		9" (23 cm)
		7007-280SC			10 1/4" (26 cm)

7007-274SC

Instrument is shown approximate size



SCANLAN®

Mayo Scissors

Ring Handle

Instrument jaws are shown approximate size		Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
		7007-204SC	7007-204	Straight Round Blades	6 3/4" (17 cm)
		7007-205SC			7 1/2" (19 cm)
		7007-206SC	7007-206	Curved Round Blades	6 3/4" (17 cm)
		7007-207SC			7 1/2" (19 cm)

SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



7007-237SC

SCANLAN®  
Mayo Harrington Scissors  
Ring Handle

Instrument jaws are shown approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-232SC		Straight Blades	8" (20 cm)
	7007-236SC	7007-236	Curved Blades	8" (20 cm)
	7007-237SC	7007-237		9" (23 cm)
	7007-242SC	7007-242		12" (30.5 cm)



Instrument is shown approximate size

SCANLAN®  
Mayo Scissors  
Ring Handle

Instrument jaws are shown approximate size


	Super Cut™ Cat. No.	Description	Total Length
	7007-311SC	Curved Blades	6" (15 cm)



1001-21

SCANLAN®  
Mayo Scissors  
Ring Handle

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	1001-21	Round Blades Full Curve	7 3/4" (19.5 cm)
	1001-23		10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>





SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

SCANLAN®

Iris-Eye Scissors

Ring Handle



Instrument jaws are shown approximate size	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-282SC		Straight Blades Sharp Tips	4" (10 cm)
	7007-284SC		Straight Blades Blunt Tips	
	7007-286SC	7007-286	Curved Blades Sharp Tips	
	7007-288SC		Curved Blades Blunt Tips	



SCANLAN®

Plastic-Jabaley Scissors

Ring Handle

Instrument jaws are shown approximate size	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-200SC	7007-200	Straight Blades	4 3/4" (12 cm)
	7007-202SC	7007-202	Curved Blades	



SCISSORS

<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



SCANLAN®  
Ring Handle | C.V.H.

SCANLAN®  
C.V.H. Scissors  
Ring Handle

Instrument jaws are shown approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-292SC		Straight Blades Sharp Tips	6" (15 cm)
	7007-294SC	7007-294	Curved Blades Sharp Tips	


7007-292SC  
Instrument is shown approximate size



Ring Handle | Peck Joseph

SCANLAN®  
Peck Joseph Scissors  
Ring Handle

Instrument jaws are shown approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-295SC	7007-295	Curved Blades Blunt Tips	6" (15 cm)

7007-295SC  
Instrument is shown approximate size



SCANLAN®  
Ring Handle | Sternum Pediatric

SCANLAN®  
Sternum Pediatric Scissors  
Ring Handle | Curved Blades

Instrument jaws are shown approximate size

	Super Cut™ Cat. No.	Description	Total Length
	7007-395SC	Side Curve	5" (12.7 cm)
	7007-397SC		8" (20 cm)

7007-397SC



Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>



SCANLAN®  
**Face Lift Scissors**  
Ring Handle | Semi-Sharp Outer Blades

Instrument jaws are shown approximate size		Super Cut™ Cat. No.	Description	Total Length
		7007-304SC	Straight Blades	7 3/4" (19.5 cm)
		7007-302SC	Curved Blades	6 1/2" (16.5 cm)
		7007-306SC		7 3/4" (19.5 cm)



SCANLAN®  
**Laine-Kindal Scissors**  
Ring Handle | Curved Blades

Instrument jaws are shown approximate size		Cat. No.	Description	Total Length
		7007-76	Sharp Tips	7 1/8" (18.1 cm)
		7007-78	Tenotomy Tips	

SCISSORS  
<http://www.scanlaninternational.com/product-category/instrumentation/scissors/>

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

SCANLAN®  
Ring Handle | Dissecting



7007-02  
Instrument is shown approximate size

SCANLAN®  
Dissecting Scissors  
Ring Handle | Curved Blades

Instrument jaws are shown approximate size		Super Cut™ Cat. No.	Description	Total Length
		7007-02	Blunt Tips	5 5/8" (14.1 cm)
		7007-06	Tenotomy Tips	5 1/2" (14 cm)

SCANLAN®  
Ring Handle | Thompson Valve



8008-14

SCANLAN®  
Thompson Valve Scissors  
Ring Handle | Full Curved Blades

Instrument jaws are shown approximate size		Cat. No.	Description	Total Length
		8008-12	One Serrated Full Curved Blades	8 1/2" (21.5 cm)
		8008-14		10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status.  
Custom modifications available upon request.

For a complete listing of models visit...  
[www.scanlaninternational.com](http://www.scanlaninternational.com)

8008-15



SCANLAN®  
**Flemma Mitral Repair Scissors**  
Ring Handle | Full Curved Blades

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	8008-15	Round Curved Blades Flat Tips	12" (30.5 cm)

Ring Handle | Venous Valve (In Situ)

9009-128



SCANLAN®  
**Venous Valve Scissors (In Situ)**  
Ring Handle

Instrument jaws are shown approximate size

	Cat. No.	Description	Total Length
	9009-126	Straight Blades Blunt Tips	4" (10 cm)
	9009-128		9" (23 cm)

TEMPORARY OCCLUSION CLIPS / FORCEPS

Reliance Bulldog Clamps .....	6.1
Yasargil Clips .....	6.4
Heifetz™ Clips .....	6.6

SUNDT™ GRADUATED SUCTION SYSTEM..... 6.8

SCANLAN® CALIPER / KNIFE BLADE TOOL..... 6.10

SCANLAN® MEMORY INSTRUMENTS..... 6.11

VASCULAR DILATORS / VESSEL PROBES

SCANLAN® MEMORY Vascular Dilators / Vessel Probes .....	6.12
Vascular Dilators .....	6.13

STERN™ CHEST TUBE PASSER..... 6.14

Samson™ PHLEBECTOMY HOOKS..... 6.14

VALVULOTOMES..... 6.15

AORTA / VEIN PUNCHES (Re-useable)..... 6.16

HAND-HELD RETRACTORS

Pediatric .....	6.17
Valve .....	6.18
Hooks.....	6.19

SELF-RETAINING RETRACTORS

Pediatric .....	6.20
Loftus™ ACDF Distractor.....	6.23

DISSECTORS..... 6.24

NERVE HOOKS & PROBES..... 6.28

PLAQUE REMOVERS..... 6.29

INSTRUMENT SETS

Puskas™ Coronary Instruments – Basic Set .....	6.30
Puskas™ Coronary Instruments – Supplemental Set .....	6.32
Puskas™ Coronary Instruments – IMA Dissection Set .....	6.34
Dura Closure Set .....	6.36
Loftus™ Carotid Endarterectomy Set.....	6.38
Ochsner Endarterectomy Set.....	6.44
EC / IC Bypass Instrument Set .....	6.46
Sampson™ Phlebectomy Set .....	6.52





301-0110.....	9.12	1001-79 .....	9.10	1001-301 .....	8.11
301-0120 .....	9.12	1001-80 .....	9.10	1001-302 .....	8.11
301-0130 .....	9.12	1001-81 .....	9.10	1001-303 .....	8.11
1001-04 .....	6.16	1001-81M .....	9.10	1001-304 .....	8.11
1001-05 .....	6.16	1001-81P.....	9.10	1001-305 .....	8.11
1001-06 .....	6.16	1001-82 .....	9.10	1001-306 .....	8.11
1001-07 .....	6.16	1001-82P.....	9.10	1001-307 .....	8.11
1001-10 .....	6.17	1001-83 .....	9.1	1001-308 .....	8.11
1001-11.....	6.17	1001-84 .....	8.11	1001-309 .....	8.11
1001-12 .....	6.17	1001-85 .....	8.11	1001-400 .....	8.11
1001-13 .....	6.17	1001-86 .....	8.11	1001-401 .....	8.11
1001-14 .....	6.17	1001-87 .....	8.11	1001-402 .....	8.11
1001-21 .....	5.39	1001-88 .....	8.11	1001-403 .....	8.11
1001-23 .....	5.39	1001-89 .....	8.11	1001-404 .....	8.11
1001-49 .....	8.1	1001-90 .....	8.11	1001-405 .....	8.11
1001-54 .....	2.56	1001-91 .....	8.11	1001-406 .....	8.11
1001-59 .....	8.1	1001-92 .....	8.11	1001-407 .....	8.11
1001-60 .....	8.1	1001-93 .....	8.11	1001-408 .....	8.11
1001-61 .....	8.1	1001-94 .....	8.1	1001-409 .....	8.11
1001-64 .....	8.1	1001-95 .....	8.1	1001-499 .....	9.6
1001-65 .....	8.1	1001-96 .....	8.1	1001-500 .....	9.7
1001-66 .....	8.1	1001-97 .....	8.1	1001-501 .....	9.7
1001-67 .....	8.1	1001-98 .....	8.1	1001-502 .....	9.7
1001-68 .....	8.1	1001-99 .....	8.1	1001-503 .....	9.7
1001-69 .....	8.1	1001-200 .....	8.11	1001-504 .....	9.7
1001-70 .....	8.1	1001-201 .....	8.11	1001-505 .....	9.7
1001-71 .....	8.1	1001-202 .....	8.11	1001-506 .....	6.42, 9.9
1001-72 .....	9.11	1001-203 .....	8.11	1001-506A.....	9.9
1001-73 .....	9.11	1001-204 .....	8.11	1001-506M .....	9.9
1001-74 .....	9.11	1001-205 .....	8.11	1001-507 .....	9.8
1001-75 .....	9.10	1001-206 .....	8.11	1001-508 .....	9.8
1001-76 .....	6.42, 9.10	1001-207 .....	8.11	1001-509 .....	9.8
1001-77 .....	9.10	1001-208 .....	8.11	1001-510 .....	9.8
1001-78 .....	9.10	1001-209 .....	8.11	1001-511.....	9.8
1001-78A.....	9.10	1001-300 .....	8.11	1001-512 .....	9.8

1001-513 .....	9.12	1001-575 .....	9.7	1001-640 .....	8.1
1001-514 .....	9.12	1001-580 .....	9.8	1001-641 .....	8.1
1001-515 .....	9.12	1001-581 .....	9.8	1001-642 .....	8.1
1001-516 .....	9.12	1001-582 .....	9.8	1001-643 .....	8.1
1001-520 .....	9.13	1001-583 .....	9.8	1001-710 .....	6.53, 6.55, 9.14
1001-529 .....	9.6	1001-584 .....	9.8	1001-725 .....	9.14
1001-530 .....	9.7	1001-585 .....	9.8	1001-730 .....	9.14
1001-531 .....	9.7	1001-600 .....	9.1	1001-731 .....	9.14
1001-532 .....	9.7	1001-601 .....	9.1	1001-740 .....	9.11
1001-533 .....	9.7	1001-602 .....	9.1	1001-760 .....	9.13
1001-534 .....	9.7	1001-604 .....	9.1	1001-800 .....	8.3
1001-535 .....	9.7	1001-605 .....	9.1	1001-801 .....	8.3
1001-540 .....	9.8	1001-606 .....	9.1	1001-802 .....	8.3
1001-541 .....	9.8	1001-607 .....	9.1	1001-803 .....	8.3
1001-542 .....	9.8	1001-608 .....	9.1	1001-804 .....	8.3
1001-543 .....	9.8	1001-609 .....	9.1	1001-805 .....	8.3
1001-544 .....	9.8	1001-610 .....	9.1	1001-806 .....	8.3
1001-545 .....	9.8	1001-611 .....	9.1	1001-807 .....	8.3
1001-550 .....	6.42, 9.7	1001-620 .....	9.1	1001-808 .....	8.3
1001-551 .....	9.7	1001-621 .....	9.1	1001-809 .....	8.3
1001-552 .....	9.7	1001-622 .....	9.1	1001-810 .....	8.3
1001-553 .....	9.7	1001-624 .....	9.1	1001-811 .....	8.3
1001-554 .....	9.7	1001-626 .....	9.1	1001-812 .....	8.3
1001-555 .....	9.7	1001-628 .....	9.1	1001-813 .....	8.3
1001-560 .....	9.8	1001-629 .....	9.1	1001-814 .....	8.3
1001-561 .....	9.8	1001-630 .....	8.1	1001-815 .....	8.3
1001-562 .....	9.8	1001-631 .....	8.1	1001-816 .....	8.3
1001-563 .....	9.8	1001-632 .....	8.1	1001-817 .....	8.3
1001-564 .....	9.8	1001-633 .....	8.1	1001-818 .....	8.3
1001-565 .....	9.8	1001-634 .....	8.1	1001-819 .....	8.3
1001-570 .....	9.7	1001-635 .....	8.1	1001-820 .....	8.3
1001-571 .....	9.7	1001-636 .....	8.1	1001-821 .....	8.3
1001-572 .....	9.7	1001-637 .....	8.1	1001-822 .....	8.3
1001-573 .....	9.7	1001-638 .....	8.1	1001-823 .....	8.3
1001-574 .....	9.7	1001-639 .....	8.1	1001-824 .....	8.3

1001-825 .....	8.3	1001-926 .....	8.7	1001-1023 .....	8.2
1001-831 .....	9.1	1001-927 .....	8.7	1001-1024 .....	8.2
1001-904 .....	8.5	1001-940 .....	1.12, 8.8	1001-1025 .....	8.2
1001-904C .....	8.6	1001-950 .....	8.9	1001-1026 .....	8.2
1001-905 .....	8.5	1001-951 .....	8.9	1001-1027 .....	8.2
1001-905C .....	8.6	1001-964 .....	1.12, 8.5	1001-1028 .....	8.2
1001-906 .....	8.5	1001-965 .....	1.12, 8.5	1001-1029 .....	8.2
1001-906C .....	8.6	1001-966 .....	1.12, 8.5	1001-1030 .....	8.2
1001-907 .....	8.5	1001-967 .....	1.12, 8.5	1001-1031 .....	8.2
1001-907C .....	8.6	1001-968 .....	1.12, 8.5	1001-1032 .....	8.2
1001-908 .....	8.5	1001-969 .....	1.12, 8.5	1001-1033 .....	8.2
1001-908C .....	8.6	1001-970 .....	1.12, 8.5	1001-1034 .....	8.2
1001-909 .....	8.5	1001-1000 .....	8.2	1001-1035 .....	8.2
1001-909C .....	8.6	1001-1001 .....	8.2	1001-1036 .....	8.2
1001-910 .....	8.5	1001-1002 .....	8.2	1001-1037 .....	8.2
1001-910C .....	8.6	1001-1003 .....	8.2	1001-1038 .....	8.2
1001-914 .....	8.5	1001-1004 .....	8.2	1001-1039 .....	8.2
1001-914C .....	8.6	1001-1005 .....	8.2	1001-1040 .....	8.2
1001-915 .....	8.5	1001-1006 .....	8.2	1001-1041 .....	8.2
1001-915C .....	8.6	1001-1007 .....	8.2	1001-1042 .....	8.2
1001-916 .....	8.5	1001-1008 .....	8.2	1001-1043 .....	8.2
1001-916C .....	8.6	1001-1009 .....	8.2	1001-1044 .....	8.2
1001-917 .....	8.5	1001-1010 .....	8.2	1001-1045 .....	8.2
1001-917C .....	8.6	1001-1011 .....	8.2	1001-1046 .....	8.2
1001-918 .....	8.5	1001-1012 .....	8.2	1001-1047 .....	8.2
1001-918C .....	8.6	1001-1013 .....	8.2	1001-1048 .....	8.2
1001-919 .....	8.5	1001-1014 .....	8.2	1001-1049 .....	8.2
1001-919C .....	8.6	1001-1015 .....	8.2	1001-1050 .....	8.2
1001-920 .....	8.5	1001-1016 .....	8.2	1001-1051 .....	8.2
1001-920C .....	8.6	1001-1017 .....	8.2	1001-1052 .....	8.2
1001-921 .....	8.7	1001-1018 .....	8.2	1001-1053 .....	8.2
1001-922 .....	8.7	1001-1019 .....	8.2	1001-1054 .....	8.2
1001-923 .....	8.7	1001-1020 .....	8.2	1001-1055 .....	8.2
1001-924 .....	8.7	1001-1021 .....	8.2	1001-1056 .....	8.2
1001-925 .....	8.7	1001-1022 .....	8.2	1001-1057 .....	8.2

1001-1058 .....	8.2	1001-1093 .....	8.4	2002-46 .....	2.40
1001-1059 .....	8.2	1001-1094 .....	8.4	2002-48 .....	2.40
1001-1060 .....	8.2	1001-1095 .....	8.4	2002-50 .....	2.40
1001-1061 .....	8.2	1001-1096 .....	8.4	2002-51 .....	2.35
1001-1062 .....	8.2	1001-1097 .....	8.4	2002-52 .....	2.36
1001-1063 .....	8.2	1001-1098 .....	8.4	2002-54 .....	2.42
1001-1064 .....	8.2	1001-1099 .....	8.4	2002-62 .....	2.26
1001-1065 .....	8.2	1001-1100.....	8.4	2002-64 .....	2.26
1001-1066 .....	8.2	1001-1101.....	8.4	2002-66 .....	2.27
1001-1067 .....	8.2	1001-1102.....	8.4	2002-70 .....	2.26
1001-1068 .....	8.2	1001-1103.....	8.4	2002-72 .....	2.27
1001-1069 .....	8.2	1001-1104.....	8.4	2002-76 .....	2.34
1001-1070 .....	8.2	1001-1105.....	8.4	2002-78 .....	2.24
1001-1071 .....	8.2	1001-1106.....	8.4	2002-80 .....	2.31
1001-1072 .....	8.2	1001-1107.....	8.4	2002-82 .....	2.31
1001-1073 .....	8.2	1001-1108.....	8.4	2002-86 .....	2.32
1001-1074 .....	8.2	1001-1109.....	8.4	2002-88 .....	2.32
1001-1075 .....	8.2	1001-1110.....	8.4	2002-90 .....	2.24
1001-1076 .....	8.2	1001-1111 .....	8.4	2002-92 .....	2.25
1001-1077 .....	8.2	2002-13 .....	2.35	2002-94 .....	2.25
1001-1078 .....	8.2	2002-14 .....	2.33	2002-96 .....	2.25
1001-1079 .....	8.2	2002-16 .....	2.33	2002-100 .....	2.28
1001-1080 .....	8.2	2002-22 .....	2.41	2002-106 .....	2.28
1001-1081 .....	8.2	2002-23 .....	2.35	2002-110.....	2.29
1001-1082 .....	8.2	2002-28 .....	2.37	2002-112.....	2.35
1001-1083 .....	8.2	2002-30 .....	2.37	2002-113.....	2.35
1001-1084 .....	8.4	2002-32 .....	2.38	2002-116.....	2.39
1001-1085 .....	8.4	2002-33 .....	2.35	2002-117.....	2.39
1001-1086 .....	8.4	2002-34 .....	2.38	2002-128 .....	2.22
1001-1087 .....	8.4	2002-36 .....	2.38	2002-134 .....	2.22
1001-1088 .....	8.4	2002-38 .....	2.36	2002-184 .....	2.23
1001-1089 .....	8.4	2002-40 .....	2.36	2002-186 .....	2.23
1001-1090 .....	8.4	2002-42 .....	2.34	2002-229 .....	2.20
1001-1091 .....	8.4	2002-43 .....	2.35	2002-230 .....	2.20
1001-1092 .....	8.4	2002-44 .....	2.40	2002-231 .....	2.20

2002-232 .....	2.18	2142-03 .....	8.13	3003-93 .....	4.4
2002-234 .....	2.18	2145-02 .....	6.37	3003-93A.....	4.4
2002-235 .....	2.18, 6.38	2145-03 .....	8.12	3003-94 .....	4.4
2002-236 .....	2.19	2146-03 .....	8.12	3003-94-4 .....	4.4
2002-238 .....	2.19	2150-03 .....	1.12, 8.12, 9.4	3003-94A.....	4.4
2002-240 .....	2.17	3003-02 .....	3.12	3003-150 .....	3.7
2002-242 .....	2.17	3003-03 .....	3.12	3003-152 .....	3.7
2002-244 .....	2.17	3003-04 .....	3.12, 6.39	3003-154 .....	3.7
2002-246 .....	2.17	3003-05 .....	3.12, 6.39	3003-154-3 .....	3.7, 6.46
2002-248 .....	2.21	3003-06 .....	3.12	3003-154-4 .....	3.7
2002-250 .....	2.21	3003-07 .....	3.12	3003-156 .....	3.7
2002-280 .....	1.11, 2.30	3003-09 .....	3.13	3003-156-3 .....	3.7, 6.46
2002-282 .....	1.11, 2.30	3003-46 .....	2.6	3003-156-4 .....	3.7
2002-286 .....	1.11, 2.30	3003-47 .....	2.6	3003-158 .....	3.8
2081-11.....	6.53, 8.14	3003-52 .....	2.5	3003-158-3 .....	3.8, 6.48
2081-12 .....	8.15	3003-54 .....	2.5	3003-158-4 .....	3.8
2081-21 .....	8.14	3003-56 .....	2.5	3003-158-8 .....	3.8, 6.39
2081-23 .....	6.43, 8.15	3003-64 .....	2.8	3003-158-9 .....	3.8
2081-24 .....	8.15	3003-66 .....	2.9	3003-158-10 .....	3.8
2082-10 .....	8.14	3003-67 .....	2.7	3003-159-3 .....	6.48
2082-20 .....	8.15	3003-68 .....	2.9	3003-159 .....	3.8
2083-01 .....	8.14	3003-69 .....	2.12	3003-159-3 .....	3.8
2083-02 .....	8.14	3003-70 .....	2.11	3003-159-4 .....	3.8
2083-03 .....	8.14	3003-72 .....	2.11	3003-159-8 .....	3.8
2083-05 .....	8.14	3003-74 .....	2.15	3003-159-10 .....	3.8
2083-16 .....	8.15	3003-79 .....	2.13	3003-160 .....	3.6
2084-12 .....	8.15	3003-80 .....	2.14	3003-162 .....	3.6
2084-20 .....	8.15	3003-82 .....	2.14	3003-164 .....	3.6, 6.46, 6.48
2133-03 .....	6.3, 8.12	3003-84 .....	2.14	3003-166 .....	3.6
2135-03 .....	1.9, 6.3, 8.12	3003-86 .....	2.14	3003-170 .....	4.5
2138-03 .....		3003-88 .....	2.15	3003-171 .....	4.6
6.33, 6.35, 6.43, 6.45, 6.47, 6.51, 6.55, 8.13		3003-90 .....	4.4	3003-172 .....	4.5
2139-03 .....	8.13	3003-90A.....	4.4	3003-173 .....	4.6
2140-03 .....	6.31, 6.47, 6.51, 8.13	3003-91 .....	4.4	3003-174 .....	4.5
2141-03 .....	6.47, 6.51, 8.13	3003-91A.....	4.4	3003-175 .....	4.6

3003-177 .....	4.6	3003-280 .....	1.10, 2.10	3003-440 .....	4.13
3003-177-3 .....	4.6, 6.49	3003-282 .....	1.10, 2.10	3003-442 .....	4.13
3003-177-4 .....	4.6	3003-286 .....	1.10, 2.10	3003-450 .....	4.11
3003-180 .....	4.5	3003-342 .....	4.1	3003-452 .....	4.11
3003-181 .....	4.6	3003-344 .....	4.1	3003-454 .....	4.11
3003-182 .....	4.5	3003-346 .....	4.1	3003-462 .....	4.15
3003-183 .....	4.6	3003-348 .....	4.1	3003-464 .....	4.15
3003-184 .....	4.5	3003-352 .....	4.2	3003-466 .....	4.15
3003-185 .....	4.6	3003-354 .....	4.2	3003-510 .....	4.7
3003-187 .....	4.6	3003-356 .....	4.2	3003-530 .....	4.7
3003-190 .....	4.5	3003-358 .....	4.2	3003-540 .....	4.7
3003-191 .....	4.6	3003-362 .....	4.2	3003-550 .....	4.10
3003-193 .....	4.6	3003-364 .....	4.2	3003-570 .....	4.10
3003-195 .....	4.6	3003-366 .....	4.2	3003-580 .....	4.10
3003-200 .....	4.5	3003-368 .....	4.2	3003-610 .....	2.3
3003-200-12 .....	4.5	3003-381 .....	4.3, 6.30	3003-611.....	2.3
3003-202 .....	4.5	3003-390 .....	4.3, 6.30	3003-612 .....	2.3
3003-204 .....	4.5	3003-391 .....	4.3, 6.32	3003-613 .....	2.2
3003-207 .....	4.9	3003-402 .....	4.16	3003-614 .....	2.2, 6.38
3003-224 .....	4.8	3003-404 .....	4.16	3003-616 .....	2.1
3003-225 .....	4.9	3003-406 .....	4.16	3003-618 .....	2.1
3003-226 .....	4.8	3003-408 .....	4.16	3003-620 .....	2.1
3003-227 .....	4.9	3003-412 .....	4.12	3003-628 .....	2.4
3003-229 .....	4.9	3003-414 .....	4.12	3003-630 .....	2.4
3003-234 .....	4.9	3003-416 .....	4.12	3003-632 .....	2.3
3003-234-1 .....	4.9, 6.39	3003-418 .....	4.12	3003-633 .....	2.2
3003-235 .....	4.9	3003-422 .....	4.14	3003-634 .....	2.2
3003-236 .....	4.9	3003-424 .....	4.14	3003-636 .....	2.1
3003-237 .....	4.9	3003-426 .....	4.14	3003-637 .....	2.1
3003-238 .....	4.9	3003-428 .....	4.14	3003-638 .....	2.1
3003-239 .....	4.9	3003-430 .....	4.11	3003-710 .....	3.9
3003-243 .....	4.9	3003-432 .....	4.11	3003-712 .....	3.9
3003-261 .....	4.8	3003-434 .....	4.11	3003-714 .....	3.9
3003-263 .....	4.8	3003-436 .....	4.13	3003-716 .....	3.9
3003-265 .....	4.8	3003-438 .....	4.13	3003-720 .....	3.6, 6.39

3003-724 .....	3.6	3003-846 .....	3.15	3784-15 .....	6.28
3003-726 .....	3.6	3003-847 .....	3.15	3784-30 .....	6.28
3003-728 .....	3.6	3003-850 .....	3.15	3784-31 .....	6.28
3003-730 .....	3.9	3003-851 .....	3.15, 6.50	3784-32 .....	6.28
3003-738 .....	3.10	3003-866 .....	4.17	3784-33 .....	6.28
3003-740 .....	3.11	3003-868 .....	4.17	3784-40 .....	6.26
3003-742 .....	3.11	3003-870 .....	4.17	3784-41 .....	6.26
3003-750 .....	3.10	3003-872 .....	4.17	3784-42 .....	6.26
3003-752 .....	3.10	3003-902 .....	3.2	3784-43 .....	6.27
3003-760 .....	3.10	3003-904 .....	3.2	3784-44 .....	6.25
3003-762 .....	3.10	3003-906 .....	3.2	3784-45 .....	6.25
3003-770 .....	3.3, 6.30	3003-908 .....	3.2	3784-80 .....	6.25
3003-774 .....	3.3, 6.32	3003-912 .....	3.2	3784-451 .....	6.25
3003-775 .....	3.3, 6.32	3003-914 .....	3.2	3785-20 .....	1.9, 6.4
3003-776 .....	3.3, 6.32	3003-916 .....	3.2	3785-21 .....	1.9, 6.4
3003-778 .....	3.3, 6.30	3003-918 .....	3.2	3785-22 .....	1.9, 6.4
3003-779 .....	3.3, 6.34	3003-922 .....	3.1	3785-24 .....	1.9, 6.4
3003-780 .....	3.3	3003-924 .....	3.1	3785-26 .....	1.9, 6.4
3003-782 .....	3.3	3003-926 .....	3.1	3785-27 .....	1.9, 6.4
3003-784 .....	3.3	3003-928 .....	3.1	3785-41 .....	1.9, 6.4
3003-786 .....	3.3	3003-932 .....	3.4	3785-42 .....	1.9, 6.4
3003-794 .....	3.13	3003-934 .....	3.4	3785-43 .....	1.9, 6.4
3003-800 .....	6.27	3003-936 .....	3.4	3786-20 .....	1.9, 6.4
3003-804 .....	3.5	3003-938 .....	3.4	3786-21 .....	6.4
3003-806 .....	3.5	3049-90 .....	3.34	3786-22 .....	6.4
3003-810 .....	3.5, 6.30	3049-92 .....	3.34	3786-23 .....	6.4
3003-816 .....	3.5	3190-08 .....	3.27	3786-24 .....	6.4
3003-818 .....	3.5	3781-10 .....	6.26	3786-25 .....	6.4
3003-823 .....	3.14	3781-16 .....	6.26	3786-26 .....	1.9, 6.4
3003-825 .....	3.14	3784-09 .....	6.26	3786-27 .....	1.9, 6.4
3003-832 .....	3.14	3784-10 .....	6.26	3786-28 .....	6.4
3003-840 .....	3.15, 6.50	3784-11.....	6.26	3786-29 .....	1.9, 6.4
3003-841 .....	3.15, 6.50	3784-12 .....	6.26	3786-30 .....	6.5
3003-842 .....	3.15, 6.50	3784-13 .....	6.26	3786-31 .....	6.5
3003-843 .....	3.15	3784-14 .....	6.28	3786-32 .....	6.5



3786-40 .....	6.5	3795-06 .....	6.7	4004-42 .....	3.25	4004-98 .....	3.19	4004-253 .....	3.17	4383-40 .....	2.16, 6.41
3786-41 .....	1.9, 6.4	3795-08 .....	6.7	4004-43 .....	3.25	4004-99 .....	3.19	4004-254 .....	3.17	4383-42 .....	2.16, 6.41
3786-42 .....	1.9, 6.4	3795-14 .....	6.7	4004-44 .....	3.25	4004-108 .....	3.29	4004-256 .....	3.17	4383-44 .....	2.16, 6.41
3786-43 .....	1.9, 6.4	3795-16 .....	6.7	4004-45 .....	3.25	4004-124 .....	3.29	4004-260 .....	3.18	4383-46 .....	2.16, 6.41
3788-01 .....	5.22	3795-18 .....	6.7	4004-45A .....	3.25	4004-125 .....	3.29	4004-261 .....	3.18	4384-40 .....	2.16, 6.41
3788-02 .....	5.22, 6.51	3795-20 .....	6.7	4004-46 .....	3.25	4004-185 .....	6.14, 7.36	4004-262 .....	3.18	4384-42 .....	2.16, 6.41
3788-04 .....	5.22	3795-22 .....	6.7	4004-47 .....	3.25	4004-186 .....	6.14, 7.36	4004-263 .....	3.18	4384-44 .....	2.16, 6.41
3788-05 .....	5.22	3795-24 .....	6.7	4004-48 .....	3.25	4004-189 .....	6.14, 7.36	4004-266 .....	3.22	4384-46 .....	2.16, 6.41
3788-06 .....	5.22	3795-28 .....	6.7	4004-50 .....	3.25	4004-204 .....	3.19	4004-268 .....	3.22	4385-40 .....	2.16, 6.41
3788-08 .....	3.33	3795-50 .....	6.1, 6.3	4004-50A .....	3.25	4004-206 .....	3.19	4004-269 .....	3.22	4385-42 .....	2.16, 6.41
3788-10 .....	3.33	3795-51 .....	6.1, 6.3	4004-50B .....	3.25	4004-210 .....	3.19	4004-270 .....	3.20	4385-44 .....	2.16, 6.41
3788-12 .....	4.36	3795-52 .....	1.8, 6.1, 6.3	4004-52 .....	3.25	4004-212 .....	3.19	4004-272 .....	3.20	4385-46 .....	2.16, 6.41
3788-13 .....	4.36	3795-54 .....	6.1, 6.3	4004-54 .....	3.25	4004-216 .....	3.16	4004-280 .....	3.17, 3.18	4447-07 .....	2.51
3788-14 .....	4.36	3795-56 .....	1.8, 6.1, 6.3	4004-56 .....	3.28	4004-217 .....	3.16	4004-282 .....	3.17, 3.18	4447-09 .....	2.51
3788-15 .....	4.36	3795-57 .....	1.8, 6.1, 6.3	4004-57 .....	3.28	4004-220 .....	3.16	4004-305 .....	3.19	4545-09 .....	2.55
3788-27 .....	5.22	4004-039 .....	3.35	4004-59 .....	3.28	4004-221 .....	3.16	4004-320 .....	3.16	4635-06 .....	2.55
3788-29 .....	5.22	4004-043 .....	3.35	4004-62 .....	3.26	4004-224 .....	3.16, 6.44	4004-330 .....	3.16	5005-001 .....	2.45
3789-01 .....	5.20	4004-01 .....	3.30	4004-63 .....	3.26	4004-225 .....	3.16	4004-346 .....	3.24	5005-00 .....	2.45
3789-02 .....	5.20	4004-02 .....	3.30	4004-65 .....	3.26	4004-226 .....	3.16	4004-350 .....	3.24	5005-01 .....	2.46
3789-03 .....	5.20	4004-03 .....	3.30	4004-76 .....	3.23	4004-227 .....	3.16	4004-394 .....	3.29	5005-02 .....	2.46
3789-04 .....	5.20	4004-03-3A .....	3.21, 3.30, 6.46	4004-77 .....	3.23	4004-228 .....	3.16	4155-06 .....	4.28	5005-03 .....	2.46
3789-07 .....	3.33	4004-04 .....	3.30	4004-79 .....	3.23	4004-230 .....	3.20	4155-07 .....	4.28	5005-05 .....	2.46
3789-08 .....	3.33	4004-05 .....	3.31	4004-79-12 .....	3.23	4004-232 .....	3.20	4157-77 .....	4.28	5005-13 .....	2.48
3789-11 .....	4.35	4004-07 .....	3.31	4004-80 .....	3.27	4004-235 .....	3.18	4375-08 .....	2.52	5005-15 .....	2.48
3789-11T .....	4.17	4004-17 .....	3.31	4004-84 .....	3.27	4004-238 .....	3.24	4375-09 .....	2.52	5005-23 .....	2.48
3789-12 .....	4.35	4004-19 .....	3.31	4004-86 .....	3.27	4004-239 .....	3.24	4375-10 .....	2.52	5005-25 .....	2.48
3789-13 .....	4.35	4004-23 .....	3.31	4004-88 .....	3.27	4004-240 .....	3.24	4375-11 .....	2.52	5005-33 .....	2.48
3789-14 .....	4.35	4004-25 .....	3.32	4004-90 .....	3.27	4004-242 .....	3.24	4375-12 .....	2.52	5005-35 .....	2.48
3789-14-3 .....	4.35, 6.51	4004-27 .....	3.32	4004-92 .....	3.27	4004-244 .....	3.24	4375-14 .....	2.52	5005-37 .....	2.48
3789-16 .....	5.20	4004-28 .....	3.32	4004-94 .....	3.27	4004-245 .....	3.24	4377-08 .....	2.53, 6.38	5005-39 .....	2.48
3789-17 .....	5.20	4004-29 .....	3.32	4004-95 .....	3.19	4004-246 .....	3.24	4377-09 .....	2.53	5005-43 .....	2.49
3789-20 .....	3.33, 6.37	4004-31 .....	3.32	4004-96 .....	3.19	4004-248 .....	3.24	4377-11 .....	2.53	5005-45 .....	2.49
3795-01 .....	6.6	4004-35 .....	3.32	4004-97 .....	3.21	4004-250 .....	3.17	4377-12 .....	2.53	5005-47 .....	2.50
3795-01A .....	6.6	4004-37 .....	3.28, 6.44	4004-97-3A .....	3.21, 6.48	4004-251 .....	3.17	4377-28 .....	2.54	5005-49 .....	2.50
3795-04 .....	6.7	4004-40 .....	3.25	4004-97A .....	3.21	4004-252 .....	3.17	4377-30 .....	2.54	5005-51 .....	2.50

5005-53 .....	2.50	6006-52 .....	4.19	6006-131 .....	4.22
5005-60 .....	2.44	6006-54 .....	4.19	6006-132 .....	4.22
5005-62 .....	2.44	6006-56 .....	4.19	6006-133 .....	4.22
5005-64 .....	2.44	6006-56-3 .....	4.19, 6.47	6006-139 .....	4.18
5005-80 .....	2.43, 6.53, 6.55	6006-58 .....	4.24	6006-148 .....	4.27
5005-82 .....	2.46, 6.52, 6.54	6006-59 .....	4.20	6006-152 .....	4.27
5005-86 .....	2.47, 6.52, 6.54	6006-61 .....	4.20	6006-158 .....	4.25
5005-88 .....	2.47, 6.52, 6.54	6006-62 .....	4.24	6006-159 .....	4.25
6006-02 .....	4.30	6006-63 .....	4.20	6006-160 .....	4.25
6006-04 .....	4.29	6006-65 .....	4.20	6006-170 .....	4.26
6006-05 .....	4.34	6006-70 .....	4.24	6006-174 .....	4.26
6006-08 .....	4.32	6006-72 .....	4.24	6006-310 .....	4.23
6006-10 .....	4.32	6006-82 .....	4.20	6006-330 .....	4.23
6006-12 .....	4.32	6006-84 .....	4.20	6006-334 .....	4.23
6006-14 .....	4.32	6006-86 .....	4.20	6006-340 .....	4.23
6006-15 .....	4.34	6006-88 .....	4.20	6006-610 .....	4.33
6006-16 .....	4.34	6006-90 .....	4.25	6006-620 .....	4.33
6006-17 .....	4.32	6006-92 .....	4.25	6006-630 .....	4.33
6006-19 .....	4.32	6006-94 .....	4.25	7007-02 .....	5.46
6006-20 .....	4.31	6006-100 .....	4.26	7007-06 .....	5.46
6006-24 .....	4.31	6006-102 .....	4.26	7007-25 .....	5.27
6006-28 .....	4.31	6006-104 .....	4.26	7007-26 .....	5.27
6006-29 .....	4.30	6006-108 .....	4.25	7007-27 .....	5.27
6006-32 .....	4.31	6006-110 .....	4.25	7007-28 .....	5.27
6006-33 .....	4.30	6006-112 .....	4.25	7007-30 .....	5.28
6006-36 .....	4.31	6006-120 .....	4.21	7007-32 .....	5.28
6006-37 .....	4.30	6006-121 .....	4.21	7007-33 .....	5.28
6006-40 .....	4.31	6006-122 .....	4.21	7007-34 .....	5.28
6006-41 .....	4.30	6006-123 .....	4.21	7007-35 .....	5.28
6006-44 .....	4.18	6006-124 .....	4.21	7007-40 .....	5.25
6006-45 .....	4.18	6006-125 .....	4.21	7007-40-5 .....	5.25
6006-46 .....	4.18	6006-127 .....	4.21	7007-42 .....	5.25
6006-47 .....	4.18	6006-128 .....	4.22	7007-42-5 .....	5.25
6006-48 .....	4.18	6006-129 .....	4.22	7007-44 .....	5.25
6006-50 .....	4.19	6006-130 .....	4.22	7007-44-5 .....	5.25

7007-46 .....	5.25	7007-204 .....	5.37	7007-221SC .....	5.32
7007-46-5 .....	5.25	7007-204SC .....	5.37	7007-222 .....	5.32
7007-48 .....	5.25	7007-205SC .....	5.37	7007-222SC .....	5.32
7007-48-5 .....	5.25	7007-206 .....	5.37	7007-222-1 .....	5.33
7007-50 .....	5.26	7007-206SC .....	5.37	7007-222-1SC .....	5.33
7007-50-5 .....	5.26	7007-207SC .....	5.37	7007-222-2SC .....	5.34
7007-56 .....	5.31	7007-208SC .....	5.29	7007-223-2SC .....	5.34
7007-58 .....	5.31	7007-210 .....	5.29	7007-224 .....	5.32
7007-60 .....	5.31	7007-210SC .....	5.29, 6.53, 6.55	7007-224SC .....	5.32
7007-62 .....	5.31	7007-211 .....	5.29	7007-224-1SC .....	5.33
7007-64 .....	5.31	7007-211SC .....	5.29, 6.40	7007-224-2SC .....	5.34
7007-76 .....	5.45	7007-214 .....	5.32	7007-226-1SC .....	5.33
7007-78 .....	5.45	7007-214SC .....	5.32	7007-226SC .....	5.32
7007-84 .....	5.35	7007-215-2 .....	5.34	7007-230SC .....	5.32
7007-104 .....	5.6	7007-215-2SC .....	5.34	7007-232SC .....	5.38
7007-105 .....	5.6	7007-216 .....	5.32	7007-236 .....	5.38
7007-106 .....	5.6	7007-216SC .....	5.32	7007-236SC .....	5.38
7007-108 .....	5.6	7007-216-1 .....	5.33	7007-237 .....	5.38
7007-110 .....	5.6	7007-216-1SC .....	5.33	7007-237SC .....	5.38
7007-112 .....	5.15	7007-216-2 .....	5.34	7007-242 .....	5.38
7007-116 .....	5.15	7007-216-2SC .....	5.34	7007-242SC .....	5.38
7007-120 .....	5.18	7007-217SC .....	5.32	7007-250 .....	5.24
7007-124 .....	5.18	7007-218 .....	5.32	7007-250SC .....	5.24
7007-126 .....	5.18	7007-218SC .....	5.32	7007-250-5 .....	5.24
7007-128 .....	5.8	7007-218-1 .....	5.33	7007-250-5SC .....	5.24
7007-130 .....	5.8	7007-218-1SC .....	5.33	7007-252 .....	5.24
7007-132 .....	5.8	7007-218-2 .....	5.34	7007-252SC .....	5.24
7007-134 .....	5.8	7007-218-2SC .....	5.34	7007-252-5 .....	5.24
7007-140 .....	5.13, 6.47, 6.49	7007-218-3SC .....	5.33, 6.40	7007-252-5SC .....	5.24
7007-167 .....	5.23	7007-219SC .....	5.32	7007-254 .....	5.24
7007-168 .....	5.23	7007-220 .....	5.32	7007-254SC .....	5.24, 6.40
7007-200 .....	5.41	7007-220SC .....	5.32	7007-254-5 .....	5.24
7007-200SC .....	5.41	7007-220-1 .....	5.33	7007-254-5SC .....	5.24
7007-202 .....	5.41	7007-220-1SC .....	5.33	7007-256 .....	5.24
7007-202SC .....	5.41	7007-220-2SC .....	5.34	7007-256SC .....	5.24

7007-256-5 .....	5.24	7007-298SC .....	5.30	7007-426 .....	5.5
7007-256-5SC .....	5.24	7007-300 .....	5.30	7007-427 .....	5.2
7007-258 .....	5.24	7007-300SC .....	5.30	7007-428 .....	5.5
7007-258SC .....	5.24	7007-302SC .....	5.44	7007-429 .....	5.2
7007-258-5 .....	5.24	7007-304SC .....	5.44	7007-440 .....	5.12
7007-258-5SC .....	5.24	7007-306SC .....	5.44	7007-440-8 .....	5.14
7007-260 .....	5.26	7007-311SC.....	5.39	7007-442 .....	5.12
7007-262SC .....	5.30, 6.31, 6.35	7007-313 .....	5.29	7007-442-8 .....	5.14
7007-260-5 .....	5.26	7007-313SC .....	5.29	7007-444 .....	5.12
7007-260-5SC .....	5.26	7007-315 .....	5.29	7007-444-8 .....	5.14
7007-263SC .....	5.30	7007-315SC .....	5.29	7007-446 .....	5.12
7007-264 .....	5.30	7007-320 .....	5.28	7007-446-8 .....	5.14
7007-264SC .....	5.30	7007-320SC .....	5.28, 6.40	7007-448 .....	5.12
7007-266SC .....	5.30	7007-395SC .....	5.43	7007-449 .....	5.11
7007-268 .....	5.30	7007-397SC .....	5.43	7007-449-8 .....	5.14
7007-268SC .....	5.30	7007-401 .....	5.9	7007-450 .....	5.16
7007-270SC .....	5.36	7007-402 .....	5.9	7007-452 .....	5.16
7007-272SC .....	5.36	7007-403 .....	5.9	7007-453 .....	5.16
7007-274 .....	5.36	7007-404 .....	5.9	7007-454 .....	5.16
7007-274SC .....	5.36	7007-410 .....	5.15	7007-456 .....	5.16
7007-276SC .....	5.36	7007-411.....	5.11	7007-458 .....	5.16
7007-278 .....	5.36	7007-412 .....	5.15	7007-460 .....	5.7
7007-278SC .....	5.36	7007-413 .....	5.11	7007-462 .....	5.7
7007-280SC .....	5.36	7007-414 .....	5.15	7007-464 .....	5.7
7007-282SC .....	5.40	7007-415 .....	5.11	7007-466 .....	5.7
7007-284SC .....	5.40	7007-416 .....	5.15	7007-468 .....	5.7
7007-286 .....	5.40	7007-417 .....	5.11	7007-470 .....	5.13
7007-286SC .....	5.40	7007-418 .....	5.15	7007-479 .....	5.17
7007-288SC .....	5.40	7007-419 .....	5.11	7007-481 .....	5.17
7007-292SC .....	5.42	7007-420 .....	5.5	7007-483 .....	5.17
7007-294 .....	5.42	7007-421 .....	5.2	7007-485 .....	5.17
7007-294SC .....	5.42	7007-422 .....	5.5	7007-487 .....	5.17
7007-295 .....	5.42	7007-423 .....	5.2	7007-490 .....	5.3
7007-295SC .....	5.42	7007-424 .....	5.5	7007-490-8 .....	5.4
7007-296SC .....	5.30	7007-425 .....	5.2	7007-492 .....	5.3

7007-492-8 .....	5.4	8008-14 .....	5.47	8008-476 .....	6.12
7007-494 .....	5.3	8008-15 .....	5.48	8008-478 .....	6.12
7007-494-8 .....	5.4	8008-41 .....	6.21	8008-480 .....	6.12
7007-496 .....	5.3	8008-42 .....	6.21	8008-482 .....	6.12
7007-496-8 .....	5.4	8008-43 .....	6.20	8008-484 .....	6.12
7007-498 .....	5.3	8008-45 .....	6.22	8008-486 .....	6.12
7007-499 .....	5.3	8008-47 .....	6.22	8008-488 .....	6.12
7007-499-8 .....	5.4	8008-81 .....	6.23	8008-493 .....	6.12
7007-506 .....	5.19, 6.34	8008-230 .....	6.14, 6.52, 6.54	8008-494 .....	6.12
7007-507 .....	5.19, 6.34	8008-232 .....	6.14, 6.53, 6.55	8008-495 .....	6.12
7007-508 .....	5.21	8008-236 .....	6.14, 6.52, 6.54	9009-10 .....	9.5
7007-509 .....	5.21	8008-400 .....	6.10	9009-11.....	9.4
7007-510 .....	5.21	8008-405 .....	6.10	9009-12 .....	9.5
7007-511.....	5.21, 6.31	8008-410 .....	6.11	9009-13 .....	9.2, 9.4
7007-514 .....	5.21, 6.33	8008-420 .....	6.11	9009-14 .....	9.2, 9.4, 9.5
7007-521 .....	5.21, 6.31	8008-420-4 .....	6.11	9009-15 .....	9.2, 9.4
7007-522 .....	5.21, 6.33	8008-430 .....	6.11	9009-16 .....	9.3
7007-538 .....	5.10	8008-432 .....	6.11	9009-18 .....	9.3
7007-539 .....	5.10	8008-448A.....	6.12	9009-20 .....	9.3
7007-540 .....	5.10	8008-448B.....	6.12	9009-21 .....	9.3
7007-542 .....	5.10	8008-448C.....	6.12	9009-22 .....	9.3
7007-544 .....	5.10	8008-449A.....	6.12	9009-23 .....	9.3
7007-546 .....	5.10	8008-449B.....	6.12	9009-24 .....	9.2, 9.4, 9.5
7007-548 .....	5.10	8008-449C.....	6.12	9009-26 .....	9.5
7007-590 .....	5.1	8008-452 .....	6.12	9009-48 .....	6.13
7007-592 .....	5.1	8008-454 .....	6.12	9009-48A.....	6.13
7007-594 .....	5.1	8008-456 .....	6.12	9009-48B.....	6.13
7007-596 .....	5.1	8008-458 .....	6.12	9009-48C.....	6.13
7007-598 .....	5.1	8008-460 .....	6.12	9009-49 .....	6.13
8008-02 .....	6.18	8008-462 .....	6.12	9009-49A.....	6.13
8008-04 .....	6.18	8008-464 .....	6.12	9009-49B.....	6.13
8008-06 .....	6.18	8008-466 .....	6.12	9009-49C.....	6.13
8008-10 .....	6.19	8008-468 .....	6.12	9009-50 .....	6.13
8008-11.....	6.19	8008-472 .....	6.12	9009-52 .....	6.13
8008-12 .....	5.47	8008-474 .....	6.12	9009-54 .....	6.13

9009-56 .....	6.13	9009-150 .....	6.29, 6.45	9009-395 .....	6.2, 6.3
9009-58 .....	6.13	9009-152 .....	6.29, 6.45	9009-420 .....	7.22
9009-60 .....	6.13	9009-210 .....	7.15	9009-422 .....	7.22
9009-62 .....	6.13	9009-211.....	7.15	9009-506 .....	9.9
9009-64 .....	6.13	9009-212 .....	1.5, 7.15	9009-506A.....	9.9
9009-66 .....	6.13	9009-213 .....	1.5, 7.15	9009-510 .....	7.21
9009-68 .....	6.13	9009-222 .....	7.7	9009-511.....	7.21
9009-70 .....	6.13	9009-223 .....	7.7	9009-512 .....	7.21
9009-72 .....	6.13	9009-225 .....	7.7	9009-513 .....	7.21
9009-74 .....	6.13	9009-226 .....	7.5	9009-516 .....	7.21
9009-76 .....	6.13	9009-227 .....	7.4	9009-517 .....	7.21
9009-78 .....	6.13	9009-228 .....	7.4	9009-520 .....	7.21
9009-80 .....	6.13	9009-229 .....	1.1, 7.3	9009-521 .....	7.21
9009-82 .....	6.13	9009-230 .....	1.1, 7.3	9009-522 .....	7.21
9009-84 .....	6.13	9009-240 .....	7.14	9009-523 .....	7.21
9009-86 .....	6.13	9009-241 .....	7.14	9009-524 .....	7.21
9009-88 .....	6.13	9009-250 .....	1.7, 7.17	9009-525 .....	7.21
9009-92 .....	6.13	9009-251 .....	1.7, 7.17	9009-528 .....	7.20
9009-93 .....	6.13	9009-252 .....	1.7, 7.17	9009-540 .....	7.28
9009-94 .....	6.13	9009-253 .....	1.7, 7.17	9009-541 .....	7.28
9009-95 .....	6.13	9009-270 .....	7.8	9009-542 .....	7.28
9009-100 .....	6.24	9009-280 .....	7.10	9009-543 .....	7.28
9009-104 .....	6.24	9009-281 .....	7.10	9009-550 .....	7.28
9009-106 .....	6.24	9009-300 .....	7.2	9009-551 .....	7.28
9009-110.....	6.24	9009-301 .....	7.2	9009-552 .....	7.28
9009-120 .....	6.15	9009-302 .....	7.1	9009-553 .....	7.28
9009-121 .....	6.15	9009-303 .....	7.1	9009-560 .....	7.29
9009-122 .....	6.15	9009-310 .....	7.2	9009-561 .....	7.29
9009-123 .....	6.15	9009-311.....	7.2	9009-562 .....	7.29
9009-126 .....	5.48, 6.15	9009-312 .....	7.1	9009-563 .....	7.29
9009-128 .....	5.48, 6.15	9009-313 .....	7.1	9009-570 .....	7.29
9009-142 .....	6.27 , 6.44	9009-360 .....	6.36	9009-571 .....	7.29
9009-144 .....	6.24, 6.41, 6.44	9009-364 .....	6.36	9009-572 .....	7.29
9009-146 .....	6.24, 6.41, 6.44	9009-380 .....	6.36	9009-573 .....	7.29
9009-148 .....	2.43, 6.38, 6.44	9009-393 .....	1.8, 6.2, 6.3	9009-618 .....	7.25

9009-636 .....	7.24	9009-921 .....	7.34	9009-973 .....	6.8, 6.9
9009-637 .....	7.24	9009-922 .....	7.35	9009-974 .....	6.8, 6.9
9009-638 .....	7.24	9009-928 .....	6.8	9009-975 .....	6.8, 6.9
9009-639 .....	7.24	9009-928-3 .....	6.8	9009-977 .....	6.8, 6.9
9009-640 .....	7.27	9009-929 .....	6.8	9009-979 .....	6.8, 6.9
9009-642 .....	7.27	9009-929-3 .....	6.8	9009-980 .....	6.8
9009-648 .....	7.23	9009-930 .....	6.8	9009-981 .....	6.8, 6.9
9009-650 .....	7.23	9009-934 .....	6.8	9009-982 .....	6.8, 6.9
9009-716SC .....	6.37, 7.18	9009-940 .....	6.8	9009-983 .....	6.8, 6.9
9009-718SC .....	6.37, 7.18	9009-941 .....	6.8, 6.9	9009-984 .....	6.8, 6.9
9009-738SC .....	7.18	9009-942 .....	6.8, 6.9	9009-985 .....	6.8, 6.9
9009-816 .....	7.36	9009-943 .....	6.8, 6.9	9009-987 .....	6.8, 6.9
9009-820 .....	7.36	9009-944 .....	6.8, 6.9	9009-989 .....	6.8, 6.9
9009-827-11 .....	7.30	9009-945 .....	6.8, 6.9	9009-990 .....	6.8
9009-827-12 .....	7.30	9009-947 .....	6.8, 6.9	9009-991 .....	6.8, 6.9
9009-827-13 .....	1.6, 7.30	9009-949 .....	6.8, 6.9	9009-992 .....	6.8, 6.9
9009-827-15 .....	1.6, 7.30	9009-950 .....	6.8	9009-993 .....	6.8, 6.9
9009-828 .....	7.30	9009-951 .....	6.8, 6.9	9009-994 .....	6.8, 6.9
9009-828-15 .....	1.6, 7.30	9009-952 .....	6.8, 6.9	9009-995 .....	6.8, 6.9
9009-828-16 .....	7.30	9009-953 .....	6.8, 6.9	9009-997 .....	6.8, 6.9
9009-838SC .....	7.31	9009-954 .....	6.8, 6.9	9009-999 .....	6.8, 6.9
9009-840SC .....	7.31	9009-955 .....	6.8, 6.9	9909-202 .....	7.16
9009-842SC .....	7.31	9009-957 .....	6.8, 6.9	9909-203 .....	7.16
9009-900 .....	7.34	9009-959 .....	6.8, 6.9	9909-219 .....	7.9
9009-901 .....	7.34	9009-960 .....	6.8	9909-221 .....	7.9
9009-905 .....	7.35	9009-961 .....	6.8, 6.9	9909-222 .....	7.9
9009-908 .....	7.32	9009-962 .....	6.8, 6.9	9909-224 .....	7.17
9009-909 .....	7.32	9009-963 .....	6.8, 6.9	9909-225 .....	7.17
9009-910 .....	7.32	9009-964 .....	6.8, 6.9	9909-226 .....	7.17
9009-911.....	7.32	9009-965 .....	6.8, 6.9	9909-227 .....	7.17
9009-914 .....	7.33	9009-967 .....	6.8, 6.9	9909-232 .....	7.11
9009-915 .....	7.33	9009-969 .....	6.8, 6.9	9909-234 .....	1.4, 7.13
9009-916 .....	7.33	9009-970 .....	6.8	9909-610 .....	7.26
9009-917 .....	7.33	9009-971 .....	6.8, 6.9	9909-612 .....	7.26
9009-920 .....	7.34	9009-972 .....	6.8, 6.9	9909-910SC .....	7.19



9909-911SC.....	7.19
9909-912 .....	7.11
9909-912-13 .....	7.11
9909-913 .....	7.13
9909-914 .....	7.12
9909-915 .....	7.12
9909-920 .....	7.5
9909-921 .....	7.4
9909-922 .....	7.4
9909-923 .....	7.5
9909-924 .....	1.2, 7.5
9909-926 .....	7.6
9909-927 .....	7.6
9909-940 .....	1.3, 7.8
9999-100 .....	6.30
9999-101 .....	6.32
9999-102 .....	6.34
9999-109 .....	6.36
9999-150 .....	6.52
9999-151 .....	6.54
9999-162 .....	6.46
9999-163 .....	6.48
9999-164 .....	6.50
9999-166 .....	6.46, 6.48, 6.50
9999-181 .....	6.38
9999-192 .....	6.44

**SCANLAN® Instrumentation** is guaranteed to be free from defects in materials and workmanship for ten full years. Any instrument which proves defective when used for its intended purpose will be repaired or replaced at no charge, at the sole discretion of Scanlan International, Inc. This warranty is in lieu of all other warranties, either expressed or implied.

In no event shall seller be liable to buyer, or any successors of buyer, for any claim for lost opportunity, loss of goodwill, or consequential or incidental damages of any kind for any amount in excess of the price of the product. Seller agrees to replace or to issue credit at seller's sole option any product determined to be defective in materials or workmanship. Seller shall not be responsible for the cost of labor or charges of any kind incurred due to product defect. Your rights under this warranty may vary from state to state and country to country. **IMPORTANT: All SCANLAN® instruments must be returned to Scanlan International for refurbishment. Refurbishment of Scanlan instrumentation by any other resource will void the Scanlan warranty.**

**SCANLAN® V.I.P.™ Instrument Sterilization Trays:** SCANLAN® V.I.P.™ instrument sterilization trays are warranted for 12 months against defects in material or workmanship.

**SCANLAN® DIAMOND DUST™ Instrumentation:** SCANLAN® DIAMOND DUST™ jaws are guaranteed for 12 months. If needed, the DIAMOND DUST™ surface will be restored at no charge during the initial 12 month period.

**Needle Holders:** The use of suture needles larger than those recommended may result in damage and invalidate your warranty. Please see The Suture Size Guide for SCANLAN® Needle Holders for recommendations regarding the use of suture needles with SCANLAN® instrumentation. A copy of this publication is packaged with every SCANLAN® needle holder and is also available upon request.

**Titanium Instrumentation:** Different shades of blue may be found within the extensive line of anodized SCANLAN® titanium instrumentation. This is not a defect, but a phenomenon which occurs due to slight variations of manufacture technique or alloy composition. This is a cosmetic characteristic only and does not compromise the high quality of your SCANLAN® titanium instrumentation.

**Scissors:** Do not cut suture, gauze, or wire with scissors unless it was designed to cut those materials. All SCANLAN® Super Cut™ & Ultra Sharp® scissors must be returned to Scanlan International for complete refurbishment and sharpening in order to maintain the unique cutting edge.

**SCANLAN® Premier™ Scissors:** Sharpness of SCANLAN® Premier™ Scissors is guaranteed for 12 months. If needed, resharpening will be performed at no charge during the 12 month period.

**Heifetz™ Clips, Yasargil Clips:** Product in the original packaging may be returned for full credit within 60 days domestic and 90 days international of invoice date. All used product will be considered FIRM SALE. Warranted for 12 months against defects in material or workmanship.

**Reliance Bulldog Clamp:** Warranty for materials and workmanship will be one year. All sales are considered FIRM SALE.

**PLEASE NOTE:** Instrument designs may change without prior notice. We are proud of the handcrafted quality of our instruments, which can cause slight variations in instrument patterns.

**IMPORTANT:**  
All instruments must be decontaminated before returning to Scanlan International.

Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

**DEAR CUSTOMER, PLEASE NOTE:** Due to the nature of our surgical instrumentation manufacturing process and our strict quality standards, various instrument patterns may occasionally be unavailable. We apologize for this inconvenience, however, each of our instruments is made by hand in a tradition of high quality craftsmanship. Therefore, scheduled delivery dates may change. We strive to be accurate as possible regarding this information, however dates may become extended and availability dates may change. Again, we apologize for this inconvenience. We will be happy to assist you in choosing an alternative instrument, as well as assist you in any way we can.

SCANLAN®  
Care & Maintenance

To maintain optimum operating condition and to protect your warranty of SCANLAN® instrumentation, we recommend the following along with your general maintenance:

**Clean:** Make certain that all blood and debris are removed from the instrument as soon as possible after use. Do not allow blood to dry on the instrument.

**Lubricate:** After a thorough cleaning and rinsing, treat the instrument with an antimicrobial water-soluble instrument lubricant.

**Identify:** Scanlan can provide safe and appropriate instrument identification marking system(s) upon request. Do not use a mechanical engraver to mark the instrument. **If you engrave the instrument, the warranty will be invalidated.**

**Repair, Refurbish or Sharpen:** Have this instrument repaired, refurbished, or sharpened only by a Scanlan-authorized facility. **Servicing by an unauthorized facility will invalidate the warranty.**

**Sterilize & Store:** Instruments should always be sterilized and stored in an "open" and unlocked position. This increases the life of the instrument, prevents possible breakage, and is recommended by established standards.

**Protect:** Be certain all delicate tipped instruments are covered with a device specially designed for instrument protection (such as SCANLAN® Tip Guard™ instrument protectors) during storage and sterilization.

**Use:** Instrument must be used for its intended purpose only. **Improper use or care will invalidate warranty.**

**Modifications:** Modifications and repair of instruments are available and must be done only through an authorized facility. Modifications by an unauthorized facility will invalidate the warranty.



**IMPORTANT:** Clean and sterilize before first and subsequent uses. Reprocessing instructions are available from Scanlan International, Inc.

**IMPORTANT:** All instruments must be decontaminated before returning to Scanlan International. Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

**IMPORTANT:** Destroy instruments that might have been contaminated with prions (CJD) - Do not reuse.

For further information on maintaining the quality of your surgical instrumentation, a reference guide entitled, Care & Maintenance of Scanlan® Surgical Instrumentation, is available upon request.

For more information contact your local Scanlan Distributor or call: U.S. & Canada 800-328-9458  
International: 651-298-0997 or Fax: 651-298-0018



INCHES

CENTIMETERS

**For more information or  
to place an order,**  
please contact your local  
Scanlan representative,  
or call...

U.S. & Canada: 800-328-9458  
International: 651-298-0997  
FAX: 651-298-0018  
[www.scanlaninternational.com](http://www.scanlaninternational.com)



**SCANLAN ★**

**INTERNATIONAL**

*Surgical products designed and manufactured by the Scanlan family since 1921*

ONE SCANLAN PLAZA • SAINT PAUL, MINNESOTA 55107 • U.S.A.  
800-328-9458 • 651-298-0997 • FAX 651-298-0018 • [www.scanlaninternational.com](http://www.scanlaninternational.com)

MK-CAT-2016  
©2016 Scanlan International, Inc.