

Highest Quality Surgical Instrumentation



Designed and Manufactured by the
Scanlan Family Since 1921





Established 1921

Today, the Scanlan legacy of excellence continues.

Celebrating over 96 years of excellence in surgical instrumentation,
we continue our commitment to leadership and innovation
in the medical community.



Dear Customer,

The Scanlan family has specialized in the design and manufacture of the highest quality surgical products since 1921. Now in our fourth generation, my family continues its dedication to providing you with the best surgical instrumentation available anywhere in the world.



This catalog is a composite of our instruments and single-use products. However, it is difficult to offer you a completely up-to-date catalog because, even as you are reading this, we are designing and refining even more unique and innovative products to serve you and, ultimately, your patients.

In the years ahead, we will continue to listen and serve you as personally as we have since our inception, with the vigor of the young, growing, and dynamic company that we are.

If I can ever be of assistance to you, please call me toll-free within the United States or Canada, or collect from anywhere in the world. Thank you for your continued support and demand for the finest.

Sincerely,

Timothy M. Scanlan
President
Chief Executive Officer



BIOPSY FORCEPS

D'Amico Biopsy Forceps 7.1
D'Amico Mediastinoscopy Biopsy Forceps 7.2

CLAMPS

Gonzalez-Rivas Lung Grasping Clamp 7.3
Foerster 7.3
Duval 7.6
Node Grasper 7.7
Kahn Decortication Grasper 7.8
Allis 7.8
D'Amico 7.9
Dennis Dissector 7.10
Chitwood DeBakey 7.11
Gonzalez-Rivas Dissector 7.15
DeBakey Cooley (Right Angle) 7.16
Harken 7.17

SCISSORS

Ring Handle 7.18

FORCEPS

Axial Handle 7.20
Spring Style 7.22

NEEDLE HOLDERS


Spring Style 7.23
Ring Handle 7.24
Axial Handle 7.28



SPECIALTY

Chitwood Knot Tier / Pusher 7.30
Chitwood Suture Cutter 7.31
Suction Instruments
Wolf 7.32
Dennis 7.33
D'Amico 7.34
Suction Accessories 7.35
Chitwood Suture Puller 7.36
Stern™ Chest Tube Passer 7.36


Modification	Description
904	Angle jaws/tips
904A	Angle and cut down jaws/tips
905	Cut down jaws/tips
905B	Cut down scissors blades
905TC	Cut down carbon inlay jaws/tips
907	Angled shanks - down
907B	Angled shanks - up
912	Blunt tips of scissors
912A	Sharpen tips of scissors
915	Gold plating
924	Tension modification
928	Modify to left-handed instrument (ring style)
928A	Modify to left-handed instrument (spring style)
929	Special etching
965	Remove ratchets on ring handle instruments
979	Add ratchet to instrument (spring style)



Example 1
9909-926
Modified to have Ratchets Removed



Example 2
9909-912-13
Modified to have Jaws Angled and
Shanks Angled Down



6 mm Oval Ring Jaw
(9009-302 and 9009-303)



SCANLAN®
D'Amico Biopsy Forceps, Ring Handle, Shorter Length

Developed in cooperation with Thomas A. D'Amico, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-302	6 mm Width Oval Ring Jaws Curved With Ratchet	5 mm Tapered to 7 mm	9" (23 cm)	13" (33 cm)
9009-303	6 mm Width Oval Ring Jaws Curved Without Ratchet			
9009-312	7 mm Width Oval Cupped Jaws Curved With Ratchet			
9009-313	7 mm Width Oval Cupped Jaws Curved Without Ratchet			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com



6 mm Oval Ring Jaw
(9009-300 and 9009-301)



7 mm Oval Cupped Jaws
(9009-310 and 9009-311)



SCANLAN®
D'Amico Mediastinoscopy Forceps
Developed in cooperation with Thomas A. D'Amico, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-300	6 mm Width Oval Ring Jaws Curved With Ratchet	7 mm	11" (28 cm)	15" (38 cm)
9009-301	6 mm Width Oval Ring Jaws Curved Without Ratchet			
9009-310	7 mm Width Oval Cupped Jaws Curved With Ratchet			
9009-311	7 mm Width Oval Cupped Jaws Curved Without Ratchet			



Curved Left 20 mm Oval Ring Jaws
(9009-230)



SCANLAN®
Gonzalez-Rivas Lung Grasping Clamp
Developed in cooperation with Diego Gonzalez-Rivas, MD, FECTS

Cat. No.	Description	Shaft	Working Length	Total Length
NEW 9009-230	High Tension Curved Left 20 mm Oval Ring Jaws With Ratchet	7 mm Tapered to 10 mm	5 3/4" (14.5 cm)	9 3/4" (24.5 cm)



Curved Left 20 mm Oval Ring Jaws
(9009-230)


SCANLAN®
Foerster Lung Grasping Clamp

Cat. No.	Description	Shaft	Working Length	Total Length
NEW 9009-229	Curved Left 20 mm Oval Ring Jaws With Ratchet	5 mm Tapered to 7 mm	9 1/4" (23.5 cm)	13 1/4" (33.5 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.


For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Foerster Lung Grasping Clamp

Cat. No.	Description	Shaft	Working Length	Total Length
9009-227	Curved Right Jaws (Left-Hand Style) 12 mm Oval Ring Jaws With Ratchet	7 mm	7 1/2" (19 cm)	11 1/2" (29 cm)
9009-228	Curved Left Jaws 12 mm Oval Ring Jaws With ratchet			
9909-921	Curved Right (Left-Hand Style) 20 mm Oval Ring Jaws With Ratchet	10 mm		
9909-922	Curved Left 20 mm Oval Ring Jaws With Ratchet			




SCANLAN®
Foerster Lung Grasping Clamp

Cat. No.	Description	Shaft	Working Length	Total Length
9009-226	Curved Left Jaws 12 mm Oval Ring Jaws With Ratchet	7 mm	9 1/4" (23.5 cm)	13 1/4" (33.5 cm)
9909-920	Curved Left Jaws 20 mm Oval Ring Jaws With Ratchet	10 mm	9 1/2" (24 cm)	
NEW 9909-924	Curved Left Jaws 25 x 35 mm Oval Ring Jaws With Ratchet			
9909-923	Deep Curve Left Jaws 20 mm Oval Ring Jaws With Ratchet			13" (33 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>




SCANLAN®
Duval Lung Grasping Clamp

Cat. No.	Description	Shaft	Working Length	Total Length
9909-926	Curved Left Jaws 1.0 cm Width Triangular Ring Jaws With Ratchet	10 mm	9 1/4" (23.5 cm)	13 1/2" (34 cm)
9909-927	Curved left jaws 2.5 cm Width Triangular Ring Jaws With Ratchet			

Instrument jaws are shown
approximate size

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Node Grasping Clamps

Cat. No.	Description	Shaft	Working Length	Total Length
9009-222	Straight Jaws 11 cm Oblong Ring Jaws With Ratchet	5 mm	9" (23 cm)	13" (33 cm)
9009-223	Curved jaws 11 cm Oblong Ring Jaws With Ratchet			
9009-225	Curved jaws 11 cm Oblong Ring Jaws Without Ratchet			

Instrument jaws are shown
approximate size

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Khan Decortication Grasper
Developed in cooperation with Prof. Ali Zamir Khan, MS, FRCS(Glasg), FRCS(CTh), FEBTS, MBA

Cat. No.	Description	Shaft	Working Length	Total Length
NEW 9909-940	Enhanced Serrations Curved Left Jaws With Ratchet	10 mm	9 1/2" (24 cm)	13 1/4" (33.5 cm)

SCANLAN®
Allis Forceps (Clamp)



Curved Left, 6 mm Jaw Width
(9009-270)

SCANLAN®
Allis Forceps

Cat. No.	Description	Shaft	Working Length	Total Length
9009-270	Curved Left Jaws 6 mm Width Jaws With Ratchet	7 mm	9" (23 cm)	13 1/4" (33.5 cm)



Curved 1 x 2 Tapered DeBakey Jaws
(9909-219 and 9909-221)

D'Amico Tapered Jaw Tip
Compared to
Chitwood DeBakey Jaw Tip

9909-219 and 9909-221
D'Amico curved tapered
1 x 2 DeBakey jaws

Straight 1 x 2 Tapered DeBakey Jaws
(9909-222)



9909-912-13
Chitwood curved
1 x 2 DeBakey jaws



SCANLAN®
D'Amico DeBakey Clamps
Developed in cooperation with Thomas A. D'Amico, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9909-219	Curved Left Jaws Tapered 1x2 DeBakey Jaws 11 cm Jaw Length Without Ratchet	10 mm	10" (25.4 cm)	14 1/2" (37 cm)
9909-221	Curved Left Jaws Tapered 1x2 DeBakey jaws 11 cm Jaw Length With Ratchet			
9909-222	Straight Jaws Tapered 1x2 DeBakey jaws 11.5 cm Jaw Length With Ratchet		10 1/2" (27 cm)	14 3/4" (37.5 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



Curved Jaws
(9009-280 and 9009-281)

SCANLAN®
Dennis Dissector

Cat. No.	Description	Shaft	Working Length	Total Length
9009-280	Curved Left Jaws Serrated Jaws With Ratchet	7 mm	9" (23 cm)	13 1/4" (33.5 cm)
9009-281	Curved Left Jaws Serrated Jaws Without Ratchet			

Instrument jaws are shown
approximate size



1 x 2 DeBakey Jaws
(9909-912)



1 x 2 DeBakey Jaws
(9909-912-13)



2 x 3 DeBakey Jaws
(9909-232)



Instrument jaws are shown
approximate size

SCANLAN®
Chitwood DeBakey Clamps

Developed in cooperation with W. Randolph Chitwood, Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9909-912	6.5 cm Jaw Length 1x2 DeBakey Jaws Curved Left jaws With Ratchet	10 mm	9" (23 cm)	12 3/4" (32.5 cm)
9909-912-13	10 cm Jaw Length 1x2 DeBakey Jaws Curved Left Jaws With Ratchet		10" (25.4 cm)	14 1/4" (36 cm)
9909-232	10 cm Jaw Length 2x3 DeBakey Jaws Curved Left Jaws With Ratchet			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Chitwood DeBakey Clamps
Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9909-914	7 cm Jaw Length Curved Left Jaw 1x2 DeBakey Jaws With Ratchet	10 mm	6 3/4" (17 cm)	10 3/8" (26.4 cm)
9909-915	7 cm Jaw Length Curved Right Jaw 1x2 DeBakey Jaws With Ratchet			



SCANLAN®
Chitwood DeBakey Clamps
Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
NEW 9909-234	8 cm Jaw Length Curved Left Jaws 2 x 3 DeBakey Jaws Angled Shanks	10 mm	5 1/8" (13 cm)	8" (20.5 cm)



SCANLAN®
Chitwood DeBakey Clamps
Developed in cooperation with W. Randolph Chitwood Jr., MD


Cat. No.	Description	Shaft	Working Length	Total Length
9909-913	7 cm Jaw Length Curved Left Jaws 1 x 2 DeBakey Jaws Angled Shanks	10 mm	6 3/4" (17 cm)	9 3/4" (24.8 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



1 x 2 DeBakey Jaws
(9009-240 and 9009-241)


Instrument jaws are shown
approximate size

SCANLAN®

Chitwood DeBakey Clamps

Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-240	6 cm Jaw Length Curved Left Jaws 1 x 2 DeBakey Jaws With Ratchet	5 mm	8 1/4" (21 cm)	12 1/4" (31 cm)
9009-241	6 cm Jaw Length Curved Left Jaws 1 x 2 DeBakey Jaws Without Ratchet			



1 x 2 DeBakey Jaws
(9009-210 and 9009-211)



1 x 2 DeBakey Jaws Fine Tips
(9009-212 and 9009-213)

Instrument jaws are shown
approximate size

SCANLAN®

Gonzalez-Rivas Dissector

Developed in cooperation with Diego Gonzalez-Rivas, MD, FECTS


Cat. No.	Description	Shaft	Working Length	Total Length
9009-210	Mixer-Style 1 x 2 DeBakey Jaws With Ratchet	5 mm	7 1/2" (19 cm)	11 1/2" (29 cm)
9009-211	Mixer-Style 1 x 2 DeBakey Jaws Without Ratchet			
NEW 9009-212	Mixer-Style 1 x 2 DeBakey Jaws Fine Tips With Ratchet			
NEW 9009-213	Mixer-Style 1 x 2 DeBakey Jaws Fine Tips Without Ratchet			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®

DeBakey Cooley Forceps (Clamp)

Cat. No.	Description	Shaft	Working Length	Total Length
9909-202	DeBakey Cooley Jaws With Ratchet	10 mm	9 1/2" (24 cm)	13 1/2" (34 cm)
9909-203	DeBakey Cooley Jaws Without Ratchet			



SCANLAN®

Harken Clamps


Cat. No.	Description	Shaft	Working Length	Total Length
NEW 9909-250	7.5 cm Jaws Tapered 1x2 DeBakey Jaws Without Ratchet	5 mm to 7 mm tapered	9 1/2" (19 cm)	11 1/2" (29 cm)
NEW 9909-251	7.5 cm Jaws Tapered 1x2 DeBakey Jaws With Ratchet			
NEW 9909-252	7.5 cm Jaws Tapered 1x2 DeBakey Jaws Without Ratchet			
NEW 9909-253	7.5 cm Jaws Tapered 1x2 DeBakey Jaws With Ratchet	10 mm	9 7/8" (24.8 cm)	14" (35.5 cm)
9909-224	9.5 cm Jaws Tapered 1x2 DeBakey Jaws Without Ratchet			
9909-225	9.5 cm Jaws Tapered 1x2 DeBakey Jaws With Ratchet			
9909-226	9.5 cm Jaws Tapered 1x2 DeBakey Jaws Without Ratchet			
9909-227	9.5 cm Jaws Tapered 1x2 DeBakey Jaws With Ratchet			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com


VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>




SCANLAN®
SUPER CUT™ Scissors
Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-716SC	Straight Fine Blades 1 cm Blade Length Blunt Micro Tips Black Platinum Ring Handle	5 mm	6 1/2" (16.5 cm)	10 1/2" (27 cm)
9009-718SC	Curved Fine Blades 1 cm Blade Length Blunt Micro Tips Black Platinum Ring Handle		6 1/2" (16.5 cm)	10 1/2" (27 cm)
9009-738SC	Chitwood Dissecting Scissors Curved Blades 3 cm Blade Length Blunt Tips Black Platinum Ring Handle		7 1/4" (18.5 cm)	11 1/2" (29 cm)



SCANLAN®
Metzenbaum SUPER CUT™ Scissors

Cat. No.	Description	Shaft	Working Length	Total Length
9909-910SC	Curved Blades 3.5 cm Blade Length Blunt Tips Black Platinum Ring Handle	10 mm	7 3/4" (19.5 cm)	11 1/2" (29 cm)



SCANLAN®
Metzenbaum SUPER CUT™ Scissors

Cat. No.	Description	Shaft	Working Length	Total Length
9909-911SC	Curved Wide Blades 3.5 cm Blade Length Blunt Tips Black Platinum Ring Handle	10 mm	7 3/4" (19.5 cm)	11 1/2" (29 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/



DeBakey Jaws, 2.5 mm Width
(9009-528)



Instrument jaws are shown
approximate size

SCANLAN®
Axial Handle Forceps
Round Handle | 8 mm Diameter Knurling

Cat. No.	Description	Shaft	Working Length	Total Length
9009-528	2.5 mm Width DeBakey Jaws Without Ratchet	5 mm	6 1/4" (16 cm)	12 1/2" (32 cm)



Resano Jaws, 2.5 mm Width
(9009-510 and 9009-511)



DeBakey Jaws, 1.5 mm Width
(9009-520 and 9009-521)



Russian Jaws, 6 mm Width
(9009-512 and 9009-513)



DeBakey Jaws, 2.5 mm Width
(9009-522 and 9009-523)



Platform DIAMOND DUST™, 2 mm Width
(9009-516 and 9009-517)



DeBakey Jaws, 3.5 mm Width
(9009-524 and 9009-525)



Instrument jaws are shown
approximate size

SCANLAN®
Axial Handle Forceps
Round Handle | 10 mm Diameter Knurling

Cat. No.	Description	Shaft	Working Length	Total Length
9009-510	2.5 mm Width Resano Jaws Without Ratchet	5 mm	8" (20 cm)	14 1/4" (36 cm)
9009-511	2.5 mm Width Resano Jaws With Ratchet			
9009-512	6 mm Width Russian Jaws Without Ratchet			
9009-513	6 mm Width Russian Jaws With Ratchet			
9009-516	2 mm Width Platform DIAMOND DUST™ Jaws Without Ratchet			
9009-517	2 mm Width Platform DIAMOND DUST™ Jaws With Ratchet			
9009-520	1.5 mm Width DeBakey Jaws Without Ratchet			
9009-521	1.5 mm Width DeBakey Jaws With Ratchet			
9009-522	2.5 mm Width DeBakey Jaws Without Ratchet			
9009-523	2.5 mm Width DeBakey Jaws With Ratchet			
9009-524	3.5 mm Width DeBakey Jaws Without Ratchet			
9009-525	3.5 mm Width DeBakey Jaws With Ratchet			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/

VATS/MIS

http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/

9009-422



DeBakey Jaws, 1 mm Width
(9009-420)



DeBakey Jaws, 2 mm Width
(9009-422)



Instrument jaws are shown
approximate size

SCANLAN®
Jacobson Spring Style Forceps
Round Handle | 8 mm Diameter Knurling

Cat. No.	Description	Shaft	Working Length	Total Length
9009-420	1 mm Width Straight DeBakey Jaws Without Ratchet	5 mm	7 3/4" (19.5 cm)	16" (41 cm)
9009-422	2 mm Width Straight DeBakey Jaws Without Ratchet			

VATS/MIS

http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/

9009-648



Straight DIAMOND DUST™ Jaws,
for 5-0 Suture
(9009-648)



Curved DIAMOND DUST™ Jaws,
for 5-0 Suture
(9009-650)



Instrument jaws are shown
approximate size


SCANLAN®
Jacobson Spring Style Forceps
Round Handle | 8 mm Diameter Knurling

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-648	Straight DIAMOND DUST™ Jaws With Ratchet	5-0 and Smaller	5 mm	6 1/2" (16.5 cm)	15 3/8" (38.5 cm)
9009-650	Curved DIAMOND DUST™ Jaws With Ratchet				

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Ring Handle Needle Holders

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-636	Straight Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet	4-0 and Smaller	7 mm	6 1/4" (16 cm)	11 1/4" (28.5 cm)
9009-637	Curved Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet				
9009-638	Straight Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet	2-0 and Smaller			
9009-639	Curved Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet				



SCANLAN®
Ring Handle Needle Holders


Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-618	Straight Jaws Fine DIAMOND DUST™ Jaws With Ratchet	5-0 and Smaller	5 mm	6 1/2" (16.5 cm)	10 1/2" (27 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com


VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Ring Handle Needle Holders

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9909-610	Straight Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet	2-0 and Smaller	10 mm	8 1/4" (21 cm)	13 1/2" (34 cm)
9909-612	Curved Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet				



SCANLAN®
Ring Handle Needle Holders

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-640	Straight Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet	4-0 and Smaller	7 mm	8 1/2" (21.5 cm)	13 1/2" (34 cm)
9009-642	Curved Jaws Carbon-Inlay Jaws Gold Ring Handle With Ratchet				

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

SCANLAN®
Axial Handle Needle Holders

9009-541



Straight DIAMOND DUST™
Jaws, for 7-0 Suture
(9009-540 and 9009-541)



Curved DIAMOND DUST™
Jaws, for 7-0 Suture
(9009-542 and 9009-543)



Straight DIAMOND DUST™
Jaws, for 5-0 Suture
(9009-550 and 9009-551)



Curved DIAMOND DUST™
Jaws, for 5-0 Suture
(9009-552 and 9009-553)



Instrument jaws are shown
approximate size

SCANLAN®
Axial Handle Needle Holders

Round Handle | 10 mm Diameter Knurling

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-540	Straight DIAMOND DUST™ Jaws Without Ratchet	7-0 and Smaller	5 mm	8" (20 cm)	14 3/8" (36.5 cm)
9009-541	Straight DIAMOND DUST™ Jaws With Ratchet				
9009-542	Curved DIAMOND DUST™ Jaws Without Ratchet				
9009-543	Curved DIAMOND DUST™ Jaws With Ratchet				
9009-550	Straight DIAMOND DUST™ Jaws Without Ratchet	5-0 and Smaller	6 mm	8" (20 cm)	14 3/8" (36.5 cm)
9009-551	Straight DIAMOND DUST™ Jaws With Ratchet				
9009-552	Curved DIAMOND DUST™ Jaws Without Ratchet				
9009-553	Curved DIAMOND DUST™ Jaws With Ratchet				

SCANLAN®
Axial Handle Needle Holders

9009-571



Straight Carbon-Inlay Jaws, for 4-0 Suture
(9009-560 and 9009-561)



Curved Carbon-Inlay Jaws, for 4-0 Suture
(9009-562 and 9009-563)



Straight Carbon-Inlay Jaws, for 2-0 Suture
(9009-570 and 9009-571)



Curved Carbon-Inlay Jaws, for 2-0 Suture
(9009-572 and 9009-573)



Instrument jaws are shown
approximate size

SCANLAN®
Axial Handle Needle Holders

Round Handle | 10 mm Diameter Knurling

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-560	Straight Carbon-Inlay Jaws Gold Tipped Handle Without Ratchet	4-0 and Smaller	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
9009-561	Straight Carbon-Inlay Jaws Gold Tipped Handle With Ratchet				
9009-562	Curved Carbon-Inlay Jaws Gold Tipped Handle Without Ratchet				
9009-563	Curved Carbon-Inlay Jaws Gold Tipped Handle With Ratchet				
9009-570	Straight Carbon-Inlay Jaws Gold Tipped Handle Without Ratchet	2-0 and Smaller	7 mm	8" (20 cm)	14 3/8" (36.5 cm)
9009-571	Straight Carbon-Inlay Jaws Gold Tipped Handle With Ratchet				
9009-572	Curved Carbon-Inlay Jaws Gold Tipped Handle Without Ratchet				
9009-573	Curved Carbon-Inlay Jaws Gold Tipped Handle With Ratchet				

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>


9009-828



SCANLAN®
Chitwood Knot Pusher
Developed in cooperation with W. Randolph Chitwood Jr., MD
Round Handle | 8 mm Diameter Knurling

Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-827-11	Pediatric Mini "Trap Model"	2-0 and Smaller	5 mm	5 1/8" (13 cm)	11" (28 cm)
9009-827-12	Mini "Trap Model"			5 1/2" (14 cm)	12" (30.5 cm)
NEW 9009-827-13	Mini "Trap Model"			6 3/4" (17 cm)	13 5/8" (34.6 cm)
NEW 9009-827-15	Mini "Trap Model"			8 1/2" (21.5 cm)	15 3/8" (39.1 cm)
9009-828	Original "Trap Model"			6 1/8" (15.5 cm)	12 1/2" (32 cm)
NEW 9009-828-15	Original "Trap Model"			8 1/2" (21.5 cm)	15 3/8" (39.1 cm)
9009-828-16	Original "Trap Model" Long Spring Handle			7 1/4" (18.5 cm)	15 3/4" (40 cm)

9009-838SC



(All models)

SCANLAN®
Chitwood Super Cut™ Suture Cutter
Developed in cooperation with W. Randolph Chitwood Jr., MD


Cat. No.	Description	Suture Size	Shaft	Working Length	Total Length
9009-838SC	Trap Model™ Black Platinum Ring Handle	2-0 and Smaller	5 mm	7" (18 cm)	11" (28 cm)
9009-840SC				9" (23 cm)	13" (33 cm)
9009-842SC				11" (28 cm)	15" (38 cm)

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>



SCANLAN®
Wolf Suction Instrument
Developed in cooperation with Randall K. Wolf, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-908	Pediatric Curved Blunt Tip 6 mm width tip Yankauer Handle	3.2 mm	6 3/4" (17 cm)	12 1/4" (31 cm)
9009-909	Pediatric Variable Suction Curved Blunt Tip 6 mm Width Tip Yankauer Handle			
9009-910	Curved Blunt Tip 6 mm Width Tip Yankauer Handle		8 3/4" (22 cm)	14 1/4" (36 cm)
9009-911	Variable Suction Curved Blunt Tip 6 mm Width Tip Yankauer Handle			



SCANLAN®
Dennis Suction Instrument

Cat. No.	Description	Shaft	Working Length	Total Length
9009-914	Curved Blunt Yip 7.5 mm Width Tip Yankauer Handle	5 mm	8 3/4" (22 cm)	14 1/4" (36 cm)
9009-915	Variable Suction Curved Blunt Yip 7.5 mm Width Tip Yankauer Handle			
9009-916	Curved Blunt Yip 7.5 mm Width Tip Yankauer Handle		12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-917	Variable Suction Curved Blunt Yip 7.5 mm Width Tip Yankauer Handle			

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

9009-900



SCANLAN®
D'Amico Suction Instrument

Developed in cooperation with Thomas A. D'Amico, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-900	Straight Blunt Tip 5 mm width tip	5 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-901	Variable Suction Straight Blunt Tip 5 mm Width Tip			

9009-920



SCANLAN®
D'Amico Suction Instrument

Developed in cooperation with Thomas A. D'Amico, MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-920	Straight Blunt Tip 10 mm Width Tip	10 mm	12 1/2" (32 cm)	17 3/4" (45.5 cm)
9009-921	Variable Suction Straight Blunt Tip 10 mm Width Tip			

9009-905



SCANLAN®
Suction Accessories


Cat. No.	Description	Total Length
9009-905	Brush Set, Pack Of 10, For 5 mm D'Amico And 3.2 mm Wolf And Dennis Suction Instruments	19" (48.3 cm)
9009-922	Brush Set, Pack Of 10, For 10 mm D'Amico Suction Instruments	

Please check with your Scanlan Representative for Firm Sale status.
Custom modifications available upon request.

For a complete listing of models visit...
www.scanlaninternational.com

VATS/MIS
<http://www.scanlaninternational.com/product-category/instrumentation/vats-mis/>

SCANLAN®
Chitwood Suture Puller




SCANLAN®
Chitwood Suture Puller

Developed in cooperation with W. Randolph Chitwood Jr., MD

Cat. No.	Description	Shaft	Working Length	Total Length
9009-816	Straight 1.75 mm Tip	3.1 mm	7 1/2" (19 cm)	11 1/2" (29 cm)
9009-820	Straight 3.1 mm Tip			

SCANLAN®
Stern™ Chest Tube Passer



SCANLAN®
Stern™ Chest Tube Passer

Cat. No.	Description	Shaft	Working Length	Total Length
4004-185	Without Ratchet	10 mm	6 7/8" (17.5 cm)	9 3/4" (24.8 cm)
4004-186	With Ratchet			
4004-189	Without Ratchet		11" (28 cm)	14" (35.6 cm)

COLOR CODING		TRAVELER™ Autoclavable Pouch	8.9
SURG-I-BAND® Color Coding System		TIP GUARD™ Instrument Protectors	8.10
Color Coding	8.1	V.I.P.™ Sterilization Trays	
Carousel	8.1	Metal	8.12
Dispenser	8.1	Plastic	8.14
Remover	8.1		
Designs	8.2		
Labels	8.3		
Data Matrix	8.4		
EASY-TAG™ Tracking System			
EASY-TAG™	8.5		
EASY-TAG™ Small	8.5		
EASY-TAG™ Mini	8.5		
EASY-TAG™ Custom Printing	8.6		
EASY-TAG™ Pre-Printed	8.7		
EASY-TAG™ Plus	8.8		



301-0110.....	9.12	1001-79	9.10	1001-301	8.11
301-0120	9.12	1001-80	9.10	1001-302	8.11
301-0130	9.12	1001-81	9.10	1001-303	8.11
1001-04	6.16	1001-81M	9.10	1001-304	8.11
1001-05	6.16	1001-81P.....	9.10	1001-305	8.11
1001-06	6.16	1001-82	9.10	1001-306	8.11
1001-07	6.16	1001-82P.....	9.10	1001-307	8.11
1001-10	6.17	1001-83	9.1	1001-308	8.11
1001-11.....	6.17	1001-84	8.11	1001-309	8.11
1001-12	6.17	1001-85	8.11	1001-400	8.11
1001-13	6.17	1001-86	8.11	1001-401	8.11
1001-14	6.17	1001-87	8.11	1001-402	8.11
1001-21	5.39	1001-88	8.11	1001-403	8.11
1001-23	5.39	1001-89	8.11	1001-404	8.11
1001-49	8.1	1001-90	8.11	1001-405	8.11
1001-54	2.56	1001-91	8.11	1001-406	8.11
1001-59	8.1	1001-92	8.11	1001-407	8.11
1001-60	8.1	1001-93	8.11	1001-408	8.11
1001-61	8.1	1001-94	8.1	1001-409	8.11
1001-64	8.1	1001-95	8.1	1001-499	9.6
1001-65	8.1	1001-96	8.1	1001-500	9.7
1001-66	8.1	1001-97	8.1	1001-501	9.7
1001-67	8.1	1001-98	8.1	1001-502	9.7
1001-68	8.1	1001-99	8.1	1001-503	9.7
1001-69	8.1	1001-200	8.11	1001-504	9.7
1001-70	8.1	1001-201	8.11	1001-505	9.7
1001-71	8.1	1001-202	8.11	1001-506	6.42, 9.9
1001-72	9.11	1001-203	8.11	1001-506A.....	9.9
1001-73	9.11	1001-204	8.11	1001-506M	9.9
1001-74	9.11	1001-205	8.11	1001-507	9.8
1001-75	9.10	1001-206	8.11	1001-508	9.8
1001-76	6.42, 9.10	1001-207	8.11	1001-509	9.8
1001-77	9.10	1001-208	8.11	1001-510	9.8
1001-78	9.10	1001-209	8.11	1001-511.....	9.8
1001-78A.....	9.10	1001-300	8.11	1001-512	9.8

1001-513	9.12	1001-575	9.7	1001-640	8.1
1001-514	9.12	1001-580	9.8	1001-641	8.1
1001-515	9.12	1001-581	9.8	1001-642	8.1
1001-516	9.12	1001-582	9.8	1001-643	8.1
1001-520	9.13	1001-583	9.8	1001-710	6.53, 6.55, 9.14
1001-529	9.6	1001-584	9.8	1001-725	9.14
1001-530	9.7	1001-585	9.8	1001-730	9.14
1001-531	9.7	1001-600	9.1	1001-731	9.14
1001-532	9.7	1001-601	9.1	1001-740	9.11
1001-533	9.7	1001-602	9.1	1001-760	9.13
1001-534	9.7	1001-604	9.1	1001-800	8.3
1001-535	9.7	1001-605	9.1	1001-801	8.3
1001-540	9.8	1001-606	9.1	1001-802	8.3
1001-541	9.8	1001-607	9.1	1001-803	8.3
1001-542	9.8	1001-608	9.1	1001-804	8.3
1001-543	9.8	1001-609	9.1	1001-805	8.3
1001-544	9.8	1001-610	9.1	1001-806	8.3
1001-545	9.8	1001-611	9.1	1001-807	8.3
1001-550	6.42, 9.7	1001-620	9.1	1001-808	8.3
1001-551	9.7	1001-621	9.1	1001-809	8.3
1001-552	9.7	1001-622	9.1	1001-810	8.3
1001-553	9.7	1001-624	9.1	1001-811	8.3
1001-554	9.7	1001-626	9.1	1001-812	8.3
1001-555	9.7	1001-628	9.1	1001-813	8.3
1001-560	9.8	1001-629	9.1	1001-814	8.3
1001-561	9.8	1001-630	8.1	1001-815	8.3
1001-562	9.8	1001-631	8.1	1001-816	8.3
1001-563	9.8	1001-632	8.1	1001-817	8.3
1001-564	9.8	1001-633	8.1	1001-818	8.3
1001-565	9.8	1001-634	8.1	1001-819	8.3
1001-570	9.7	1001-635	8.1	1001-820	8.3
1001-571	9.7	1001-636	8.1	1001-821	8.3
1001-572	9.7	1001-637	8.1	1001-822	8.3
1001-573	9.7	1001-638	8.1	1001-823	8.3
1001-574	9.7	1001-639	8.1	1001-824	8.3

1001-825	8.3	1001-926	8.7	1001-1023	8.2
1001-831	9.1	1001-927	8.7	1001-1024	8.2
1001-904	8.5	1001-940	1.12, 8.8	1001-1025	8.2
1001-904C	8.6	1001-950	8.9	1001-1026	8.2
1001-905	8.5	1001-951	8.9	1001-1027	8.2
1001-905C	8.6	1001-964	1.12, 8.5	1001-1028	8.2
1001-906	8.5	1001-965	1.12, 8.5	1001-1029	8.2
1001-906C	8.6	1001-966	1.12, 8.5	1001-1030	8.2
1001-907	8.5	1001-967	1.12, 8.5	1001-1031	8.2
1001-907C	8.6	1001-968	1.12, 8.5	1001-1032	8.2
1001-908	8.5	1001-969	1.12, 8.5	1001-1033	8.2
1001-908C	8.6	1001-970	1.12, 8.5	1001-1034	8.2
1001-909	8.5	1001-1000	8.2	1001-1035	8.2
1001-909C	8.6	1001-1001	8.2	1001-1036	8.2
1001-910	8.5	1001-1002	8.2	1001-1037	8.2
1001-910C	8.6	1001-1003	8.2	1001-1038	8.2
1001-914	8.5	1001-1004	8.2	1001-1039	8.2
1001-914C	8.6	1001-1005	8.2	1001-1040	8.2
1001-915	8.5	1001-1006	8.2	1001-1041	8.2
1001-915C	8.6	1001-1007	8.2	1001-1042	8.2
1001-916	8.5	1001-1008	8.2	1001-1043	8.2
1001-916C	8.6	1001-1009	8.2	1001-1044	8.2
1001-917	8.5	1001-1010	8.2	1001-1045	8.2
1001-917C	8.6	1001-1011	8.2	1001-1046	8.2
1001-918	8.5	1001-1012	8.2	1001-1047	8.2
1001-918C	8.6	1001-1013	8.2	1001-1048	8.2
1001-919	8.5	1001-1014	8.2	1001-1049	8.2
1001-919C	8.6	1001-1015	8.2	1001-1050	8.2
1001-920	8.5	1001-1016	8.2	1001-1051	8.2
1001-920C	8.6	1001-1017	8.2	1001-1052	8.2
1001-921	8.7	1001-1018	8.2	1001-1053	8.2
1001-922	8.7	1001-1019	8.2	1001-1054	8.2
1001-923	8.7	1001-1020	8.2	1001-1055	8.2
1001-924	8.7	1001-1021	8.2	1001-1056	8.2
1001-925	8.7	1001-1022	8.2	1001-1057	8.2

1001-1058	8.2	1001-1093	8.4	2002-46	2.40
1001-1059	8.2	1001-1094	8.4	2002-48	2.40
1001-1060	8.2	1001-1095	8.4	2002-50	2.40
1001-1061	8.2	1001-1096	8.4	2002-51	2.35
1001-1062	8.2	1001-1097	8.4	2002-52	2.36
1001-1063	8.2	1001-1098	8.4	2002-54	2.42
1001-1064	8.2	1001-1099	8.4	2002-62	2.26
1001-1065	8.2	1001-1100.....	8.4	2002-64	2.26
1001-1066	8.2	1001-1101.....	8.4	2002-66	2.27
1001-1067	8.2	1001-1102.....	8.4	2002-70	2.26
1001-1068	8.2	1001-1103.....	8.4	2002-72	2.27
1001-1069	8.2	1001-1104.....	8.4	2002-76	2.34
1001-1070	8.2	1001-1105.....	8.4	2002-78	2.24
1001-1071	8.2	1001-1106.....	8.4	2002-80	2.31
1001-1072	8.2	1001-1107.....	8.4	2002-82	2.31
1001-1073	8.2	1001-1108.....	8.4	2002-86	2.32
1001-1074	8.2	1001-1109.....	8.4	2002-88	2.32
1001-1075	8.2	1001-1110.....	8.4	2002-90	2.24
1001-1076	8.2	1001-1111	8.4	2002-92	2.25
1001-1077	8.2	2002-13	2.35	2002-94	2.25
1001-1078	8.2	2002-14	2.33	2002-96	2.25
1001-1079	8.2	2002-16	2.33	2002-100	2.28
1001-1080	8.2	2002-22	2.41	2002-106	2.28
1001-1081	8.2	2002-23	2.35	2002-110.....	2.29
1001-1082	8.2	2002-28	2.37	2002-112.....	2.35
1001-1083	8.2	2002-30	2.37	2002-113.....	2.35
1001-1084	8.4	2002-32	2.38	2002-116.....	2.39
1001-1085	8.4	2002-33	2.35	2002-117.....	2.39
1001-1086	8.4	2002-34	2.38	2002-128	2.22
1001-1087	8.4	2002-36	2.38	2002-134	2.22
1001-1088	8.4	2002-38	2.36	2002-184	2.23
1001-1089	8.4	2002-40	2.36	2002-186	2.23
1001-1090	8.4	2002-42	2.34	2002-229	2.20
1001-1091	8.4	2002-43	2.35	2002-230	2.20
1001-1092	8.4	2002-44	2.40	2002-231	2.20

2002-232	2.18	2142-03	8.13	3003-93	4.4
2002-234	2.18	2145-02	6.37	3003-93A.....	4.4
2002-235	2.18, 6.38	2145-03	8.12	3003-94	4.4
2002-236	2.19	2146-03	8.12	3003-94-4	4.4
2002-238	2.19	2150-03	1.12, 8.12, 9.4	3003-94A.....	4.4
2002-240	2.17	3003-02	3.12	3003-150	3.7
2002-242	2.17	3003-03	3.12	3003-152	3.7
2002-244	2.17	3003-04	3.12, 6.39	3003-154	3.7
2002-246	2.17	3003-05	3.12, 6.39	3003-154-3	3.7, 6.46
2002-248	2.21	3003-06	3.12	3003-154-4	3.7
2002-250	2.21	3003-07	3.12	3003-156	3.7
2002-280	1.11, 2.30	3003-09	3.13	3003-156-3	3.7, 6.46
2002-282	1.11, 2.30	3003-46	2.6	3003-156-4	3.7
2002-286	1.11, 2.30	3003-47	2.6	3003-158	3.8
2081-11.....	6.53, 8.14	3003-52	2.5	3003-158-3	3.8, 6.48
2081-12	8.15	3003-54	2.5	3003-158-4	3.8
2081-21	8.14	3003-56	2.5	3003-158-8	3.8, 6.39
2081-23	6.43, 8.15	3003-64	2.8	3003-158-9	3.8
2081-24	8.15	3003-66	2.9	3003-158-10	3.8
2082-10	8.14	3003-67	2.7	3003-159-3	6.48
2082-20	8.15	3003-68	2.9	3003-159	3.8
2083-01	8.14	3003-69	2.12	3003-159-3	3.8
2083-02	8.14	3003-70	2.11	3003-159-4	3.8
2083-03	8.14	3003-72	2.11	3003-159-8	3.8
2083-05	8.14	3003-74	2.15	3003-159-10	3.8
2083-16	8.15	3003-79	2.13	3003-160	3.6
2084-12	8.15	3003-80	2.14	3003-162	3.6
2084-20	8.15	3003-82	2.14	3003-164	3.6, 6.46, 6.48
2133-03	6.3, 8.12	3003-84	2.14	3003-166	3.6
2135-03	1.9, 6.3, 8.12	3003-86	2.14	3003-170	4.5
2138-03		3003-88	2.15	3003-171	4.6
6.33, 6.35, 6.43, 6.45, 6.47, 6.51, 6.55, 8.13		3003-90	4.4	3003-172	4.5
2139-03	8.13	3003-90A.....	4.4	3003-173	4.6
2140-03	6.31, 6.47, 6.51, 8.13	3003-91	4.4	3003-174	4.5
2141-03	6.47, 6.51, 8.13	3003-91A.....	4.4	3003-175	4.6

3003-177	4.6	3003-280	1.10, 2.10	3003-440	4.13
3003-177-3	4.6, 6.49	3003-282	1.10, 2.10	3003-442	4.13
3003-177-4	4.6	3003-286	1.10, 2.10	3003-450	4.11
3003-180	4.5	3003-342	4.1	3003-452	4.11
3003-181	4.6	3003-344	4.1	3003-454	4.11
3003-182	4.5	3003-346	4.1	3003-462	4.15
3003-183	4.6	3003-348	4.1	3003-464	4.15
3003-184	4.5	3003-352	4.2	3003-466	4.15
3003-185	4.6	3003-354	4.2	3003-510	4.7
3003-187	4.6	3003-356	4.2	3003-530	4.7
3003-190	4.5	3003-358	4.2	3003-540	4.7
3003-191	4.6	3003-362	4.2	3003-550	4.10
3003-193	4.6	3003-364	4.2	3003-570	4.10
3003-195	4.6	3003-366	4.2	3003-580	4.10
3003-200	4.5	3003-368	4.2	3003-610	2.3
3003-200-12	4.5	3003-381	4.3, 6.30	3003-611.....	2.3
3003-202	4.5	3003-390	4.3, 6.30	3003-612	2.3
3003-204	4.5	3003-391	4.3, 6.32	3003-613	2.2
3003-207	4.9	3003-402	4.16	3003-614	2.2, 6.38
3003-224	4.8	3003-404	4.16	3003-616	2.1
3003-225	4.9	3003-406	4.16	3003-618	2.1
3003-226	4.8	3003-408	4.16	3003-620	2.1
3003-227	4.9	3003-412	4.12	3003-628	2.4
3003-229	4.9	3003-414	4.12	3003-630	2.4
3003-234	4.9	3003-416	4.12	3003-632	2.3
3003-234-1	4.9, 6.39	3003-418	4.12	3003-633	2.2
3003-235	4.9	3003-422	4.14	3003-634	2.2
3003-236	4.9	3003-424	4.14	3003-636	2.1
3003-237	4.9	3003-426	4.14	3003-637	2.1
3003-238	4.9	3003-428	4.14	3003-638	2.1
3003-239	4.9	3003-430	4.11	3003-710	3.9
3003-243	4.9	3003-432	4.11	3003-712	3.9
3003-261	4.8	3003-434	4.11	3003-714	3.9
3003-263	4.8	3003-436	4.13	3003-716	3.9
3003-265	4.8	3003-438	4.13	3003-720	3.6, 6.39

3003-724	3.6	3003-846	3.15	3784-15	6.28
3003-726	3.6	3003-847	3.15	3784-30	6.28
3003-728	3.6	3003-850	3.15	3784-31	6.28
3003-730	3.9	3003-851	3.15, 6.50	3784-32	6.28
3003-738	3.10	3003-866	4.17	3784-33	6.28
3003-740	3.11	3003-868	4.17	3784-40	6.26
3003-742	3.11	3003-870	4.17	3784-41	6.26
3003-750	3.10	3003-872	4.17	3784-42	6.26
3003-752	3.10	3003-902	3.2	3784-43	6.27
3003-760	3.10	3003-904	3.2	3784-44	6.25
3003-762	3.10	3003-906	3.2	3784-45	6.25
3003-770	3.3, 6.30	3003-908	3.2	3784-80	6.25
3003-774	3.3, 6.32	3003-912	3.2	3784-451	6.25
3003-775	3.3, 6.32	3003-914	3.2	3785-20	1.9, 6.4
3003-776	3.3, 6.32	3003-916	3.2	3785-21	1.9, 6.4
3003-778	3.3, 6.30	3003-918	3.2	3785-22	1.9, 6.4
3003-779	3.3, 6.34	3003-922	3.1	3785-24	1.9, 6.4
3003-780	3.3	3003-924	3.1	3785-26	1.9, 6.4
3003-782	3.3	3003-926	3.1	3785-27	1.9, 6.4
3003-784	3.3	3003-928	3.1	3785-41	1.9, 6.4
3003-786	3.3	3003-932	3.4	3785-42	1.9, 6.4
3003-794	3.13	3003-934	3.4	3785-43	1.9, 6.4
3003-800	6.27	3003-936	3.4	3786-20	1.9, 6.4
3003-804	3.5	3003-938	3.4	3786-21	6.4
3003-806	3.5	3049-90	3.34	3786-22	6.4
3003-810	3.5, 6.30	3049-92	3.34	3786-23	6.4
3003-816	3.5	3190-08	3.27	3786-24	6.4
3003-818	3.5	3781-10	6.26	3786-25	6.4
3003-823	3.14	3781-16	6.26	3786-26	1.9, 6.4
3003-825	3.14	3784-09	6.26	3786-27	1.9, 6.4
3003-832	3.14	3784-10	6.26	3786-28	6.4
3003-840	3.15, 6.50	3784-11.....	6.26	3786-29	1.9, 6.4
3003-841	3.15, 6.50	3784-12	6.26	3786-30	6.5
3003-842	3.15, 6.50	3784-13	6.26	3786-31	6.5
3003-843	3.15	3784-14	6.28	3786-32	6.5

3786-40	6.5	3795-06	6.7	4004-42	3.25	4004-98	3.19	4004-253	3.17	4383-40	2.16, 6.41
3786-41	1.9, 6.4	3795-08	6.7	4004-43	3.25	4004-99	3.19	4004-254	3.17	4383-42	2.16, 6.41
3786-42	1.9, 6.4	3795-14	6.7	4004-44	3.25	4004-108	3.29	4004-256	3.17	4383-44	2.16, 6.41
3786-43	1.9, 6.4	3795-16	6.7	4004-45	3.25	4004-124	3.29	4004-260	3.18	4383-46	2.16, 6.41
3788-01	5.22	3795-18	6.7	4004-45A	3.25	4004-125	3.29	4004-261	3.18	4384-40	2.16, 6.41
3788-02	5.22, 6.51	3795-20	6.7	4004-46	3.25	4004-185	6.14, 7.36	4004-262	3.18	4384-42	2.16, 6.41
3788-04	5.22	3795-22	6.7	4004-47	3.25	4004-186	6.14, 7.36	4004-263	3.18	4384-44	2.16, 6.41
3788-05	5.22	3795-24	6.7	4004-48	3.25	4004-189	6.14, 7.36	4004-266	3.22	4384-46	2.16, 6.41
3788-06	5.22	3795-28	6.7	4004-50	3.25	4004-204	3.19	4004-268	3.22	4385-40	2.16, 6.41
3788-08	3.33	3795-50	6.1, 6.3	4004-50A	3.25	4004-206	3.19	4004-269	3.22	4385-42	2.16, 6.41
3788-10	3.33	3795-51	6.1, 6.3	4004-50B	3.25	4004-210	3.19	4004-270	3.20	4385-44	2.16, 6.41
3788-12	4.36	3795-52	1.8, 6.1, 6.3	4004-52	3.25	4004-212	3.19	4004-272	3.20	4385-46	2.16, 6.41
3788-13	4.36	3795-54	6.1, 6.3	4004-54	3.25	4004-216	3.16	4004-280	3.17, 3.18	4447-07	2.51
3788-14	4.36	3795-56	1.8, 6.1, 6.3	4004-56	3.28	4004-217	3.16	4004-282	3.17, 3.18	4447-09	2.51
3788-15	4.36	3795-57	1.8, 6.1, 6.3	4004-57	3.28	4004-220	3.16	4004-305	3.19	4545-09	2.55
3788-27	5.22	4004-039	3.35	4004-59	3.28	4004-221	3.16	4004-320	3.16	4635-06	2.55
3788-29	5.22	4004-043	3.35	4004-62	3.26	4004-224	3.16, 6.44	4004-330	3.16	5005-001	2.45
3789-01	5.20	4004-01	3.30	4004-63	3.26	4004-225	3.16	4004-346	3.24	5005-00	2.45
3789-02	5.20	4004-02	3.30	4004-65	3.26	4004-226	3.16	4004-350	3.24	5005-01	2.46
3789-03	5.20	4004-03	3.30	4004-76	3.23	4004-227	3.16	4004-394	3.29	5005-02	2.46
3789-04	5.20	4004-03-3A	3.21, 3.30, 6.46	4004-77	3.23	4004-228	3.16	4155-06	4.28	5005-03	2.46
3789-07	3.33	4004-04	3.30	4004-79	3.23	4004-230	3.20	4155-07	4.28	5005-05	2.46
3789-08	3.33	4004-05	3.31	4004-79-12	3.23	4004-232	3.20	4157-77	4.28	5005-13	2.48
3789-11	4.35	4004-07	3.31	4004-80	3.27	4004-235	3.18	4375-08	2.52	5005-15	2.48
3789-11T	4.17	4004-17	3.31	4004-84	3.27	4004-238	3.24	4375-09	2.52	5005-23	2.48
3789-12	4.35	4004-19	3.31	4004-86	3.27	4004-239	3.24	4375-10	2.52	5005-25	2.48
3789-13	4.35	4004-23	3.31	4004-88	3.27	4004-240	3.24	4375-11	2.52	5005-33	2.48
3789-14	4.35	4004-25	3.32	4004-90	3.27	4004-242	3.24	4375-12	2.52	5005-35	2.48
3789-14-3	4.35, 6.51	4004-27	3.32	4004-92	3.27	4004-244	3.24	4375-14	2.52	5005-37	2.48
3789-16	5.20	4004-28	3.32	4004-94	3.27	4004-245	3.24	4377-08	2.53, 6.38	5005-39	2.48
3789-17	5.20	4004-29	3.32	4004-95	3.19	4004-246	3.24	4377-09	2.53	5005-43	2.49
3789-20	3.33, 6.37	4004-31	3.32	4004-96	3.19	4004-248	3.24	4377-11	2.53	5005-45	2.49
3795-01	6.6	4004-35	3.32	4004-97	3.21	4004-250	3.17	4377-12	2.53	5005-47	2.50
3795-01A	6.6	4004-37	3.28, 6.44	4004-97-3A	3.21, 6.48	4004-251	3.17	4377-28	2.54	5005-49	2.50
3795-04	6.7	4004-40	3.25	4004-97A	3.21	4004-252	3.17	4377-30	2.54	5005-51	2.50

5005-53	2.50	6006-52	4.19	6006-131	4.22
5005-60	2.44	6006-54	4.19	6006-132	4.22
5005-62	2.44	6006-56	4.19	6006-133	4.22
5005-64	2.44	6006-56-3	4.19, 6.47	6006-139	4.18
5005-80	2.43, 6.53, 6.55	6006-58	4.24	6006-148	4.27
5005-82	2.46, 6.52, 6.54	6006-59	4.20	6006-152	4.27
5005-86	2.47, 6.52, 6.54	6006-61	4.20	6006-158	4.25
5005-88	2.47, 6.52, 6.54	6006-62	4.24	6006-159	4.25
6006-02	4.30	6006-63	4.20	6006-160	4.25
6006-04	4.29	6006-65	4.20	6006-170	4.26
6006-05	4.34	6006-70	4.24	6006-174	4.26
6006-08	4.32	6006-72	4.24	6006-310	4.23
6006-10	4.32	6006-82	4.20	6006-330	4.23
6006-12	4.32	6006-84	4.20	6006-334	4.23
6006-14	4.32	6006-86	4.20	6006-340	4.23
6006-15	4.34	6006-88	4.20	6006-610	4.33
6006-16	4.34	6006-90	4.25	6006-620	4.33
6006-17	4.32	6006-92	4.25	6006-630	4.33
6006-19	4.32	6006-94	4.25	7007-02	5.46
6006-20	4.31	6006-100	4.26	7007-06	5.46
6006-24	4.31	6006-102	4.26	7007-25	5.27
6006-28	4.31	6006-104	4.26	7007-26	5.27
6006-29	4.30	6006-108	4.25	7007-27	5.27
6006-32	4.31	6006-110	4.25	7007-28	5.27
6006-33	4.30	6006-112	4.25	7007-30	5.28
6006-36	4.31	6006-120	4.21	7007-32	5.28
6006-37	4.30	6006-121	4.21	7007-33	5.28
6006-40	4.31	6006-122	4.21	7007-34	5.28
6006-41	4.30	6006-123	4.21	7007-35	5.28
6006-44	4.18	6006-124	4.21	7007-40	5.25
6006-45	4.18	6006-125	4.21	7007-40-5	5.25
6006-46	4.18	6006-127	4.21	7007-42	5.25
6006-47	4.18	6006-128	4.22	7007-42-5	5.25
6006-48	4.18	6006-129	4.22	7007-44	5.25
6006-50	4.19	6006-130	4.22	7007-44-5	5.25

7007-46	5.25	7007-204	5.37	7007-221SC	5.32
7007-46-5	5.25	7007-204SC	5.37	7007-222	5.32
7007-48	5.25	7007-205SC	5.37	7007-222SC	5.32
7007-48-5	5.25	7007-206	5.37	7007-222-1	5.33
7007-50	5.26	7007-206SC	5.37	7007-222-1SC	5.33
7007-50-5	5.26	7007-207SC	5.37	7007-222-2SC	5.34
7007-56	5.31	7007-208SC	5.29	7007-223-2SC	5.34
7007-58	5.31	7007-210	5.29	7007-224	5.32
7007-60	5.31	7007-210SC	5.29, 6.53, 6.55	7007-224SC	5.32
7007-62	5.31	7007-211	5.29	7007-224-1SC	5.33
7007-64	5.31	7007-211SC	5.29, 6.40	7007-224-2SC	5.34
7007-76	5.45	7007-214	5.32	7007-226-1SC	5.33
7007-78	5.45	7007-214SC	5.32	7007-226SC	5.32
7007-84	5.35	7007-215-2	5.34	7007-230SC	5.32
7007-104	5.6	7007-215-2SC	5.34	7007-232SC	5.38
7007-105	5.6	7007-216	5.32	7007-236	5.38
7007-106	5.6	7007-216SC	5.32	7007-236SC	5.38
7007-108	5.6	7007-216-1	5.33	7007-237	5.38
7007-110	5.6	7007-216-1SC	5.33	7007-237SC	5.38
7007-112	5.15	7007-216-2	5.34	7007-242	5.38
7007-116	5.15	7007-216-2SC	5.34	7007-242SC	5.38
7007-120	5.18	7007-217SC	5.32	7007-250	5.24
7007-124	5.18	7007-218	5.32	7007-250SC	5.24
7007-126	5.18	7007-218SC	5.32	7007-250-5	5.24
7007-128	5.8	7007-218-1	5.33	7007-250-5SC	5.24
7007-130	5.8	7007-218-1SC	5.33	7007-252	5.24
7007-132	5.8	7007-218-2	5.34	7007-252SC	5.24
7007-134	5.8	7007-218-2SC	5.34	7007-252-5	5.24
7007-140	5.13, 6.47, 6.49	7007-218-3SC	5.33, 6.40	7007-252-5SC	5.24
7007-167	5.23	7007-219SC	5.32	7007-254	5.24
7007-168	5.23	7007-220	5.32	7007-254SC	5.24, 6.40
7007-200	5.41	7007-220SC	5.32	7007-254-5	5.24
7007-200SC	5.41	7007-220-1	5.33	7007-254-5SC	5.24
7007-202	5.41	7007-220-1SC	5.33	7007-256	5.24
7007-202SC	5.41	7007-220-2SC	5.34	7007-256SC	5.24

7007-256-5	5.24	7007-298SC	5.30	7007-426	5.5
7007-256-5SC	5.24	7007-300	5.30	7007-427	5.2
7007-258	5.24	7007-300SC	5.30	7007-428	5.5
7007-258SC	5.24	7007-302SC	5.44	7007-429	5.2
7007-258-5	5.24	7007-304SC	5.44	7007-440	5.12
7007-258-5SC	5.24	7007-306SC	5.44	7007-440-8	5.14
7007-260	5.26	7007-311SC.....	5.39	7007-442	5.12
7007-262SC	5.30, 6.31, 6.35	7007-313	5.29	7007-442-8	5.14
7007-260-5	5.26	7007-313SC	5.29	7007-444	5.12
7007-260-5SC	5.26	7007-315	5.29	7007-444-8	5.14
7007-263SC	5.30	7007-315SC	5.29	7007-446	5.12
7007-264	5.30	7007-320	5.28	7007-446-8	5.14
7007-264SC	5.30	7007-320SC	5.28, 6.40	7007-448	5.12
7007-266SC	5.30	7007-395SC	5.43	7007-449	5.11
7007-268	5.30	7007-397SC	5.43	7007-449-8	5.14
7007-268SC	5.30	7007-401	5.9	7007-450	5.16
7007-270SC	5.36	7007-402	5.9	7007-452	5.16
7007-272SC	5.36	7007-403	5.9	7007-453	5.16
7007-274	5.36	7007-404	5.9	7007-454	5.16
7007-274SC	5.36	7007-410	5.15	7007-456	5.16
7007-276SC	5.36	7007-411.....	5.11	7007-458	5.16
7007-278	5.36	7007-412	5.15	7007-460	5.7
7007-278SC	5.36	7007-413	5.11	7007-462	5.7
7007-280SC	5.36	7007-414	5.15	7007-464	5.7
7007-282SC	5.40	7007-415	5.11	7007-466	5.7
7007-284SC	5.40	7007-416	5.15	7007-468	5.7
7007-286	5.40	7007-417	5.11	7007-470	5.13
7007-286SC	5.40	7007-418	5.15	7007-479	5.17
7007-288SC	5.40	7007-419	5.11	7007-481	5.17
7007-292SC	5.42	7007-420	5.5	7007-483	5.17
7007-294	5.42	7007-421	5.2	7007-485	5.17
7007-294SC	5.42	7007-422	5.5	7007-487	5.17
7007-295	5.42	7007-423	5.2	7007-490	5.3
7007-295SC	5.42	7007-424	5.5	7007-490-8	5.4
7007-296SC	5.30	7007-425	5.2	7007-492	5.3

7007-492-8	5.4	8008-14	5.47	8008-476	6.12
7007-494	5.3	8008-15	5.48	8008-478	6.12
7007-494-8	5.4	8008-41	6.21	8008-480	6.12
7007-496	5.3	8008-42	6.21	8008-482	6.12
7007-496-8	5.4	8008-43	6.20	8008-484	6.12
7007-498	5.3	8008-45	6.22	8008-486	6.12
7007-499	5.3	8008-47	6.22	8008-488	6.12
7007-499-8	5.4	8008-81	6.23	8008-493	6.12
7007-506	5.19, 6.34	8008-230	6.14, 6.52, 6.54	8008-494	6.12
7007-507	5.19, 6.34	8008-232	6.14, 6.53, 6.55	8008-495	6.12
7007-508	5.21	8008-236	6.14, 6.52, 6.54	9009-10	9.5
7007-509	5.21	8008-400	6.10	9009-11.....	9.4
7007-510	5.21	8008-405	6.10	9009-12	9.5
7007-511.....	5.21, 6.31	8008-410	6.11	9009-13	9.2, 9.4
7007-514	5.21, 6.33	8008-420	6.11	9009-14	9.2, 9.4, 9.5
7007-521	5.21, 6.31	8008-420-4	6.11	9009-15	9.2, 9.4
7007-522	5.21, 6.33	8008-430	6.11	9009-16	9.3
7007-538	5.10	8008-432	6.11	9009-18	9.3
7007-539	5.10	8008-448A.....	6.12	9009-20	9.3
7007-540	5.10	8008-448B.....	6.12	9009-21	9.3
7007-542	5.10	8008-448C.....	6.12	9009-22	9.3
7007-544	5.10	8008-449A.....	6.12	9009-23	9.3
7007-546	5.10	8008-449B.....	6.12	9009-24	9.2, 9.4, 9.5
7007-548	5.10	8008-449C.....	6.12	9009-26	9.5
7007-590	5.1	8008-452	6.12	9009-48	6.13
7007-592	5.1	8008-454	6.12	9009-48A.....	6.13
7007-594	5.1	8008-456	6.12	9009-48B.....	6.13
7007-596	5.1	8008-458	6.12	9009-48C.....	6.13
7007-598	5.1	8008-460	6.12	9009-49	6.13
8008-02	6.18	8008-462	6.12	9009-49A.....	6.13
8008-04	6.18	8008-464	6.12	9009-49B.....	6.13
8008-06	6.18	8008-466	6.12	9009-49C.....	6.13
8008-10	6.19	8008-468	6.12	9009-50	6.13
8008-11.....	6.19	8008-472	6.12	9009-52	6.13
8008-12	5.47	8008-474	6.12	9009-54	6.13

9009-56	6.13	9009-150	6.29, 6.45	9009-395	6.2, 6.3
9009-58	6.13	9009-152	6.29, 6.45	9009-420	7.22
9009-60	6.13	9009-210	7.15	9009-422	7.22
9009-62	6.13	9009-211.....	7.15	9009-506	9.9
9009-64	6.13	9009-212	1.5, 7.15	9009-506A.....	9.9
9009-66	6.13	9009-213	1.5, 7.15	9009-510	7.21
9009-68	6.13	9009-222	7.7	9009-511.....	7.21
9009-70	6.13	9009-223	7.7	9009-512	7.21
9009-72	6.13	9009-225	7.7	9009-513	7.21
9009-74	6.13	9009-226	7.5	9009-516	7.21
9009-76	6.13	9009-227	7.4	9009-517	7.21
9009-78	6.13	9009-228	7.4	9009-520	7.21
9009-80	6.13	9009-229	1.1, 7.3	9009-521	7.21
9009-82	6.13	9009-230	1.1, 7.3	9009-522	7.21
9009-84	6.13	9009-240	7.14	9009-523	7.21
9009-86	6.13	9009-241	7.14	9009-524	7.21
9009-88	6.13	9009-250	1.7, 7.17	9009-525	7.21
9009-92	6.13	9009-251	1.7, 7.17	9009-528	7.20
9009-93	6.13	9009-252	1.7, 7.17	9009-540	7.28
9009-94	6.13	9009-253	1.7, 7.17	9009-541	7.28
9009-95	6.13	9009-270	7.8	9009-542	7.28
9009-100	6.24	9009-280	7.10	9009-543	7.28
9009-104	6.24	9009-281	7.10	9009-550	7.28
9009-106	6.24	9009-300	7.2	9009-551	7.28
9009-110.....	6.24	9009-301	7.2	9009-552	7.28
9009-120	6.15	9009-302	7.1	9009-553	7.28
9009-121	6.15	9009-303	7.1	9009-560	7.29
9009-122	6.15	9009-310	7.2	9009-561	7.29
9009-123	6.15	9009-311.....	7.2	9009-562	7.29
9009-126	5.48, 6.15	9009-312	7.1	9009-563	7.29
9009-128	5.48, 6.15	9009-313	7.1	9009-570	7.29
9009-142	6.27 , 6.44	9009-360	6.36	9009-571	7.29
9009-144	6.24, 6.41, 6.44	9009-364	6.36	9009-572	7.29
9009-146	6.24, 6.41, 6.44	9009-380	6.36	9009-573	7.29
9009-148	2.43, 6.38, 6.44	9009-393	1.8, 6.2, 6.3	9009-618	7.25

9009-636	7.24	9009-921	7.34	9009-973	6.8, 6.9
9009-637	7.24	9009-922	7.35	9009-974	6.8, 6.9
9009-638	7.24	9009-928	6.8	9009-975	6.8, 6.9
9009-639	7.24	9009-928-3	6.8	9009-977	6.8, 6.9
9009-640	7.27	9009-929	6.8	9009-979	6.8, 6.9
9009-642	7.27	9009-929-3	6.8	9009-980	6.8
9009-648	7.23	9009-930	6.8	9009-981	6.8, 6.9
9009-650	7.23	9009-934	6.8	9009-982	6.8, 6.9
9009-716SC	6.37, 7.18	9009-940	6.8	9009-983	6.8, 6.9
9009-718SC	6.37, 7.18	9009-941	6.8, 6.9	9009-984	6.8, 6.9
9009-738SC	7.18	9009-942	6.8, 6.9	9009-985	6.8, 6.9
9009-816	7.36	9009-943	6.8, 6.9	9009-987	6.8, 6.9
9009-820	7.36	9009-944	6.8, 6.9	9009-989	6.8, 6.9
9009-827-11	7.30	9009-945	6.8, 6.9	9009-990	6.8
9009-827-12	7.30	9009-947	6.8, 6.9	9009-991	6.8, 6.9
9009-827-13	1.6, 7.30	9009-949	6.8, 6.9	9009-992	6.8, 6.9
9009-827-15	1.6, 7.30	9009-950	6.8	9009-993	6.8, 6.9
9009-828	7.30	9009-951	6.8, 6.9	9009-994	6.8, 6.9
9009-828-15	1.6, 7.30	9009-952	6.8, 6.9	9009-995	6.8, 6.9
9009-828-16	7.30	9009-953	6.8, 6.9	9009-997	6.8, 6.9
9009-838SC	7.31	9009-954	6.8, 6.9	9009-999	6.8, 6.9
9009-840SC	7.31	9009-955	6.8, 6.9	9909-202	7.16
9009-842SC	7.31	9009-957	6.8, 6.9	9909-203	7.16
9009-900	7.34	9009-959	6.8, 6.9	9909-219	7.9
9009-901	7.34	9009-960	6.8	9909-221	7.9
9009-905	7.35	9009-961	6.8, 6.9	9909-222	7.9
9009-908	7.32	9009-962	6.8, 6.9	9909-224	7.17
9009-909	7.32	9009-963	6.8, 6.9	9909-225	7.17
9009-910	7.32	9009-964	6.8, 6.9	9909-226	7.17
9009-911.....	7.32	9009-965	6.8, 6.9	9909-227	7.17
9009-914	7.33	9009-967	6.8, 6.9	9909-232	7.11
9009-915	7.33	9009-969	6.8, 6.9	9909-234	1.4, 7.13
9009-916	7.33	9009-970	6.8	9909-610	7.26
9009-917	7.33	9009-971	6.8, 6.9	9909-612	7.26
9009-920	7.34	9009-972	6.8, 6.9	9909-910SC	7.19

9909-911SC.....	7.19
9909-912	7.11
9909-912-13	7.11
9909-913	7.13
9909-914	7.12
9909-915	7.12
9909-920	7.5
9909-921	7.4
9909-922	7.4
9909-923	7.5
9909-924	1.2, 7.5
9909-926	7.6
9909-927	7.6
9909-940	1.3, 7.8
9999-100	6.30
9999-101	6.32
9999-102	6.34
9999-109	6.36
9999-150	6.52
9999-151	6.54
9999-162	6.46
9999-163	6.48
9999-164	6.50
9999-166	6.46, 6.48, 6.50
9999-181	6.38
9999-192	6.44

SCANLAN® Instrumentation is guaranteed to be free from defects in materials and workmanship for ten full years. Any instrument which proves defective when used for its intended purpose will be repaired or replaced at no charge, at the sole discretion of Scanlan International, Inc. This warranty is in lieu of all other warranties, either expressed or implied.

In no event shall seller be liable to buyer, or any successors of buyer, for any claim for lost opportunity, loss of goodwill, or consequential or incidental damages of any kind for any amount in excess of the price of the product. Seller agrees to replace or to issue credit at seller's sole option any product determined to be defective in materials or workmanship. Seller shall not be responsible for the cost of labor or charges of any kind incurred due to product defect. Your rights under this warranty may vary from state to state and country to country. **IMPORTANT: All SCANLAN® instruments must be returned to Scanlan International for refurbishment. Refurbishment of Scanlan instrumentation by any other resource will void the Scanlan warranty.**

SCANLAN® V.I.P.™ Instrument Sterilization Trays: SCANLAN® V.I.P.™ instrument sterilization trays are warranted for 12 months against defects in material or workmanship.

SCANLAN® DIAMOND DUST™ Instrumentation: SCANLAN® DIAMOND DUST™ jaws are guaranteed for 12 months. If needed, the DIAMOND DUST™ surface will be restored at no charge during the initial 12 month period.

Needle Holders: The use of suture needles larger than those recommended may result in damage and invalidate your warranty. Please see The Suture Size Guide for SCANLAN® Needle Holders for recommendations regarding the use of suture needles with SCANLAN® instrumentation. A copy of this publication is packaged with every SCANLAN® needle holder and is also available upon request.

Titanium Instrumentation: Different shades of blue may be found within the extensive line of anodized SCANLAN® titanium instrumentation. This is not a defect, but a phenomenon which occurs due to slight variations of manufacture technique or alloy composition. This is a cosmetic characteristic only and does not compromise the high quality of your SCANLAN® titanium instrumentation.

Scissors: Do not cut suture, gauze, or wire with scissors unless it was designed to cut those materials. All SCANLAN® Super Cut™ & Ultra Sharp® scissors must be returned to Scanlan International for complete refurbishment and sharpening in order to maintain the unique cutting edge.

SCANLAN® Premier™ Scissors: Sharpness of SCANLAN® Premier™ Scissors is guaranteed for 12 months. If needed, resharpening will be performed at no charge during the 12 month period.

Heifetz™ Clips, Yasargil Clips: Product in the original packaging may be returned for full credit within 60 days domestic and 90 days international of invoice date. All used product will be considered FIRM SALE. Warranted for 12 months against defects in material or workmanship.

Reliance Bulldog Clamp: Warranty for materials and workmanship will be one year. All sales are considered FIRM SALE.

PLEASE NOTE: Instrument designs may change without prior notice. We are proud of the handcrafted quality of our instruments, which can cause slight variations in instrument patterns.

IMPORTANT:
All instruments must be decontaminated before returning to Scanlan International.

Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

DEAR CUSTOMER, PLEASE NOTE: Due to the nature of our surgical instrumentation manufacturing process and our strict quality standards, various instrument patterns may occasionally be unavailable. We apologize for this inconvenience, however, each of our instruments is made by hand in a tradition of high quality craftsmanship. Therefore, scheduled delivery dates may change. We strive to be accurate as possible regarding this information, however dates may become extended and availability dates may change. Again, we apologize for this inconvenience. We will be happy to assist you in choosing an alternative instrument, as well as assist you in any way we can.

SCANLAN®
Care & Maintenance

To maintain optimum operating condition and to protect your warranty of SCANLAN® instrumentation, we recommend the following along with your general maintenance:

Clean: Make certain that all blood and debris are removed from the instrument as soon as possible after use. Do not allow blood to dry on the instrument.

Lubricate: After a thorough cleaning and rinsing, treat the instrument with an antimicrobial water-soluble instrument lubricant.

Identify: Scanlan can provide safe and appropriate instrument identification marking system(s) upon request. Do not use a mechanical engraver to mark the instrument. **If you engrave the instrument, the warranty will be invalidated.**

Repair, Refurbish or Sharpen: Have this instrument repaired, refurbished, or sharpened only by a Scanlan-authorized facility. **Servicing by an unauthorized facility will invalidate the warranty.**

Sterilize & Store: Instruments should always be sterilized and stored in an "open" and unlocked position. This increases the life of the instrument, prevents possible breakage, and is recommended by established standards.

Protect: Be certain all delicate tipped instruments are covered with a device specially designed for instrument protection (such as SCANLAN® Tip Guard™ instrument protectors) during storage and sterilization.

Use: Instrument must be used for its intended purpose only. **Improper use or care will invalidate warranty.**

Modifications: Modifications and repair of instruments are available and must be done only through an authorized facility. Modifications by an unauthorized facility will invalidate the warranty.



IMPORTANT: Clean and sterilize before first and subsequent uses. Reprocessing instructions are available from Scanlan International, Inc.

IMPORTANT: All instruments must be decontaminated before returning to Scanlan International. Please identify decontaminated product by marking "decontaminated" on the outer shipping carton.

IMPORTANT: Destroy instruments that might have been contaminated with prions (CJD) - Do not reuse.

For further information on maintaining the quality of your surgical instrumentation, a reference guide entitled, Care & Maintenance of Scanlan® Surgical Instrumentation, is available upon request.

For more information contact your local Scanlan Distributor or call: U.S. & Canada 800-328-9458
International: 651-298-0997 or Fax: 651-298-0018



INCHES

CENTIMETERS

**For more information or
to place an order,**
please contact your local
Scanlan representative,
or call...

U.S. & Canada: 800-328-9458
International: 651-298-0997
FAX: 651-298-0018
www.scanlaninternational.com



SCANLAN ★

INTERNATIONAL

Surgical products designed and manufactured by the Scanlan family since 1921

ONE SCANLAN PLAZA • SAINT PAUL, MINNESOTA 55107 • U.S.A.
800-328-9458 • 651-298-0997 • FAX 651-298-0018 • www.scanlaninternational.com

MK-CAT-2016
©2016 Scanlan International, Inc.